


Aquatic Bibliography &  
Science Questions  
for the USDA  
Forest Service

# Science Synthesis

pursuant to forest planning  
in the area of the  
**Northwest Forest Plan**

A document provided  
by the  
**Coast Range  
Association**  
Corvallis, OR  
[www.coastrange.org](http://www.coastrange.org)



# What is the Forest Service Science Synthesis

The Science Synthesis is a review of the current science literature addressing a broad scope of issues and questions pursuant to formal planning in the area of the Northwest Forest Plan. In fact, all national forests under the jurisdiction of the Forest Service are receiving new forest plans.

The planning process unfolds under the 2012 Planning Rule. The 2012 Planning Rule states in section **§ 219.3 Role of science in planning:**

“The responsible official shall use the best available scientific information to inform the planning process required by this subpart. In doing so, the responsible official shall determine what information is the most accurate, reliable, and relevant to the issues being considered. The responsible official shall document how the best available scientific information was used to inform the assessment, the plan decision, and the monitoring program as required in §§ 219.6(a)(3) and 219.14(a)(4). Such documentation must: Identify what information was determined to be the best available scientific information, explain the basis for that determination, and explain how the information was applied to the issues considered.”

The first formal stage in planning involves conducting assessments of landscape at what is termed the ‘unit scale’ which means a national forest area. The Planning Rule states: “Assessments rapidly evaluate existing information about relevant ecological, economic, and social conditions, trends, and sustainability and their relationship to the land management plan within the context of the broader landscape. The responsible official shall consider and evaluate existing and possible future conditions and trends of the plan area, and assess the sustainability of social, economic, and ecological systems within the plan area, in the context of the broader landscape (§ 219.6).”

“In the assessment for plan development or revision, the responsible official shall identify and evaluate existing information relevant to the plan area for the following:

- (1) Terrestrial ecosystems, aquatic ecosystems, and watersheds;
- (2) Air, soil, and water resources and quality;
- (3) System drivers, including dominant ecological processes, disturbance regimes, and stressors, such as natural succession, wildland fire, invasive

- species, and climate change; and the ability of terrestrial and aquatic ecosystems on the plan area to adapt to change;
- (4) Baseline assessment of carbon stocks;
  - (5) Threatened, endangered, proposed and candidate species, and potential species of conservation concern present in the plan area;
  - (6) Social, cultural, and economic conditions;
  - (7) Benefits people obtain from the NFS planning area (ecosystem services);
  - (8) Multiple uses and their contributions to local, regional, and national economies;
  - (9) Recreation settings, opportunities and access, and scenic character;
  - (10) Renewable and nonrenewable energy and mineral resources;
  - (11) Infrastructure, such as recreational facilities and transportation and utility corridors;
  - (12) Areas of tribal importance;
  - (13) Cultural and historic resources and uses;
  - (14) Land status and ownership, use, and access patterns; and
  - (15) Existing designated areas located in the plan area including wilderness and wild and scenic rivers and potential need and opportunity for additional designated areas.

The combination of section 219.3 - the use of best available scientific information (BASI) - and the broad scope of topics addressed in an Assessment requires the agency to document “what information was determined to be the best available scientific information, explain the basis for that determination, and explain how the information was applied to the issues considered.” Thus, prior to the formal Assessment process the Forest Service is conducting a science review and synthesis to inform future planning.

As part of the Science Synthesis the Forest Service invited the public to submit scientific literature or citations believed important to a science review. Pacific Rivers and the Coast Range Association in turn sought input from leading aquatic scientists to develop a bibliography of citations and a list of relevant science question related to the Northwest Forest Plan Aquatic Conservation Strategy (ACS).

What follows are the submitted bibliography and the list of question for the portion of the Science Synthesis addressing aquatic ecosystems.

This document is available at [www.coastrange.org](http://www.coastrange.org)

# AQUATIC CONSERVATION BIBLIOGRAPHY:

## A submission to the USDA Forest Service Science Synthesis.

Developed by Pacific Rivers and the Coast Range Association.

### Contents:

1. General Aquatic Conservation Science.....	Pages 2-17
2. Riparian Reserves, and Importance of Headwater Streams.....	Pages 18-24
3. Hydrology and Cumulative Watershed Effects (CWEs).....	Pages 25-38
4. Fish, Amphibians and Climate Change.....	Pages 39-45
4.a Amphibians.....	Pages 46-48
4.b Pacific Lamprey.....	Pages 49-50
4.c Pacific Salmon and Steelhead.....	Page 51
4.d Bulltrout.....	Pages 52-53
5. Roads, Logging and Cumulative Impacts.....	Pages 54-65
6. Reserves, Scale, Ecosystem Planning/BMPs (vs. Standards), and Post-Fire Management.....	Pages 66-67
7. Nutrient Flows/Dynamics/Eutrophication.....	Pages 68-69
7. Key Aquatic Questions for the Science Synthesis.....	Pages 73-77

**Note:** references/citations in red text indicate non-peer-reviewed but significant material.

# 1. GENERAL AQUATIC CONSERVATION SCIENCE (NWFP/ACS-RELATED)

Al-Chokhachy, R., B. B. Roper, and E. K. Archer. 2010. Evaluating the status and trends of physical stream habitat in headwater streams within the interior Columbia River and upper Missouri River Basins using an index approach. *Transactions of the American Fisheries Society* 139:1041-1059.

Anderson, P. D., D.J. Larson, and S.S. Chan. 2007. Riparian buffer and density management influences on microclimate of young headwater forests of western Oregon. *Forest Science* 53:254-269.

Anlauf, K.J., W. Gaeuman, and K. K. Jones. 2011. Detection of regional trends in salmonid habitat in coastal streams, Oregon. *Transactions of the American Fisheries Society* 140:52-66.

Battin, J., M.W. Wiley, M.H. Ruckelshaus, R.N. Palmer, E. Korb, K.K. Bartz, and H. Imaki. 2007. Projected impacts of climate change on salmon habitat restoration. *Proceedings of the National Academy of Sciences of the United States of America* 104:6720-6725.

Baxter, C.V. and F.R. Hauer. 2000. Geomorphology, hyporheic exchange, and selection of spawning habitat by bull trout (*Salvelinus confluentus*). *Canadian Journal of Fisheries and Aquatic Sciences* 57:1470-1481.

Bêche, L. A., Stephens, S. L., & Resh, V. H. 2005. Effects of prescribed fire on a Sierra Nevada (California, USA) stream and its riparian zone. *Forest Ecology and Management* 218(1):37-59.

Beechie, T.J. and T.H. Sibley. 1997. Relationships between channel characteristics, woody debris, and fish habitat in northwestern Washington streams. *Trans. Amer. Fish. Soc.* 26:217-229.

Beechie, T.J., G. Pess, P. Kennard, R.E. Bilby, and S. Bolton. 2000. Modeling recovery rates and pathways for woody debris recruitment in northwestern Washington streams. *North American Journal of Fisheries Management* 20:436-452.

Beechie, T.J. 2001. Empirical predictors of annual bed load travel distance, and implications for salmonid habitat restoration and protection. *Earth Surface Processes and Landforms* 26:1025-1034.

Beechie, T.J., C.N. Veldhuisen, D.E. Schuett-Hames, P. DeVries, R.H. Conrad, and E.M. Beamer. 2005. Monitoring treatments to reduce sediment and hydrologic effects from roads. P. 35-65 in P. Roni (ed.). *Methods for monitoring stream and watershed restoration*. CABI Publishing, Seattle, WA.

Beechie, T., G. Pess, P. Roni, and G. Giannico. 2008. Setting river restoration priorities: a review of approaches and a general protocol for identifying and prioritizing actions. *N. Am. J. Fish. Mgmt* 28:891-905.

Beechie, T.J., D.A. Sear, J.D. Olden, G.R. Press, J.M. Buffington, H. Moir, P. Roni, and M.M. Pollock. 2010. Process-based principles for restoring river ecosystems. *BioScience* 60(3):209-222.

Belt, G.H., J.O'Laughlin, and T. Merrill. 1992. *Design of forest riparian buffer strips for the protection*

of water quality; analysis of scientific literature. Idaho Forest, Wildlife, and Range Policy Group Report No.8, University of Idaho, Moscow.

Benda, L., and T. Dunne. 1997. Stochastic forcing of sediment routing and storage in channel networks. *Water Resources Research* 33:2849-2863.

Benda, L., D. Miller, P. Bigelow, and K. Andras. 2003. Effects of post-wildfire erosion on channel environments, Boise River, Idaho. *Forest Ecology and Management* 178(1):105- 119.

Benda, L., D. Miller, D., K. Andras, P. Bigelow, G. Reeves, and D. Michael. 2007. NetMap: a new tool in support of watershed science and resource management. *Forest Science*, 53(2):206-219.

Beschta, R.L., J.J. Rhodes, J.B. Kauffman, R.E. Gresswell, G.W. Minshall, J.R. Karr, D.A. Perry, F.R. Hauer, and C.A. Frissell. 2004. Postfire management on forested public lands of the western United States. *Conservation Biology* 18:957-967.

Beschta, R.L., D.L. Donahue, D.A. DellaSala, J.J. Rhodes, J.R. Karr, M.H. O'Brien, T.L. Fleischer, and C. Deacon-Williams. 2013. Adapting to climate change on western public lands: Addressing the ecological effects of domestic, wild, and feral ungulates. *Environmental Management* 51:474-491.

Beschta, R.L., D.L. Donahue, D.A. DellaSala, J.J. Rhodes, J.R. Karr, M.H. O'Brien, T.L. Fleischer, and C. Deacon-Williams. 2014. Reducing livestock effects on public lands in the western United States as climate changes: A reply to Svejcar et al. *Environmental Management*, 2014 Jun;53(6):1039-42.

Beschta, R.L. and W.J. Ripple. 2012 The role of large predators in maintaining riparian plant communities and river morphology. *Geomorphology* 157-158: 88-98.

Bilby, R.E., and J.W. Ward. 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. *Transactions of the American Fisheries Society* 118:368-378.

Bilby, R.E. and P.A. Bisson. 1998. Function and distribution of large woody debris. P. 324-326 in Naiman, R.J. and R. Bilby (eds.). *River ecology and management: Lessons from the Pacific coastal ecoregion*. Springer-Verlag, New York.

Bisson, P.A., R.E. Bilby, M.D. Bryant, C.A. Dolloff, G.B. Grette, R.A. House, M.L. Murphy, K.V. Koski, and J.R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. P. 143-190 in: E.O. Salo and T.W. Cundy (eds.). *Streamside management: forestry and fishery interactions*. University of Washington, Institute of Forest Resources, Seattle. Contribution 57.

Bisson, P.A., G.H. Reeves, R.E. Bilby and R.J. Naiman. 1997. Watershed management and Pacific salmon: desired future conditions. P. 447-474 in D.J. Stouder, P.A. Bisson, and R.J. Naiman (eds.). *Pacific salmon and their ecosystems: Status and future options*. Chapman and Hall, New York.

Blair, M.S. 1994. Oregon coastal lake study: Phosphorus loading and water quality implications. M.S. Thesis, Oregon State University, Corvallis, OR. 114 p.

Boyd, M.S. 1996. Heat Source: stream temperature prediction. Master's thesis. Departments of

Civil and Bioresource Engineering, Oregon State University, Corvallis, Oregon.

Brazier, J.R. and G.L. Brown. 1973. Buffer strips for stream temperature control. Oregon State University: Forest Research Lab Research Paper 15.

Blumm, M.C., and T. Wigington. 2013. The Oregon and California Railroad Grant Lands' sordid past, contentious present, and uncertain future: a century of conflict. 40 *Boston College Environmental Affairs Law Review* 40:1 (2013). <http://lawdigitalcommons.bc.edu/ealr/vol40/iss1/2/>

Brosfokske, K., J. Chen, T. Crow, and S. Saunders, 1999. Vegetation responses to landscape structure at multiple scales across a Northern Wisconsin, USA, Pine Barrens landscape. *Plant Ecology* 143:203-218.

Brummer, C.J., T.B. Abbe, J.R. Sampson, and D.R. Montgomery, 2006. Influence of vertical channel change associated with wood accumulations on delineating channel migration zones, Washington, USA. *Geomorphology* 803:295-309.

Bryce, S.A., G.A. Lomnický, and P.R. Kaufmann. 2010. Protecting sediment-sensitive aquatic species in mountain streams through the application of biologically based streambed sediment criteria. *Journal of the North American Benthological Society* 29:657-672.

Buhl, K.J. and S.J. Hamilton. 1998. Acute toxicity of fire-retardant and foam-suppressant chemicals to early life stages of Chinook salmon (*Oncorhynchus tshawytscha*). *Environmental Toxicology and Chemistry* 17(8):1589-1599.

Burnett, K. M., G. H. Reeves, S.E. Clarke, & K.R. Christiansen. 2006. Comparing riparian and catchment influences on stream habitat in a forested, montane landscape. *American Fisheries Society Symposium* 48:175-197.

Burnett, K. M., G.H. Reeves, D.J. Miller, S. Clarke, K. Vance-Borland, and K. Christiansen. 2007. Distribution of salmon-habitat potential relative to landscape characteristics and implications for conservation. *Ecological Applications* 17(1), 66-80.

Burroughs, E.R. and J.G. King. 1989. Surface erosion control on roads in granitic soils. P. 183-190 in *Proceedings: ASCE Committee on Watershed Management, Denver, CO.*

Carpenter, S.R., N.F. Caraco, D.L. Correll, R.W. Howarth, A.N. Sharpley, and V.H. Smith. 1998. Nonpoint pollution of surface waters with phosphorus and nitrogen. *Ecological Applications* 8:559-568.

Cederholm, C. J., L. M. Reid, and E. O. Salo. 1981. Cumulative effects of logging road sediment on salmonids populations in the Clearwater River, Jefferson County, Washington. In: *Proceedings to the conference on salmon spawning gravel: a renewable resource in the Pacific Northwest.* Water Research Center Report 39. Washington State University. Pullman, WA.

Chan S.S., D.J. Larson, K. G. Maas-Herner, W.H. Emmingham, S. R. Johnston, and D. A. Mikowski. 2006. Overstory and understory development in thinned and underplanted Oregon Coast Range Douglas-fir stands. *Canadian Journal of Forest Research* 36:2696-2711.

Chen, J., J.F. Franklin, and T.A. Spies. 1992. Vegetation responses to edge environments in old-growth Douglas-fir forests. *Ecological Applications* 2:387-396.

Chen, J., J.F. Franklin, and T.A. Spies. 1995. Growing-season microclimatic gradients from clearcut edges into old-growth Douglas-fir forests. *Ecological Applications* 5:74-86.

Corbett, E.S. and J.A. Lynch. 1985. Management of Streamside Zones on Municipal Watersheds. P. 187-190 in R.R. Johnson, C.D. Ziebell, D.R. Patton, P.F. Folliott, and R.H. Hamre (eds.), *Riparian ecosystems and their management: Reconciling conflicting uses*. First North American Riparian Conference, April 16-18, 1985, Tucson, Arizona.

Coutant, C.C., 1999. Perspectives on temperature in the Pacific Northwest's fresh waters. Environmental Sciences Division Publication No. 4849 ORNL/TM-1999/44, Oak Ridge National Laboratory, Lockheed Martin Energy Research Corp. US Dept. of Energy, Oak Ridge, Tennessee.

Cover, M.R., C.L. May, W.E. Dietrich, and V.H. Resh. 2008. Quantitative linkages among sediment supply, streambed fine sediment, and benthic macroinvertebrates in northern California streams. *Journal of the North American Benthological Society* 27(1):35-149.

Daggett, S.G., A.H. Vogel, and R.R. Petersen. 1996. Eutrophication of Mercer, Munsel, and Woahink Lakes, Oregon. *Northwest Science* 70 (Special Issue 2):28-38.

Dale, V.H., L.A. Joyce, and others. 2001. Climate change and forest disturbances: Climate change can affect forests by altering the frequency, intensity, duration, and timing of fire, drought, introduced species, insect and pathogen outbreaks, hurricanes, windstorms, ice storms, or landslides. *BioScience* 51(9):723-734.

Dalton, M.M., P.W. Mote, and A.K. Snover. 2013. *Climate Change in the Northwest Implications for Our Landscapes, Waters, and Communities*. Island Press, Washington DC. 271 pp.

DellaSala, D. A., R.G. Anthony, M.L. Bond, Monica, E.S. Fernandez, C.A. Frissell, Chris, C.T. Hanson, and R. Spivak. 2014. Alternative Views of a Restoration Framework for Federal Forests in the Pacific Northwest. *Journal of Forestry* 111(6):420-429.

DellaSala, D.A. and J. Williams. 2006. Northwest Forest Plan ten years later – how far have we come and where are we going? *Conservation Biology* 20:274-276.

DellaSala, D.A., J.R. Karr, and D.M. Olson. 2011. Roadless areas and clean water. *Journal of Soil and Water Conservation* 66:78A-84A.

DellaSala, D.A., R. Baker, D. Heiken, C.A. Frissell, J.R. Karr, S.K. Nelson, B.R. Noon, D. Olson, and J. Strittholt. 2015. Building on two decades of ecosystem management and biodiversity conservation under the Northwest Forest Plan, USA. *Forests* 2015 6(9), 3326-3352.

DellaSala, D.A., P. Brandt, M. Koopman, J. Leonard, C. Meisch, P. Herzog, P. Alaback, M.I. Goldstein, S. Jovan, A. MacKinnon, and H. vonWehrden. 2015. Climate change may trigger broad shifts in North America's Pacific Coastal Rainforests. Reference Module in Earth Systems and Environmental Sciences - <http://dx.doi.org/10.1016/B978-0-12->



DeRalph, C.R., S.A.C. Nelson, T.J. Kwok, and E.F. Hain. 2015. Predicting fine-scale distributions of peripheral aquatic species in headwater streams. *Ecol. Evol.* 2015, Jan. 5(1): 152-163.

DeWalle, D.R. 2010. Modeling stream shade: Riparian buffer height and density as important as buffer width. *Journal of the American Water Resources Association* 46:2 323-333.

Dodson, E.K., A. Ares, and K.J. Puettmann. 2012. Early responses to thinning treatments designed to accelerate late successional forest structure in young coniferous stands of western Oregon. USA. *Canadian Journal of Forest research* 42: 345-355.

Donato, D.C., J.B. Fontaine, J.L. Campbell, W.D. Robinson, J.B. Kauffman, and B.E. Law. 2006. Post-wildfire logging hinders regeneration and increases fire risk. *Science* 311:352.

Dwire, K. A., & Kauffman, J. B. 2003. Fire and riparian ecosystems in landscapes of the western USA. *Forest Ecology and Management* 178(1):61-74.

Ebersole, J.L., W.J. Liss, and C.A. Frissell. 2003. Cold water patches in warm streams: Physicochemical characteristics and the influence of shading. *Journal of the American Water Resources Association* 39:355-368.

Espinosa, Jr., F.A., J.J. Rhodes, and D.A. McCullough. 1997. The failure of existing plans to protect salmon habitat in the Clearwater National Forest in Idaho. *Journal of Environmental Management* 49(2): 205-230.

Estes, J.A. 2011. Trophic downgrading of planet Earth. *Science* 333. 15 July 2011.

Fausch, K.D., C.E. Torgersen, C.V. Baxter, and H.W. Li. 2000. Landscapes to riverscapes: bridging the gap between research and conservation of stream fishes. *BioScience* 52(6):1-16.

Featherston, K. L., R. J. Naiman, and R. E. Bilby. 1995. Large woody debris, physical processes, and riparian forest development in montane river networks of the Pacific Northwest. *Geomorphology* 13 (1):133-144.

Feist, B.E., E.R. Buhle, P. Arnold, J.W. Davis, and N.L. Scholz. 2011. Landscape ecotoxicology of coho salmon spawner mortality in urban streams. *PLoS ONE* 6(8): e23424. doi:10.1371/journal.pone.0023424. <http://www.plosone.org/article/info:doi%2F10.1371%2Fjournal.pone.0023424>

Firman, J.C., E.A. Steel, D.W. Jensen, K.M. Burnett, K. Christiansen, B.E. Feist, E. Blake, D.P. Larsen, and K. Anlauf. 2011. Landscape models of adult coho salmon density examined at four spatial extents. *Transactions of the American Fisheries Society* 140:440-455.

Franklin, J.F. and K.N. Johnson. 2012. A restoration framework for federal forests in the Pacific Northwest. *Journal of Forestry* 110: 429-439.

Freeman, M.C., C.M. Pringle, and C.R. Jackson. 2007. Hydrologic connectivity and the contribution of stream headwaters to ecological integrity and regional scales. *Journal of the American Water Resources Association* 43(1):5-14.

<http://www.energy.vt.edu/ncepstudy/pub/nature/regionalscaleinfluence.pdf>

Frissell, C.A. and R.K. Nawa. 1992. Incidence and causes of failure of artificial habitat structures in streams of western Oregon and Washington. *North American Journal of Fisheries Management* 12:182-197.

Frissell, C.A. and D. Bayles. 1996. Ecosystem management and the conservation of aquatic biodiversity and ecological integrity. *Water Resources Bulletin* 32(2):229-240.

Frissell, C.A., R.J. Baker, D.A. DellaSala, R.M. Hughes, J.R. Karr, D. A. McCullough, R.K. Nawa, J. Rhodes, M.C. Scurlock, and R.C. Wissmar. 2014. Conservation of aquatic and fishery resources in the Pacific Northwest: Implications of new science for the aquatic conservation strategy of the Northwest Forest Plan. Report prepared for the Coast Range Association, Corvallis, OR. 35 p. <http://coastrange.org>

Furniss, M.J., B.P. Stabb, S. Hazelhurst, C.F. Clifton, K.B. Roby, B.L. Ilhadrt, E.B. Larry, A.H. Todd, L.M. Reid, S.J. Hines, K.A. Bennett, C.H. Luce, and P.J. Edwards. 2010. Water, climate change, and forests: watershed stewardship for a changing climate. *USDA Forest Service General Technical Report PNW-GTR-812*, Portland, Oregon. 75 p. [http://www.fs.fed.us/pnw/pubs/pnw\\_gtr812.pdf](http://www.fs.fed.us/pnw/pubs/pnw_gtr812.pdf)

Gaikowski, M.P., S.J. Hamilton, K.J. Buhl, S.F. McDonald, and C.H. Summers. 1996. Acute toxicity of three fire-retardant and two fire-suppressant foam formulations to the early life stages of rainbow trout (*Oncorhynchus mykiss*). *Environmental Toxicology and Chemistry* 15(8):1365-1374.

Gallo, K., S.H. Lanigan, P. Eldred, S.N. Gordon, and C. Moyer. 2005. Northwest Forest Plan—the first 10 years (1994–2003): Preliminary assessment of the condition of watersheds. *Gen. Tech. Rep. PNW-GTR-647*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 133 p.

Garman, S. L., J. H. Cissel and J. H. Mayo. 2003. Accelerating development of late-successional conditions in young managed Douglas-fir stands: a simulation study. *Gen. Tech. Rep. PNW-GTR-557*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 57 p.

Gomi, T., R.C. Sidel, and J.S. Richardson. 2002. Understanding processes and downstream linkages of headwater streams. *BioScience* 52:905-916.

Gomi, T., R.D. Moore, and M.A. Hassan. 2005. Suspended sediment dynamics in small forest streams of the Pacific Northwest. *J. Am. Water Res. Association* 42(4):877-898.

Grant, G.E. and F.J. Swanson, 1990. Implications of timber harvest pattern on hydrologic and geomorphic response of watersheds. *Eos, Transactions, American Geophysical Union* 71:1321.

Grant, G.E., S. Lewis, F. Swanson, and J. McDonnell. 2008. Effects of forest practices on peak flows and consequent channel response in Western Oregon: A state-of-the-science report. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Corvallis, OR.

Gresswell, R.E. 1999. Fire and aquatic ecosystems in forested biomes of North America. *Transactions of the American Fisheries Association* 128:193-221.

Gregory, S.V., G.A. Lamberti, D.C. Erman, K.V. Koski, M.L. Murphy and J.R. Sedell. 1987. Influence of forest practices on aquatic production. P. 233-255 in E.O. Salo and T.W. Cundy, eds. *Streamside Management: Forestry and Fishery Interactions*. University of Washington, Institute of Forest Resources Contribution 57, Seattle.

Gray, A.N. 2000. Adaptive ecosystem management in the Pacific Northwest: a case study from coastal Oregon. *Conservation Ecology* 4(2):6. [online] <http://www.consecol.org/vol4/iss2/art6/>  
Gresswell, R.E. 1999. Fire and aquatic ecosystems in forested biomes of North America. *Transactions of the American Fisheries Association* 128:193–221.

Groom, J. D., L. Dent, L. J. Madsen, and J. Fleuret. 2011a. Response of western Oregon (USA) stream temperatures to contemporary forest management. *Forest Ecology and Management* 262(8):1618-1629.

Groom J. D., L. Dent, and L. Madsen. 2011b. Stream temperature change detection for state and private forests in the Oregon Coast Range. *Water Resources Research* 47, W01501, DOI:10.1029/2009WR009061.

Gucinski, H., M.J. Furniss, R.R. Ziemer, and M.H. Brookes. 2001. *Forest roads: A synthesis of scientific information*. Gen. Tech. Rep. PNWGTR-509. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. <http://www.fs.fed.us/pnw/pubs/gtr509.pdf>

Hansen, A.J., T.A. Spies, F.J., Swanson, and J.L. Ohmann. 1991. Conserving biodiversity in managed forests. *BioScience* 41(6):382-392.

Harmon, M. E., Franklin, J. F., Swanson, F. J., Sollins, P., Gregory, S. V., Lattin, J. D., and K.W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* 15(133):302.

Harr, R.D. and F.M. McCorison, 1979. Initial effects of clearcut logging on size and timing of peak flows in a small watershed in Western Oregon. *Water Resources Research* 15:90-94.

Hicks B.J., R.L. Beschta, and R.D. Harr. 1991. Long-term changes in streamflow following logging in western Oregon and associated fisheries implications. *Water Resources Bulletin* 27(2): 217- 226.

Hough-Snee, N., A. Kasprak, B.B. Roper, and C.S. Meredith. 2014. Direct and indirect drivers of instream wood in the interior Pacific Northwest, USA: decoupling climate, vegetation, disturbance, and geomorphic setting. *Riparian Ecology and Conservation* 2(1): 2299-1042. DOI: 10.2478/remc-2014-0002

Houlahan, J.E. and C.S. Findlay. 2003. The effects of adjacent land use on wetland amphibian species richness and community composition. *Canadian Journal of Fisheries and Aquatic Sciences* 60: 1078–1094.

ISAB (Independent Scientific Advisory Board). 2007. Climate change impacts on Columbia River basin fish and wildlife. Northwest Power and Conservation council, Portland, OR. 136 p. [http://www.nwcouncil.org/media/31247/isab2007\\_2.pdf](http://www.nwcouncil.org/media/31247/isab2007_2.pdf)

Issak, D.J., C.H. Luce, B.E. Rieman, D.E. Nagel, E.E. Peterson, D.L. Horan, S. Parkes, and G.L. Chandler. 2010. Effects of climate change and wildfire on stream temperatures and salmonid thermal habitat in a mountain river network. *Ecological Applications* 20:1350–1371.

Johnson, A.C., R.T. Edwards, and R. Erhardt, 2007. Ground-water response to forest harvest: implications for hillslope stability. *Journal of the American Water Resources Association (JAWRA)* 43(1):134-147. DOI: 10.1111/j.1752-1688.2007.00011.x

Johnson, K.N. 2010. *Water, climate change, and forests: watershed stewardship for a changing climate. USDA Forest Service General Technical Report PNW-GTR-812. Portland, Oregon, 75 p.* [http://www.fs.fed.us/pnw/pubs/pnw\\_gtr812.pdf](http://www.fs.fed.us/pnw/pubs/pnw_gtr812.pdf)

Jones, J.A. and G.E. Grant. 1996. Peak flow responses to clear-cutting and roads in small and large basins, Western Cascades, Oregon. *Water Resources Research* 32:959-974.

Jones, J.A., F. J. Swanson, B.C. Wemple, and K.U. Snyder. 2000. Effects of roads on hydrology, geomorphology, and disturbance patches in stream networks. *Conservation Biology* 14:76-85.

Karr, J.R., J.J. Rhodes, G.W. Minshall, F.R. Hauer, R.L. Beschta, C.A. Frissell, and D.A. Perry. 2004. The effects of postfire salvage logging on aquatic ecosystems in the American West. *BioScience* 54:1029-1033.

Kauffman, J.B., R.L. Beschta, N. Otting, and D. Lytje. 1997. An ecological perspective of riparian and stream restoration in the western United States. *Fisheries* 22(5):12-24.

Kaufmann, P.R. and R.M. Hughes. 2006. Geomorphic and anthropogenic influences on fish and amphibians in Pacific Northwest coastal streams. pp. 429-455, in R.M. Hughes, L. Wang, and P.W. Seelbach (eds.). *Landscape influences on stream habitat and biological assemblages. American Fisheries Society, Symposium 48.*

Keim, R.F. and A.E. Skaugset, 2003. Modelling effects of forest canopies on slope stability. *Hydrological Processes* 17:1457-1467.

Kelsey, H.M. 1982a. Influence of magnitude, frequency, and persistence of various types of disturbance on geomorphic form and process. P. 150-153 in F. J. Swanson, E.J. Janda, T. Dunne, and D. N. Swanson (eds.). *Sediment budgets and routing in forested drainage basins. U.S. Forest Service General Technical Report PNW-141, Portland, Oregon.*

Kelsey, H.M. 1982b. Hillslope evolution and sediment movement in a forested headwater basin, Van Duzen River, north coastal California. P. 86-96 in F. J. Swanson, E. J. Janda, T. Dunne, and D. N. Swanson (eds.). *Sediment budgets and routing in forested drainage basins. U.S. Forest Service General Technical Report PNW-141, Portland, Oregon.*

Klein, R.D., J. Lewis, and M.S. Bufflben. 2012. Logging and turbidity in the coastal watersheds of northern California. *Geomorphology* 139-140:136-144. <http://www.sciencedirect.com/science/>

Kubin, E. 2006. Leaching of nitrogen from upland forest-regeneration sites into wetland areas. P. 87-94 in Krecek, J. and M. Haigh (eds.) *Environmental role of wetlands in headwaters*. Springer, The Netherlands.

Labbe T.R. and K.D. Fausch. 2000. Dynamics of intermittent stream habitat regulate persistence of a threatened fish at multiple scales. *Ecological Applications* 10: 1774–1791.

Lakel, W.A., W.M. Aust, M.C. Bolding, C.D. Dolloff, P. Keyser, and R. Feldt. 2010. Sediment trapping by streamside management zones of various widths after forest harvest and site preparation. *Forest Science* 56(6):541-551

Leinenbach, P., 2011. Technical analysis associated with SRT Temperature Subgroup to assess the potential shadow length associated with riparian vegetation. (Unpublished).

Leinenbach, P., G. McFadden, and C. Torgersen. 2013. *Effects of Riparian Management Strategies on Stream Temperature Science Review Team Temperature Subgroup*. (Unpublished).

Lindenmayer, D.B., D.R. Foster, J.F. Franklin, M.L Hunter, R.F. Noss, F.A. Schmiegelow, and D. Perry, 2004. Salvage harvesting policies after natural disturbance. *Science (Washington)* 303(5662):303.

Lindenmayer, D.B. and R.F. Noss. 2006. Salvage logging, ecosystem processes, and biodiversity conservation. *Conservation Biology* 20(4): 949–958.

Li, H.W. and 12 others. 1995. Safe havens: Refuges and evolutionarily significant units. *Amer. Fish. Soc. Special Symposium* 17:371-380.

Likens GE, and F. H. Bormann. 1974. Linkages between terrestrial and aquatic ecosystems. *BioScience* 24:447-456.

Littell, J.S., D. McKenzie, D.L. Peterson, and A.L. Westerling. 2009a. Climate and wildfire area burned in western U.S. ecoprovinces, 1916-2003. *Ecological Applications* 19:1003-1021.

Littell, J.S., M. McGuire Elsner, L.C. Whitely Binder, and A.K. Snover (eds). 2009. *The Washington climate change impacts assessment: Evaluating Washington's future in a changing climate*. Climate Impacts Group, University of Washington.

Lowe, W.H. and G.E. Likens. 2005. Moving headwater streams to the head of the class. *BioScience* 55:196-197.

Luce, C.H. and Z.A. Holden. 2009. Declining annual streamflow distributions in the Pacific Northwest United States, 1948–2006. *Geophysical Research Letters* 36, L16401, doi:10.1029/2009GL039407, 2009.

Luce, C.H., B.E. Rieman, J.L. Dunham, J.G. King, & T.A. Black, 2001. Incorporating aquatic ecology into decisions on prioritization of road decommissioning. *Water Resources Impact* 3(3):8-14.

Luce, C.H. and Z.A. Holden. 2009. Declining annual streamflow distributions in the Pacific Northwest United States, 1948–2006. *Geophysical Research Letters* 36, L16401, doi:10.1029/2009GL039407, 2009.

Lydersen, J.M., M.P. North, and B.M. Collins. 2014. Severity of an uncharacteristically large wildfire, the Rim Fire, in forests with relatively restored frequent fire regimes. *Forest Ecology and Management* 328:326-334. DOI:10.1016/j. Foreco.2014.06.005.

Madej, M.A. and V. Ozaki. 1996. Channel response to sediment wave propagation and movement, Redwood Creek, California, USA *Earth Surface Processes and Landforms* 21:911-927.

Malison, R.L. and C.V. Baxter. 2010. The “fire pulse:” Wildfire stimulates flux of aquatic prey to terrestrial habitats driving increases in riparian consumers. *Canadian Journal of Fisheries and Aquatic Sciences* 67(3):570-579.

Marzin, A.P., P. Verdonshot, and D. Pont. 2012. The relative influence of catchment, riparian corridor and local anthropogenic pressures on fish and macroinvertebrate assemblages in French rivers. *Hydrobiologia* 704: 375–388.

May, C. L., and R. E. Gresswell. 2003. Processes and rates of sediment and wood accumulation in headwater streams of the central Oregon Coast Range. *Earth Surface Processes and Landforms* 28:409-424.

McCarthy S.G., J.P. Incardona, and N.L. Scholz. 2008. Coastal storms, toxic runoff, and the sustainable conservation of fish and fisheries. *American Fisheries Society Symposium* 64:1-21.

McCullough, D.A. 1999. A review and synthesis of effects of alterations to the water temperature regime on freshwater life stages of salmonids, with special reference to Chinook salmon. EPA 910-R-99-010. Prepared for the United States Environmental Protection Agency, Region 10, Seattle, Washington. 279 p.

McDade, M.H., F.J. Swanson, W.A. McKee, J.F. Franklin, and J. Van Sickle. 1990. Source distances for coarse woody debris entering small streams in western Oregon and Washington. *Canadian Journal of Forest Research* 20:326-330.

Meredith, C., B. Roper, and E. Archer. 2014. Reductions in instream wood in streams near roads in the interior Columbia River Basin. *North American Journal of Fisheries Management* 34(3):493-506.

Messier, M.S., J.P.A. Shatford, and D E. Hibbs. 2012. Fire exclusion effects on riparian forest dynamics in southwestern Oregon. *Forest Ecology and Management* 264:60-71.

Miller, D., C. Luce. and L. Benda. 2003. Time, space, and episodicity of physical disturbance in streams. *Forest Ecology and Management* 178(1):121-140.

Miller, D. J., and K. M. Burnett. 2007. Effects of forest cover, topography, and sampling extent on the measured density of shallow, translational landslides. *Water Resources Research* 43(3), W03433, doi:10.1029/2005WR004807.

Minshall, W. 2003. Responses of stream benthic macroinvertebrates to fire. *Forest Ecology and Management* 178:155-161.

Minshall, G.W., C.T. Robinson, and D.E. Lawrence. 1997. Postfire response of lotic ecosystems in Yellowstone National Park U.S.A. *Canadian Journal of Fisheries and Aquatic Sciences* 54:2509-2525.

Montgomery, D.R. 1995. Input- and output-oriented approaches to implementing ecosystem management. *Environmental Management* 19(2): 183-188.

Montgomery, D.R., G.E. Grant, and K. Sullivan. 1995. Watershed analysis as a framework for implementing ecosystem management. *Water Resources Bulletin* 31(9):369-386.

Moore, R.D. and S.M. Wondzell. 2005. Physical hydrology and the effects of forest harvesting in the Pacific Northwest: A review. *Journal of the American Water Resources Association* 41(4):763-784. DOI: 10.1111/j.1752-1688.2005.tb03770.x

Mote, P.W., E.A. Parson, A.F. Hamlet, W.S. Keeton, D. Lettenmaier, N. Mantua, E.L. Miles, D.W. Peterson, D.L. Peterson, R. Slaughter, and A.K. Snover. 2003. Preparing for climatic change: the water, salmon, and forests of the Pacific Northwest. *Climatic Change* 61: 45–88.

Mote, P., A. K. Snover, S. Capalbo, S. D. Eigenbrode, P. Glick, J. Littell, R. Raymondi, and S. Reeder. 2014. Ch. 21: Northwest. *Climate change impacts in the United States: The Third National Climate Assessment*, J.M. Melillo, Terese (T.C.) Richmond, and G. W. Yohe, (eds.). U.S. Global Change Research Program, 487-513. doi:10.7930/J04Q7RWX.

Naiman, R.J., T.J. Beechie, L.E. Benda, D.R. Berg, P.A. Bisson, L.H. MacDonald, M.D. O'Connor, P.L. Olson, and E.A. Steel. 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. Pages 127-188 in R. J. Naiman (ed.). *Watershed management: balancing sustainability and environmental change*. Springer-Verlag. New York.

National Research Council. 1996. *Upstream – Salmon and Society in the Pacific Northwest*. National Academy Press, Washington, D.C.

Nehlsen, W. 1997. Prioritizing watersheds in Oregon for salmon restoration. *Restoration Ecology* 5(4S):25-43.

Newcombe, C.P. and J.O.T. Jensen. 1996. Channel suspended sediment and fisheries: a synthesis for quantitative assessment of risk and impact. *North American Journal of Fisheries Management* 16(4):693-719

Nieber, J.L., C. Arika, C. Lenhart, M. Titov, and K. Brooks. 2011. Evaluation of buffer width on hydrologic function, water quality, and ecological integrity of wetlands. Minnesota Dept. of Transportation Resource Services, MN/RC 2011-06. <http://purl.umn.edu/149403>.

Noss, R.F., J.F. Franklin, W.L. Baker, T. Schoennagel, and P.B. Moyle. 2006. Managing fire-prone forests in the western United States. *Frontiers in Ecology and the Environment* 4:481-487.

Olson, D.H., P.D. Anderson, C.A. Frissell, H.H. Welsh, Jr., and D.F. Bradford. 2007. Biodiversity

management approaches for stream-riparian areas: perspectives for Pacific Northwest headwater forests, microclimates, and amphibians. *Forest Ecology and Management* 246(1):81-107.

Omernik, J.M. 2003. The misuse of hydrologic unit maps for extrapolation, reporting and ecosystem management. *Journal of the American Water Resources Association* 39:563–573.

Park, C., B. McCammon, and J. Brazier. 2008. Changes to angular canopy density from thinning with varying to no treatment widths in a riparian area as measured using digital photography and light histograms. (Unpublished)

Pettit, N.E. and R.J. Naiman. 2007. Fire in the riparian zone: Characteristics and ecological consequences. *Ecosystems* 10(5):673-687.

Pollock, M.M. and T.J. Beechie. 2014. Does riparian forest thinning enhance biodiversity? The ecological importance of large wood. *Journal of the American Water Resources Association* 50(3):543-559.

Pollock, M.M., T. Beechie, M. Liermann, and R.E. Bigley, 2009. Stream temperature relationships to forest harvest in Western Washington. *Journal of the American Water Resources Association* 45(1):141-156.

Pollock, M.M., T.J. Beechie, and H. Imaki. 2012. Using reference conditions in ecosystem restoration: an example for riparian conifer forests in the Pacific Northwest. *Ecosphere* 3(11) Article 98: 1-23. <http://dx.doi.org/10.1890/ES12-00175.1>

Poole, G.C. and C.H. Berman. 2001. An ecological perspective on in-stream temperature: natural heat dynamics and mechanisms of human-caused thermal degradation. *Environmental Management* 27(6):787–802.

Poole, G.C., S.J. O’Daniel, K.L. Jones, W.W. Woessner, E.S. Bernhardt, A.M. Helton, J.A. Stanford, B.R.Boer, and T.J. Beechie. 2008. Hydrologic spiralling: the role of multiple interactive flow paths in stream ecosystems. *River Research and Applications* 24(7):1018-1031.

Ralph, S.C., G.C. Poole, L.L. Conquest, and R.J. Naiman. 1994. Stream channel morphology and woody debris in logged and unlogged basins of western Washington. *Canadian Journal of Fisheries and Aquatic Sciences* 51(1):37-51.

Rashin, E.B., C.J. Clishe, A.T. Loch, and J.M. Bell. 2006. Effectiveness of timber harvest practices for controlling sediment related water quality impacts. *Journal of the American Water Resources Association*, October 2006, pp 1307-1327.

Reeves, G.H. and J.R. Sedell. 1992. An ecosystem approach to the conservation and management of freshwater habitat for anadromous salmonids in the Pacific Northwest. *Proceedings of the 57th North American Wildlife and Natural Resources Conference*: 408-415.

Reeves, G.H., K.M. Burnett, and E.V. McGarry. 2003. Sources of large wood in the main stem of a fourth order watershed in coastal Oregon. *Canadian Journal of Forest Resources* 33: 1363-1370.

Reeves, G.H., J.E. Williams, K. Gallo, and K.M. Burnett. 2006a. The aquatic conservation



strategy of the Northwest Forest Plan. *Conservation Biology* 20:319-329.

Reeves, G.H, P.A. Bisson, B.E. Reiman, and L.E. Benda. 2006b. Postfire logging in riparian areas. *Conservation Biology* 20:994-1004.

Reeves, G.H., L.E. Benda, K.M. Burnett, P.A. Bisson, and J.R. Sedell. 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. P. 334-349 in J. Nielsen (ed.). *Proceedings of the American Fisheries Society Symposium on Evolution and the Aquatic Ecosystem*, Bethesda, Maryland.

Reid, L.M., N.J. Dewey, T.E. Lisle, and S. Hilton. 2010. The incidence and role of gullies after logging in a coastal redwood forest. *Geomorphology* 117: 155-169. [online] <http://naldc.nal.usda.gov/download/40745/PDF>

Rhodes, J.J. and W.L. Baker. 2008. Fire probability, fuel treatment effectiveness and ecological trade-offs in western U.S. public forests. *The Open Forest Science Journal* 1:1-7.

Rhodes, J.J., D.A. McCullough, and F.A. Espinosa. 1994. A coarse screening process for evaluation of the effects of land management activities on salmon spawning and rearing habitat in ESA consultations. Columbia River Inter-Tribal Fish Commission, Technical Report 94-4. Portland, OR. 245pp.  
Roni, P., K. Hanson, and T. Beechie, 2008. Global review of the physical and biological effectiveness of stream habitat rehabilitation techniques. *North American Journal of Fisheries Management*, 28(3):856-890.

Roth, N.E., J.D. Allan, and D.L. Erickson. 1996. Landscape influences on stream biotic integrity assessed at multiple spatial scales. *Landscape Ecology* 11:141–156.

Sály, P., P. Takács, I. Kiss, P. Bíró and T. Erós. 2011. The relative influence of spatial context and catchment- and site-scale environmental factors on stream fish assemblages in a human-modified landscape. *Ecology of Freshwater Fish* 20: 251–262.

Seavy, N.E., T. Gardali, G.H. Golet, F.T. Griggs, C.A. Howell, R. Kelsey, S.L. Small, J.H. Viers, J. F. Weigand. 2009. Why climate change makes riparian restoration more important than ever: recommendations for practice and research. *Ecological Restoration* 27(3): 330-338.  
<http://er.uwpress.org/content/27/3/330.full.pdf+html>

Sedell, J.R., G.H. Reeves, F R. Hauer, and C.P. Hawkins. 1990. Role of refugia in recovery from disturbances: Modern fragmented and disconnected river systems. *Environmental Management* 14(5):711-724.

Sedell, J.R., P.A. Bisson, F.J. Swanson, and S.V. Gregory, (1988). What we know about large trees that fall into streams and rivers. P. 83-112 in *From the forest to the sea, a story of fallen trees*, Maser, C., Tarrant, R.F., Trappe, J.M., and Franklin, J.F., tech eds. USDA Forest Service General Technical Report GTR-PNW-229, Pacific Northwest Res. Sta., Portland, OR. <http://andrewsforest.oregonstate.edu/pubs/pdf/pub871.pdf>

Shellberg, J.G., S.M. Bolton, and D.R. Montgomery. 2010. Hydrogeomorphic effects on bedload scour in bullchar (*Salvelinus confluentus*) spawning habitat, western Washington, USA *Can. J. Fish.*

Aquat. Sci. 67: 626–640.

Six, D. L., Biber, E., & Long, E. 2014. Management for mountain pine beetle outbreak suppression: Does relevant science support current policy? *Forests* 5(1):103-133.

Spence, B.C., G.A. Lomnicky, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmonid conservation. Funded jointly by the U.S. EPA, U.S. Fish and Wildlife Service and National Marine Fisheries Service. TR-4501-96-6057. ManTech Environmental Research Services Corp., Corvallis, OR.

Spies, T., M. Pollock, G. Reeves, and T. Beechie. 2013. Effects of riparian thinning on wood recruitment: A scientific synthesis. Science Review Team, Wood Recruitment Subgroup, Forestry Sciences Laboratory, Corvallis, OR, and Northwest Fisheries Science Center, Seattle, WA. January 28. 46 p.  
<http://www.mediate.com/DSConsulting/docs/FINAL%20wood%20recruitment%20document.pdf>

Steel, E.A., R.M. Hughes, A.H. Fullerton, S. Schmutz, J.A. Young, M. Fukushima, S. Muhar, M. Poppe, B.E. Feist, and C. Trautwein. 2010. Are we meeting the challenges of landscape-scale riverine research? A review. *Living Reviews in Landscape Research* 4(2010):1. <http://www.livingreviews.org/lrlr-2010-1>.

Suttle, K.B., M.E. Power, J.M. Levine, and C. McNeely. 2004. How fine sediment in riverbeds impairs growth and survival of juvenile salmonids. *Ecological Applications* 14:969- 974.

Swanston, D.N, 1973. Judging landslide potential in glaciated valleys of Southeastern Alaska. *Explorers Journal* 51:214-217.

Swanston., D.N., and F.J. Swanson. 1976. Timber harvesting, mass erosion, and steepland forest geomorphology in the Pacific Northwest. P. 199-221 in Coates, D.R. (ed). *Geomorphology and Engineering*. Dowden, Hutchinson, and Ross. Stroudsburg, PA.

Sweeney, B.W. and J.D. Newbold, 2014. Streamside forest buffer width needed to protect stream water quality, habitat, and organisms: A literature review. *Journal of the American Water Resources Association* 50(3):560-584.

Teti, P. 2006. Stream shade as a function of channel width and riparian vegetation in the BC southern interior. *Watershed Management Bulletin* 9(2):10-15.

Thompson, W.L. and D.C. Lee. 2000. Modeling relationships between landscape-level attributes and snorkel counts of chinook salmon and steelhead parr in Idaho. *Canadian Journal of Fisheries and Aquatic Sciences* 57:1834–1842. doi:10.1139/cjfas-57-9-1834

Torgersen, C.E., Price, D.M., Li, H.W., and McIntosh, B.A. 1999. Multiscale thermal refugia and stream habitat associations of chinook salmon in northeastern Oregon. *Ecological Applications*, 9(1):301-319.

Torgersen, C.E., J.L. Ebersole, and D.M. Keenan. 2012. *Primer for Identifying Cold-Water Refuges to Protect and Restore Thermal Diversity in Riverine Landscapes*. EPA 910-C-12-001, U.S. Environmental Protection Agency, Seattle, Washington. p. 91.

- Trombulak, S.C. and C.A. Frissell. 2000. Review of ecological effects of roads on terrestrial and aquatic communities. *Conservation Biology* 14:18-30.
- Van Sickle, J., and Gregory, S.V. 1990. Modeling inputs of large woody debris to streams from falling trees. *Canadian Journal of Forest Research* 20:1593-1601.
- Wahl, C. M., A. Neils, and D. Hooper. 2013. Impacts of land use at the catchment scale constrain the habitat benefits of stream riparian buffers. *Freshwater Biology* (2013) doi:10.1111/fwb.12211
- Walters, C. 1997. Challenges in adaptive management of riparian and coastal ecosystems. *Conservation Ecology* 1(2):1. [online] <http://www.consecol.org/vol1/iss2/art1/>
- Wang, L.Z., J. Lyons, P. Rasmussen, P. Seelbach, T. Simon, M. Wiley, P. Kanehl, E. Baker, S. Niemela, and P.M. Stewart. 2003. Watershed, reach, and riparian influences on stream fish assemblages in the Northern Lakes and Forest Ecoregion, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 60: 491–505.
- Wang, L., P.W. Seelbach, and J. Lyons. 2006. Effects of levels of human disturbance on the influence of catchment, riparian, and reach-scale factors on fish assemblages. Pages 199–219 In R.M. Hughes, L. Wang, and P.W. Seelbach, editors. *Landscape influences on stream habitats and biological assemblages. American Fisheries Society Symposium* 48, Bethesda, Maryland.
- Weaver, W. and D. Hagans. 1996. Aerial reconnaissance evaluation of 1996 storm effects on upland mountainous watersheds of Oregon and southern Washington. *Pacific Watershed Associates. Arcata, CA.*
- Wemple, B.C. and J.A. Jones. 2003. Runoff production on forest roads in a steep, mountain catchment. *Water Resources Research* 39(8):1220, doi:10.1029/2002WR001744.
- Wenger, S. 1999. A review of the scientific literature on riparian buffer width, extent, and vegetation. Office of Public Service and Outreach, Institute of Ecology, University of Georgia, Athens, Georgia, USA. [http://www.cc.utexas.edu/law/centers/cppdr/services/Improving%20Streams%20web/Work%20Groups/Public%20Lands/Wegner\\_1999\\_Review\\_of\\_buffer\\_width.pdf](http://www.cc.utexas.edu/law/centers/cppdr/services/Improving%20Streams%20web/Work%20Groups/Public%20Lands/Wegner_1999_Review_of_buffer_width.pdf)
- Westerling, A.L., H.G. Hidalgo, , D.R. Cayán, , and T.W. Swetnam, 2006. Warming and earlier spring increase western US forest wildfire activity. *Science*, 313(5789):940-943.
- Wickham, J.D., T.G. Wade, and K.H. Ritters. 2008. Detecting temporal change in watershed nutrient yields. *Environmental Management* 42:223-231.
- Wigington, P.J., J.L. Ebersole, M.E. Colvin, S.G. Leibowitz, B. Miller, B. Hansen, H. Lavigne, D. White, J.P. Baker, M.R. Church, J.R. Brooks, M.A. Cairns, and J.E. Compton. 2006. Coho salmon dependence on intermittent streams. *Frontiers in Ecology and the Environment* 4(10):514-519.
- Wissmar, R.C. 1993. Long-term monitoring in stream ecosystems. *Environmental Monitoring and Assessment* 26: 219-234.
- Wissmar, R.C. and R. Beschta. 1998. Restoration and the management of riparian ecosystems.

Freshwater Biology 40(3): 571-585.

Wondzell, S.M. 2011. The role of the hyporheic zone across stream networks. *Hydrologic Processes* 25(22):3525-2532. DOI: 10.1002/hyp.8119

## 2. RIPARIAN RESERVES/WIDTHS AND IMPORTANCE OF HEADWATER STREAMS

Anderson, P. D., D.J. Larson, and S.S. Chan. 2007. Riparian buffer and density management influences on microclimate of young headwater forests of western Oregon. *Forest Science* 53:254-269.

Belt, G.H., J.O'Laughlin, and T. Merrill. 1992. Design of forest riparian buffer strips for the protection of water quality; analysis of scientific literature. Idaho Forest, Wildlife, and Range Policy Group Report No.8, University of Idaho, Moscow. Beschta, R.L. and W.J. Ripple. 2012. The role of large predators in maintaining riparian plant communities and river morphology. *Geomorphology* 157-158: 88-98.

Bilby, R.E., and J.W. Ward. 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. *Transactions of the American Fisheries Society* 118:368-378.

Bilby, R.E. and P.A. Bisson. 1998. Function and distribution of large woody debris. P. 324-326 in Naiman, R.J. and R. Bibly (eds.). *River ecology and management: Lessons from the Pacific coastal ecoregion*. Springer-Verlag, New York.

Bisson, P.A., R.E. Bilby, M.D. Bryant, C.A. Dolloff, G.B. Grette, R.A. House, M.L. Murphy, K.V. Koski, and J.R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. P. 143-190 in: E.O. Salo and T.W. Cundy (eds.). *Streamside management: forestry and fishery interactions*. University of Washington, Institute of Forest Resources, Seattle. Contribution 57.

Blumm, M.C., and T. Wigington. 2013. The Oregon and California Railroad Grant Lands' sordid past, contentious present, and uncertain future: a century of conflict. *40 Boston College Environmental Affairs Law Review* 40:1 (2013). <http://lawdigitalcommons.bc.edu/ealr/vol40/iss1/2/>  
Brummer, C.J., T.B. Abbe, J.R. Sampson, and D.R. Montgomery, 2006. Influence of vertical channel change associated with wood accumulations on delineating channel migration zones, Washington, USA. *Geomorphology* 803:295-309.

Brazier, J.R. and G.L. Brown. 1973. Buffer strips for stream temperature control. Oregon State University: Forest Research Lab Research Paper 15.

Brummer, C.J., T.B. Abbe, J.R. Sampson, and D.R. Montgomery, 2006. Influence of vertical channel change associated with wood accumulations on delineating channel migration zones, Washington, USA. *Geomorphology* 803:295-309.

Burnett, K.M., and D.T. Miller. 2007. Streamside policies for headwater channels: an example considering debris flows in the Oregon coastal province. *Forest Science* 53(2) 239-253.

Corbett, E.S. and J.A. Lynch. 1985. Management of Streamside Zones on Municipal Watersheds. P. 187-190 in R.R. Johnson, C.D. Ziebell, D.R. Patton, P.F. Follitt, and R.H. Hamre

(eds.), *Riparian ecosystems and their management: Reconciling conflicting uses*. First North American Riparian Conference, April 16-18, 1985, Tucson, Arizona.

DeRalph, C.R., S.A.C. Nelson, T.J. Kwok, and E.F. Hain. 2015. Predicting fine-scale distributions of peripheral aquatic species in headwater streams. *Ecol. Evol.* 2015, Jan. 5(1): 152-163.

DeWalle, D.R. 2010. Modeling stream shade: Riparian buffer height and density as important as buffer width. *Journal of the American Water Resources Association* 46:2 323-333.

Featherston, K. L., R. J. Naiman, and R. E. Bilby. 1995. Large woody debris, physical processes, and riparian forest development in montane river networks of the Pacific Northwest. *Geomorphology* 13 (1):133-144.

Freeman, M.C., C.M. Pringle, and C.R. Jackson. 2007. Hydrologic connectivity and the contribution of stream headwaters to ecological integrity and regional scales. *Journal of the American Water Resources Association* 43(1):5-14. DOI: 10.1111/j.1752-1688.2007.00002.x. <http://www.energy.vt.edu/ncepstudy/pub/nature/regionalscaleinfluence.pdf>

Frissell, C.A., R.J. Baker, D.A. DellaSala, R.M. Hughes, J.R. Karr, D. A. McCullough, R.K. Nawa, J. Rhodes, M.C. Scurlock, and R.C. Wissmar. 2014. *Conservation of aquatic and fishery resources in the Pacific Northwest: Implications of new science for the aquatic conservation strategy of the Northwest Forest Plan*. Report prepared for the Coast Range Association, Corvallis, OR. 35 p. <http://coastrange.org>

Gomi, T., R.C. Sidel, and J.S. Richardson. 2002. Understanding processes and downstream linkages of headwater streams. *BioScience* 52:905-916.

Gomi, T., R.D. Moore, and M.A. Hassan. 2005. Suspended sediment dynamics in small forest streams of the Pacific Northwest. *J. Am. Water Res. Association* 42(4):877-898.

Gregory, S.V., Swanson, R.J., McKee, W.A., and Cummins, K.W. 1991. An ecosystem perspective of riparian zones: focus on links between land and water. *Bioscience*, 41: 540-551.

Gregory, S.V., G.A. Lamberti, D.C. Erman, K.V. Koski, M.L. Murphy and J.R. Sedell. 1987. Influence of forest practices on aquatic production. P. 233-255 in E.O. Salo and T.W. Cundy, eds. *Streamside Management: Forestry and Fishery Interactions*. University of Washington, Institute of Forest Resources Contribution 57, Seattle.

Harmon, M. E., Franklin, J. F., Swanson, F. J., Sollins, P., Gregory, S. V., Lattin, J. D., and K.W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* 15(133):302.

Hough-Snee, N., A. Kasprak, B.B. Roper, and C.S. Meredith. 2014. Direct and indirect drivers of instream wood in the interior Pacific Northwest, USA: decoupling climate, vegetation, disturbance, and geomorphic setting. *Riparian Ecology and Conservation* 2(1): 2299-1042. DOI: 10.2478/remc-2014-0002

Houlahan, J.E. and C.S. Findlay. 2003. The effects of adjacent land use on wetland amphibian species richness and community composition. *Canadian Journal of Fisheries and Aquatic Sciences*

60: 1078–1094.

Kauffman, J.B., R.L. Beschta, N. Otting, and D. Lytje. 1997. An ecological perspective of riparian and stream restoration in the western United States. *Fisheries* 22(5):12-24.

Kaufmann, P.R. and R.M. Hughes. 2006. Geomorphic and anthropogenic influences on fish and amphibians in Pacific Northwest coastal streams. pp. 429-455. In R.M. Hughes, L. Wang, and P.W. Seelbach (eds.). *Landscape influences on stream habitat and biological assemblages*. American Fisheries Society, Symposium 48.

Keppeler, E.T. 2012. Sediment production in a coastal watershed: legacy, land use, recovery, and rehabilitation. pp. 69-77 in Standiford, R.B., and others (technical coordinators) *Proceedings of Coast Redwood Forests in a Changing California: A Symposium for Scientists and Managers*. General Technical Report PSW-GTR-238, Pacific Southwest Research Station, USDA Forest Service, Albany, CA.

Klein, R.D., Lewis, J., Buffleben, M.S. 2012. Logging and turbidity in the coastal watersheds of northern California. *Geomorphology*, Volumes 139-140, 15 February 2012, Pages 136-144.

Labbe T.R. and K.D. Fausch. 2000. Dynamics of intermittent stream habitat regulate persistence of a threatened fish at multiple scales. *Ecological Applications* 10: 1774–1791.

Lakel, W.A., W.M. Aust, M.C. Bolding, C.D. Dolloff, P. Keyser, and R. Feldt. 2010. Sediment trapping by streamside management zones of various widths after forest harvest and site preparation. *Forest Science* 56(6):541-551

Leinenbach, P., 2011. *Technical analysis associated with SRT Temperature Subgroup to assess the potential shadow length associated with riparian vegetation*. (Unpublished).

Leinenbach, P., G. McFadden, and C. Torgersen. 2013. *Effects of Riparian Management Strategies on Stream Temperature Science Review Team Temperature Subgroup*. (Unpublished) .

Likens GE, and F. H. Bormann. 1974. Linkages between terrestrial and aquatic ecosystems. *BioScience* 24:447-456.

Lowe, W. , and G. Likens. 2005. Moving headwater streams to the head of the class. *Bioscience* 2005; 55:196-197.

MacDonald LH, Coe D. 2007. Influence of headwater streams on downstream reaches in forested areas. *Forest Science* 53: 148-168.

Marzin, A.P., P. Verdonschot, and D. Pont. 2012. The relative influence of catchment, riparian corridor and local anthropogenic pressures on fish and macroinvertebrate assemblages in French rivers. *Hydrobiologia* 704: 375–388.

May, C. L., and R. E. Gresswell. 2003. Processes and rates of sediment and wood accumulation in headwater streams of the central Oregon Coast Range. *Earth Surface Processes and Landforms* 28:409-424.

McCarthy S.G., J.P. Incardona, and N.L. Scholz. 2008. Coastal storms, toxic runoff, and the sustainable conservation of fish and fisheries. *American Fisheries Society Symposium* 64:1-21.

McCullough, D.A. 1999. A review and synthesis of effects of alterations to the water temperature regime on freshwater life stages of salmonids, with special reference to Chinook salmon. EPA 910-R-99-010. Prepared for the United States Environmental Protection Agency, Region 10, Seattle, Washington. 279 p.

McDade, M.H., F.J. Swanson, W.A. McKee, J.F. Franklin, and J. Van Sickle. 1990. Source distances for coarse woody debris entering small streams in western Oregon and Washington. *Canadian Journal of Forest Research* 20:326-330.

Meredith, C., B. Roper, and E. Archer. 2014. Reductions in instream wood in streams near roads in the interior Columbia River Basin. *North American Journal of Fisheries Management* 34(3):493-506.

Messier, M.S., J.P.A. Shatford, and D.E. Hibbs. 2012. Fire exclusion effects on riparian forest dynamics in southwestern Oregon. *Forest Ecology and Management* 264:60-71.

Miller, D., C. Luce, and L. Benda. 2003. Time, space, and episodicity of physical disturbance in streams. *Forest Ecology and Management* 178(1):121-140.

Naiman, R.J., R.E. Bilby, and P.A. Bisson. 2000. Riparian ecology and management in the Pacific coastal rainforest. *BioScience*, Nov 2000, Vol. 50, no. 11, p. 996-1011.

Naiman, R.J., H. DeCamps, and M. Pollock. 1993. The role of riparian corridors in maintaining regional biodiversity. *Ecological Applications*. Vol. 3 No. 2., 209-212.

Olson, D.H.; Burnett, K.M. 2009. Design and management of linkage areas across headwater drainages to conserve biodiversity in forest ecosystems. *Forest Ecology and Management*. 258S: S117-S126.

Olson, D.H., P.D. Anderson, C.A. Frissell, H. H. Welsh, Jr., and D. F. Bradford. 2007. Biodiversity management approaches for stream-riparian areas: perspectives for Pacific Northwest headwater forests, microclimates, and amphibians. *Forest Ecology and Management* 246(1): 81-107.

Park, C., B. McCammon, and J. Brazier. 2008. Changes to angular canopy density from thinning with varying to no treatment widths in a riparian area as measured using digital photography and light histograms.

Pettit, N.E. and R.J. Naiman. 2007. Fire in the riparian zone: Characteristics and ecological consequences. *Ecosystems* 10(5):673-687.

Pollock, M.M., T. Beechie, M. Liermann, and R.E. Bigley, 2009. Stream temperature relationships to forest harvest in Western Washington. *Journal of the American Water Resources Association* 45(1):141-156. DOI: 10.1111/j.1752-1688.2008.00266.x

Pollock, M.M., T.J. Beechie, and H. Imaki. 2012. Using reference conditions in ecosystem restora-



tion: an example for riparian conifer forests in the Pacific Northwest. *Ecosphere* 3(11) Article 98: 1-23. <http://dx.doi.org/10.1890/ES12-00175.1>

Pollock, M.M., and T. J. Beechie. 2014. Does riparian forest thinning enhance biodiversity? The ecological importance of large wood. *Journal of the American Water Resources Association*. 50(3): 543-559.

Ralph, S.C., G.C. Poole, L.L. Conquest, and R.J. Naiman. 1994. Stream channel morphology and woody debris in logged and unlogged basins of western Washington. *Canadian Journal of Fisheries and Aquatic Sciences* 51(1):37-51.

Rashin, E.B., C.J. Clishe, A.T. Loch, and J.M. Bell. 2006. Effectiveness of timber harvest practices for controlling sediment related water quality impacts. *Journal of the American Water Resources Association*, October 2006, pp 1307-1327.

Reeves, G.H., K.M. Burnett, and E.V. McGarry. 2003. Sources of large wood in the main stem of a fourth order watershed in coastal Oregon. *Canadian Journal of Forest Resources* 33: 1363-1370.

Reeves, G.H., L.E. Benda, K.M. Burnett, P.A. Bisson, and J.R. Sedell. 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. P. 334-349 in J. Nielsen (ed.). *Proceedings of the American Fisheries Society Symposium on Evolution and the Aquatic Ecosystem*, Bethesda, Maryland.

Reeves, G.H, P.A. Bisson, B.E. Reiman, and L.E. Benda. 2006b. Postfire logging in riparian areas. *Conservation Biology* 20:994-1004.

Reid, L.M., N.J. Dewey, T.E. Lisle, and S. Hilton. 2010. The incidence and role of gullies after logging in a coastal redwood forest. *Geomorphology* 117: 155-169.

Roth, N.E., J.D. Allan, and D.L. Erickson. 1996. Landscape influences on stream biotic integrity assessed at multiple spatial scales. *Landscape Ecology* 11:141-156.

Schuett-Hames, D., A. Roorbach, and R. Conrad. 2011. *Results of the Westside Type N Buffer Characteristics, Integrity and Function Study Final Report. Cooperative Monitoring Evaluation and Research Report, CMER 12-1201. Washington Department of Natural Resources, Olympia, WA.*

Seavy, N.E., T. Gardali, G.H. Golet, F.T. Griggs, C.A. Howell, R. Kelsey, S.L. Small, J.H. Viers, J. F. Weigand. 2009. Why climate change makes riparian restoration more important than ever: recommendations for practice and research. *Ecological Restoration* 27(3): 330-338. <http://er.uwpress.org/content/27/3/330.full.pdf+html>

Sedell, J.R., G.H. Reeves, F.R. Hauer, and C.P. Hawkins. 1990. Role of refugia in recovery from disturbances: Modern fragmented and disconnected river systems. *Environmental Management* 14(5):711-724.

Sedell, J.R., P.A. Bisson, F.J. Swanson, and S.V. Gregory, (1988). What we know about large trees that fall into streams and rivers. P. 83-112 in *From the forest to the sea, a story of fallen trees*, Maser, C., Tarrant, R.F., Trappe, J.M., and Franklin, J.F., tech eds. USDA

Forest Service General Technical Report GTR-PNW-229, Pacific Northwest Res. Sta., Portland, OR. <http://andrewsforest.oregonstate.edu/pubs/pdf/pub871.pdf>

Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmonid conservation. Funded jointly by the U.S. EPA, U.S. Fish and Wildlife Service and National Marine Fisheries Service. TR-4501-96-6057. ManTech Environmental Research Services Corp., Corvallis, OR.

Spies, T., M. Pollock, G. Reeves, and T. Beechie. 2013. Effects of riparian thinning on wood recruitment: A scientific synthesis. Science Review Team, Wood Recruitment Subgroup, Forestry Sciences Laboratory, Corvallis, OR, and Northwest Fisheries Science Center, Seattle, WA. January 28. 46 p.  
<http://www.mediate.com/DSCConsulting/docs/FINAL%20wood%20recruitment%20document.pdf>

Sullivan, K., T.E. Lisle, C.A. Dollof, G.E. Grant, and L.E. Reid. 1987. Stream channels: the link between forests and fishes. In *Streamside management: forestry and fishery interactions*. Edited by E.O. Salo and T.W. Cundy. College of Forest Resources, University of Washington, Seattle, WA. pp. 39-97.

Swanston, D.N., G.W. Lienkaemper, R.C. Mersereau, and A.B. Levno. 1988. Timber harvest and progressive deformation of slopes in southwestern Oregon. *Association of Engineering Geologists Bulletin* 25(3): 371-381.

Sweeney, B.W. and J.D. Newbold, 2014. Streamside forest buffer width needed to protect stream water quality, habitat, and organisms: A literature review. *Journal of the American Water Resources Association* 50(3):560-584.

Teti, P. 2006. Stream shade as a function of channel width and riparian vegetation in the BC southern interior. *Watershed Management Bulletin* 9(2):10-15.

Van Sickle, J., and Gregory, S.V. 1990. Modeling inputs of large woody debris to streams from falling trees. *Canadian Journal of Forest Research* 20:1593-1601.

Walters, C. 1997. Challenges in adaptive management of riparian and coastal ecosystems. *Conservation Ecology* 1(2):1. [online] <http://www.consecol.org/vol1/iss2/art1/>

Wang, L.Z., J. Lyons, P. Rasmussen, P. Seelbach, T. Simon, M. Wiley, P. Kanehl, E. Baker, S. Niemela, and P.M. Stewart. 2003. Watershed, reach, and riparian influences on stream fish assemblages in the Northern Lakes and Forest Ecoregion, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 60: 491–505.

Wang, L., P.W. Seelbach, and J. Lyons. 2006. Effects of levels of human disturbance on the influence of catchment, riparian, and reach-scale factors on fish assemblages. Pages 199–219 In R.M. Hughes, L. Wang, and P.W. Seelbach, editors. *Landscape influences on stream habitats and biological assemblages*. American Fisheries Society Symposium 48, Bethesda, Maryland.

Wenger, S. 1999. A review of the scientific literature on riparian buffer width, extent, and vegetation. Office of Public Service and Outreach, Institute of Ecology, University of Georgia, Athens, Georgia,

USA. [http://www.cc.utexas.edu/law/centers/cppdr/services/Improving%20Streams%20web/Work%20Groups/Public%20Lands/Wegner\\_1999\\_Review\\_of\\_buffer\\_width.pdf](http://www.cc.utexas.edu/law/centers/cppdr/services/Improving%20Streams%20web/Work%20Groups/Public%20Lands/Wegner_1999_Review_of_buffer_width.pdf)

Wigington, P.J., J.L. Ebersole, M.E. Colvin, S.G. Leibowitz, B. Miller, B. Hansen, H. Lavigne, D. White, J.P. Baker, M.R. Church, J.R. Brooks, M.A. Cairns, and J.E. Compton. 2006. Coho salmon dependence on intermittent streams. *Frontiers in Ecology and the Environment* 4(10):514-519.

Wissmar, R.C. and R. Beschta. 1998. Restoration and the management of riparian ecosystems. *Freshwater Biology* 40(3): 571-585.

### 3. HYDROLOGY AND CUMULATIVE WATERSHED EFFECTS (SEE ALSO ROADS, FOREST MANAGEMENT AND CUMULATIVE IMPACTS, SECTION 5)

Alila, Y., P.K. Kuras, M. Schnorbus, and R. Hudson. 2009. Forests and floods: A new paradigm sheds light on age-old controversies. *Water Resour. Res.*, 45, W08416, doi:10.1029/2008WR007207.

Allen, C.D., Savage, M., Falk, D.A., Suckling, K.F., et al., 2002. Ecological restoration of southwestern ponderosa pine ecosystems: A broad perspective. *Ecological Applications*, 12: 1418–1433.

Allen, D.M. and Dietrich, W.E., 2005. Application of a process-based, basin-scale stream temperature model to cumulative watershed effects issues: limitations of Forest Practice Rules. *Eos Trans. AGU*, 86(52), Fall Meet. Suppl., Abstract H13B-1333.

Allen, D., Dietrich, W., Baker, P., Ligon, F., and Orr, B., 2007. Development of a mechanistically based, basin-scale stream temperature model: applications to cumulative effects modeling. In: *Proceedings of the redwood region forest science symposium: What does the future hold?* (pp. 11-24).

Ampoorter, E., De Schrijver, A., Van Nevel, L., Hermy, M., et al., 2012. Impact of mechanized harvesting on compaction of sandy and clayey forest soils: results of a meta-analysis. *Annals of For. Sci*, 69, 533-542.

Anderson, D.M., Burkholder, J.M., Cochlan, W.P., Glibert, P.M., et al., 2008. Harmful algal blooms and eutrophication: examining linkages from selected coastal regions of the United States. *Harmful Algae* 8: 39-53.

Anderson, H.W., 1956. Forest-cover effects on snowpack accumulation and melt, Central Sierra snow laboratory. *Trans. Amer. Geophys. Union*, 37: 307–312.

Anderson, H.W., and West, A.J.. 1966. Snow accumulation and melt in relation to terrain in wet and dry years. In *Proc. 33rd Annu. West. Snow Conf.*, p. 73-82.

Anderson, H.W., Hoover, M.D., and Reinhart, K. G., 1976. Forests and water: effects of forest management on floods, sedimentation, and water supply. *U.S. Forest Service General Technical Report PSW-18-1976*. 121pp.

Baker, W.L., 2014. Historical forest structure and fire in Sierran mixed-conifer forests reconstructed from General Land Office survey data. *Ecosphere*, 5(7), art79.

Bartholow, J.M., 2000, Estimating cumulative effects of clearcutting on stream temperatures, *Rivers*, 7: 284-297.

Barnett T, R. Malone, W. Pennell, D. Stammer, B. Semtner, and W. Washington. 2004. The effects of climate change on water resources in the West: introduction and overview. *Climatic Change* 62: 1-11.

Batchelor, J.L., Ripple, W.J., Wilson, T.M., and Painter, L.E., 2015. Restoration of Riparian Areas

- Following the Removal of Cattle in the Northwestern Great Basin. *Env. Manage.*, 55: 930-942.
- Berris, S.N. and Harr, R.D., 1987. Comparative snow accumulations and melt during rainfall in forested and clear-cut plots in the western Cascades of Oregon. *Water Resour. Res.*, 23: 135-142.
- Beschta, R.L., Bilby, R.E., Brown, G.W., Holtby, L.B., and Hofstra, T.D., 1987. Stream temperature and aquatic habitat: Fisheries and forestry interactions. *Streamside Management: Forestry and Fishery Interactions*, pp. 191-231. Univ. of Wash. Inst. of Forest Resources Contribution No. 57, Seattle, Wash.
- Beschta, R.L., Donahue, D.L., DellaSala, D.A., Rhodes, J.J., et al., 2013. adapting to climate change on western public lands: Addressing the ecological effects of domestic, wild, and feral ungulates. *Env. Manage.*, 51: 474-491 DOI 10.1007/s00267-012-9964-9
- Beschta, R. L., Donahue, D. L., DellaSala, D. A., Rhodes, et al., 2014. Reducing livestock effects on public lands in the western United States as the climate changes: a reply to Svejcar et al. *Env. Manage.*: 53: 1039-1042.
- Beschta, R.L., Pyles, M.R., Skaugset, A.E., Surfleet, C.G., 2000. Peakflow responses to forest practices in the western cascades of Oregon, USA. *J. Hydrol.*, 233: 102-120.
- Beschta, R. L., J. R. Boyle, C. C. Chambers, W. P. Gibson, S. V. Gregory, J. Grizzel, J. C. Hagar, J. L. Li, W. C. McComb, M. L. Reiter, G. H. Taylor, and J. E. Warila. 1995. Cumulative effects of forest practices in Oregon. Oregon State University, Corvallis. Prepared for the Oregon Department of Forestry, Salem, Oregon.
- Beschta, R.L., Rhodes, J.J., Kauffman, J.B., Gresswell, R.E, et al., C.A., 2004. Postfire Management on Forested Public Lands of the Western USA. *Cons. Bio.*, 18: 957-967.
- Biederman, J.A., Harpold, A.A., Gochis, D.J., Ewers, B.E., et al., 2014. Increased evaporation following widespread tree mortality limits streamflow response. *Water Resour. Res.*, 50: 5395-5409.
- Black, T. and Luce, C., 1999. Changes in erosion from gravel surface roads through time. *Proceedings: International Mountain Logging and Pacific NW Skyline Symposium, Corvallis, OR, March-April, 1999*, pp. 204-218.
- Bosch, J.M. and Hewlett, J.D. 1982. A review of catchment experiments to determine the effect of vegetation changes on water yield and evapotranspiration. *J. Hydrol.* 55: 3-23.
- Bowling, L.C., Storck, P., and Lettenmaier, D.P., 2000. Hydrologic effects of logging in western Washington, United States. *Water Resour. Res.* 36: 3223-3240.
- Bradford, D.F., 2005. Factors implicated in amphibian population declines in the United States. *Declining Amphibians: A United States Response to the Global Problem*, pp. 915-951. Univ. of CA Press, Berkeley, CA.
- Buffington, J.M., Lisle, T.E., Woodsmith, R.D., and Hilton, S., 2002. Controls on the size and occurrence of pools in coarse-grained forest rivers. *River Res. Applications*, 18: 507-531.
- Buffington, J.M. and Montgomery, D.R., 1999. Effects of sediment supply on surface textures

of gravel-bed rivers. *Water Resour. Res.*, 35: 3523–3530.

Burton, T.A., 1997. Effects of basin-scale timber harvest on water yield and peak streamflow. *J. Amer. Water Resour. Assoc.*, 33:1187-1196.

Burton, T. A. 1999. "Effects of basin scale timber harvest on water yield and peak streamflow" - Reply to discussion by C.A. Troendle and J.D. Stednick. *J. Amer. Water Resour. Assoc.*, 35:183-184.

Busse, M.D., Hubbert, K.R., Moghaddas, E.Y., 2014. Fuel reduction practices and their effects on soil quality. *Gen. Tech. Rep. PSW-GTR-241*. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. 156 p.

Byron, E. R., and Goldman, C. R. 1989. Land-Use and Water Quality in Tributary Streams of Lake Tahoe, California-Nevada. *J. Environ. Quality*, 18:84-88.

Campbell, J.L., Harmon, M.E., and Mitchell, S.R., 2011. Can fuel-reduction treatments really increase forest carbon storage in the western US by reducing future fire emissions? *Frontiers in Ecol. and the Environ.*, 10: 83-90.

Chamberlin, T. W., R. D. Harr, and F. H. Everest. 1991. Timber Harvesting, Silviculture, and Watershed Processes. *American Fisheries Society Special Publication* 19:181-206.

Cheng, J.D. 1989. Streamflow changes after clear-cut logging of a pine beetle-infested watershed in southern British Columbia, Canada. *Water Resources Research* 25(3):449-456.

Christner, J. and R.D. Harr. 1983. Peak streamflows from the transient snow zone, Western Cascades, Oregon. Pages 27-38, in *Proceedings, Western Snow Conference, April 20, 1982, Reno Nevada, Fort Collins Colorado, Colorado State University, Reno, Nevada, 1983*.

Cloern, J.E., 2003. Our evolving conceptual model of the coastal eutrophication problem. *Marine Ecol. Progress Ser.*, 210:223-253.

Committee on Environment and Natural Resources. 2010. *Scientific Assessment of Hypoxia in U.S. Coastal Waters*. Interagency Working Group on Harmful Algal Blooms, Hypoxia, and Human Health of the Joint Subcommittee on Ocean Science and Technology. Washington, DC. <http://www.whitehouse.gov/sites/default/files/microsites/ostp/hypoxia-report.pdf>

Coe, D.B., 2006. *Sediment production and delivery from forest roads in the Sierra Nevada, California (Doctoral dissertation, Colorado State University)*.

Cover, M.R., May, C.L., Dietrich, W.E. and Resh, V.H., 2008. Quantitative linkages among sediment supply, streambed fine sediment, and benthic macroinvertebrates in northern California streams. *J. N. Amer. Bentholological Soc.*, 27:135-149.

Cristea, N.C., Lundquist, J.D., Loheide, S.P., Lowry, C.S., et al., 2014. Modelling how vegetation cover affects climate change impacts on streamflow timing and magnitude in the snowmelt- dominated upper Tuolumne Basin, Sierra Nevada. *Hydrological Processes*, 28: 3896-3918.

Doerr, S.H., Woods, S.W., Martin, D.A., and Casimiro, M., 2009. 'Natural background' soil water

repellency in conifer forests of the north-western USA: Its prediction and relationship to wildfire occurrence. *J. Hydrol.*, 371: 12-21.

Dose, J.J. and Roper, B.E. 1994. Long-term changes in low-flow channel widths within the South Umpqua watershed, Oregon. *Water Resour. Bull.*, 30: 993-1000.

Dunham, J.B., Young, M.K., Gresswell, R.E., and Rieman, B.E., 2003b. Effects of fire on fish populations: landscape perspective on persistence of native fishes and nonnative fish invasions. *Forest Ecol. Manage.*, 178: 183–196.

Dunne, L.B., and L.B. Leopold. 1978. *Water in Environmental Planning*. W.H. Freeman and Company, San Francisco, USA. [see page 609 regarding channel maintenance flows, and Wolman and Miller 1960, below]

Dunne, T., Agee, J., Beissinger, S., Dietrich, W., et al., 2001. *A scientific basis for the prediction of cumulative watershed effects*. University of California Wildland Resource Center Report No. 46.

Eaglin, G.S. and Hubert, W.A., 1993. Effects of logging and roads on substrate and trout in streams of the Medicine Bow National Forest, Wyoming. *N. Am. J. Fish. Manage.*, 13: 844-46.

Espinosa, F.A., Rhodes, J.J., and McCullough, D.A.. 1997. The failure of existing plans to protect salmon habitat on the Clearwater National Forest in Idaho. *J. Env. Manage.*, 49: 205-230.

Foltz, R.B. and Burroughs, E.R., Jr. 1990. Sediment production from forest roads with wheel ruts. *Proceedings: Watershed Planning and Analysis in Action, Watershed Mgt, IR Div, American Society of Civil Engineers, Durango, CO, July 9-11, 1990, pp. 266-275.*

Foltz, R.B., 1996. Traffic and no-traffic on an aggregate surfaced road: sediment production differences. Presented at the FAO Seminar on Environmentally Sound Forest Roads, June 1996, Sinaia, Romania.

Foltz, R.B., Rhee, H., Yanosek, K.A., 2007. Infiltration, erosion, and vegetation recovery following road obliteration. *Trans. ASABE* 50: 1937-1943.

Franklin & Dryness, 1973, *Natural Vegetation of Oregon and Washington, Pacific Northwest Forest and Range Experiment Station, USDA Technical Report*.

Freeman, M.C., Pringle, C.M., and Jackson, C.R., 2007. Hydrologic connectivity and the contribution of stream headwaters to ecological integrity and regional scales. *J. Amer. Water Resour. Assoc.*, 43: 5-14.

Furniss, M.J., Roelofs, T.D., and Yee, C.S., 1991. Road construction and maintenance. Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats, *Am. Fish. Soc. Special Publ.* 19: 297-323.

Furniss, M.J., Staab, B.P., Hazelhurst, S., Clifton, C.F., et al., 2010. *Water, climate change, and forests: watershed stewardship for a changing climate*. USDA Forest Service General Technical Report PNW-GTR-812, Portland, OR.

Grant, G.E., S.L. Lewis, F.J. Swanston, J.H. Cissel, and J. McDonnell. 2008. Effects of Forest Practices on Peak Flows and Consequent Channel Response: A State-of-Science Report for Western Oregon and Washington. U.S. Forest Service, Pacific Northwest Research Station, PNW-GTR – 760.

Geppert, R.R., Lorenz, C.W., and Larson, A.G., 1984. Cumulative effects of forest practices on the environment: a state of the knowledge. Wash. For. Practices Board Proj. No. 0130, Dept. of Natural Resources, Olympia, Wash.

Glibert, P.M. 2010. Long-term changes in nutrient loading and stoichiometry and their relationships with changes in the food web and dominant pelagic fish species in the San Francisco Estuary, California. *Rev. Fish. Sci.*, 18: 211-232.

(GLEC) Great Lakes Environmental Center, 2008. National Level Assessment of Water Quality Impairments Related to Forest Roads and Their Prevention by Best Management Practices. Final Report. Report prepared for US Environmental Protection Agency, Office of Water, Contract No. EP-C-05-066, Task Order 002, 250 p.

Goldman, C.R. 1988. Primary productivity, nutrients, and transparency during the early onset of eutrophication in ultra-oligotrophic Lake Tahoe, California-Nevada. *Limnol. and Oceanography* 33: 1321-1333.

Gottfried, G.J., 1991. Moderate timber harvesting increases water yields from an Arizona mixed conifer watershed. *Water Resour. Bull.* 27: 537-547.

Grant, G.E., Lewis, S.L., Swanson, F.J., Cissel, J.H., et al., 2008. Effects of forest practices on peak flows and consequent channel response: a state-of-science report for western Oregon and Washington. General Technical Report PNW-GTR-760. Pacific Northwest Research Station, Forest Service, USDA, Portland, OR.

Gravelle, J.A., Ice, G., Link, T.E., and Cook, D.L., 2009. Nutrient concentration dynamics in an inland Pacific Northwest watershed before and after timber harvest. *Forest Ecol. Manage.*, 257:1663-1675.

Grayson, R.B., Moore, I.D., and McMahon, T.A., 1992. Physically based hydrologic modeling 2. Is the concept realistic? *Water Resour. Res.*, 26: 2659-2666.

Green, K.C., and Y. Alila. 2012. A paradigm shift in understanding and quantifying the effects of forest harvesting on floods in snow environments. *Water Resources Research* Vol. 48:1-21.

Gucinski, H., Furniss, M.J, Ziemer, R.R and Brookes, M.H., 2001. Forest roads: a synthesis of scientific information, USFS PNW GTR-509. USFS Pacific Northwest Research Station, Portland, OR.

Hancock, P.J., 2002. Human impacts on the stream-groundwater exchange zone. *Env. Manage.* 29: 763-781.

Harr, R.D. 1976. Forest practices and streamflow in Western Oregon. USDA Forest Service General Technical Report PNW-49. PNW Res. Sta. Portland, OR.

Harr, R.D. 1983. Potential for augmenting water yield through forest practices in western Washington and western Oregon. *J. Amer. Water Resour. Assoc.*, 19: 383-393.



- Harr, R.D. and Coffin, B.A., 1992. Influence of timber harvest on rain-on-snow runoff: a mechanism for cumulative watershed effects. *Interdisciplinary Approaches In Hydrology And Hydrogeology*, American Institute of Hydrology, 455-469.
- Harr, R.D., W. C. Harper, J.T. Krygier, and F.S. Hsieh. 1975. Changes in storm hydrographs after road building and clearcutting in the Oregon Coast Range. *Water Resources Research*, 11(3):436-444.
- Harr, R.D., Fredriksen, R.L., and J. Rothacher. 1979. Changes in streamflow following timber harvest in Southwestern Oregon. USDA Forest Service Research Report PNW-249. PNW Res. Sta. Portland, OR.
- Harr, R.D. 1982. Fog drip in the Bull Run municipal watershed, Oregon. *Water Resources Bulletin* 18(5): 785-789.
- Harr, R.D. 1986. Effects of clearcutting on rain-on-snow runoff in Western Oregon: a new look at old studies. *Water Resources Research* 22(7): 1095-1100.
- Hassan, M.A. and Church, M., 2000. Experiments on surface structure and partial sediment transport on a gravel bed. *Water Resour. Res.*, 36: 1885-1895.
- Hatten, J., Zabowski, D., Ogden, A., Theis, W., et al., 2012. Role of season and interval of prescribed burning on ponderosa pine growth in relation to soil inorganic N and P and moisture. *Forest ecology and management*, 269, 106-115.
- Heede, B.H., 1991. Response of a stream in disequilibrium to timber harvest. *Env. Manage.*, 15: 251-255.
- Henjum, M.G., Karr, J.R., Bottom, D.L., Perry, D.A., Bednarz, J.C., Wright, S.G., Beckwitt, S.A., and Beckwitt, E., 1994. Interim Protection For Late Successional Forests, Fisheries, And Watersheds: National Forests East Of The Cascade Crest, Oregon And Washington. The Wildlife Soc., Bethesda, Md.
- Hicks, B.J., Beschta, R.L., and Harr, R.D., 1991. Long-term changes in streamflows following logging in western Oregon and associated fishery implications. *Water Resour. Bull.*, 27: 217-226.
- Jackson, W.L. and B.P. Haveren. 1984. Rainfall-runoff prediction and the effects of logging: the Oregon coast range. USDI Bureau of Land Management Denver Service Center, Denver Colorado 80225.
- Johnson, J.E., 1995. Imperiled freshwater fishes. Our living resources: A report to the nation on the distribution, abundance, and health of U.S. plants, animals, and ecosystems, pp.142-144. U.S. Department of the Interior, National Biological Service, Washington, DC.
- Jones, J. A., and G. E. Grant. 1996. Peak flow responses to clear-cutting and roads in small and large basins, western Cascades, Oregon. *Water Resources Research* 32(4): 959-974.
- Jones, J.A., F.J. Swanson, B.C. Wemple, and K. U. Snyder. 2000. Effects of roads on hydrology, geomorphology, and disturbance patches in stream networks. *Conservation Biology*. Vol. 14:1:76-85. DOI:10.1046/j.1523-1739.2000.99083.x

Jones, J.A., and Post, D.A., 2004. Seasonal and successional streamflow response to forest cutting and regrowth in the northwest and eastern United States. *Water Resour. Res.*, 40, W05203, doi:10.1029/2003WR002952

Jones, J.A., G.L. Achterman, L.A. Augustine, I.F. Creed, P.F. Ffolliot, L. MacDonald, and B.C. Wemple. 2009. Hydrologic effects of a changing forested landscape – challenges for the hydrological sciences. *Hydrol. Process.* 23, 2699-2704.

Kappesser, G.B., 2002. A riffle stability index to evaluate sediment loading to streams. *J. Amer. Water Resour. Assoc.*, 38: 1069-1080.

Karr, J.R., Rhodes, J.J., Minshall, G.W., Hauer, F.R., et al., 2004. Postfire salvage logging's effects on aquatic ecosystems in the American West. *BioScience*, 54: 1029-1033.

Ketcheson, G. L. and Megahan, W. F., 1996. Sediment production and downslope sediment transport from forest roads in granitic watersheds. *US Forest Service Research Paper INT-RP-486.*

Keppeler, E. T. 1998. The summer flow and water yield response to timber harvest. Pages 35-43 *in* R. R. Zeimer, editor. *Proceedings of the conference on coastal watersheds: The Caspar Creek Story.* USFS General Technical Report, PSW-GTR-168. Albany, California.

King, J.G., 1989. Streamflow Responses to Road Building and Harvesting: A Comparison With the Equivalent Clearcut Area Procedure. *USFS Res. Paper INT-401*, Ogden, UT.

King, J.G., 1993. Sediment production and transport in forested watersheds in the northern rocky mountains. *Proceedings Technical Workshop on Sediments*, pp. 13-18, Terrene Inst., Washington, D.C.

Kirkby, M.J. (ed.), 1978. *Hillslope Hydrology.* John Wiley & Sons, Inc., New York

Klein, R.D., Lewis, J., and Buffleben, M.S., 2012. Logging and turbidity in the coastal watersheds of northern California. *Geomorph.*, 139: 136-144.

Kolka, R.K., and M. F. Smidt. 2004. Effects of forest road amelioration techniques on soil bulk density, surface runoff, sediment transport, soil moisture, and seedling growth. *Forest Ecol. and Manage.*, 202: 313- 323.

La Marche, J.L. and Lettenmaier, D.P., 2001. Effects of forest roads on flood flows in the Deschutes River, Washington. *Earth Surf. Process. Landforms*, 26: 115-134.

Law, B.E., and Harmon, M.E., 2011. Forest sector carbon management, measurement and verification, and discussion of policy related to climate change. *Carbon Manage.*, 2: 73-84.

Leopold, L., M. G. Wolman, and J. P. Miller. 1964. *Fluvial processes in geomorphology.* W.H. Freeman and Company, San Francisco, 522 pp.

Lowry, M. and Beschta, R.L., 1994. Effects of a beaver pond on groundwater elevation and temperatures in a recovering stream system. *Water Resour. Bull.*, 30: 503-513.

- Luce, C.H., 1997. Effectiveness of road ripping in restoring infiltration capacity of forest roads. *Restoration Ecology*, 5: 265-270
- Luce, C.H. 2002. Hydrological processes and pathways affected by forest roads: what do we still need to learn? *Hydrological Processes* 16: 2901-2904.
- Luce, C. H., and Z. A. Holden. 2009. Declining annual streamflow distributions in the Pacific Northwest United States, 1948-2006. *Geophysical Research Letters*, Vol. 36. L16401, 6 pp.
- Luce, C.H. and T.A. Black, 2001, *Effects of traffic and ditch maintenance on forest road sediment production. Proceedings: Seventh Federal Interagency Sedimentation Conference, March 25-29, 2001, pp. V67-V74.*
- Luce, C.H., Rieman, B.E., Dunham, J.B., Clayton, J.L., et al., 2001. Incorporating aquatic ecology into decisions on prioritization of road decommissioning. *Water Resour. Impact*, 3:8-14.
- Lund, J.R., 2006. Drought storage allocation rules for surface reservoir systems. *J. Water Resour. Planning and Manage.*, 132: 395-397.
- Lundquist, J.D., Dickerson-Lange, S.E., Lutz, J.A., and Cristea, N.C., 2013. Lower forest density enhances snow retention in regions with warmer winters: A global framework developed from plot- scale observations and modeling. *Water Resour. Res.*, 49: 6356-6370.
- Lydersen, J.M., North, M.P., and Collins, B.M., 2014. Severity of an uncharacteristically large wildfire, the Rim Fire, in forests with relatively restored frequent fire regimes. *For. Ecol. and Manage.*, 328: 326-334.
- MacDonald, A. and Ritland, K.W., 1989. *Sediment Dynamics in Type 4 and 5 Waters: A Review and Synthesis. TFW-012-89-002, Wash. Dept. of Natural Resour., Olympia, Wash.*
- MacDonald, L.H., and Coe, D., 2007. Influence of headwater streams on downstream reaches in forested areas. *For. Sci.*, 53: 148-168.
- MacDonald, L., and Larsen, I., 2009. *Runoff and erosion from wildfires and roads: effects and mitigation. Land Restoration to Combat Desertification: Innovative Approaches, Quality Control and Project Evaluation, pp. 145-167.*
- McDonald, L. H., Smart, A. W., and R. C. Wissmar. 1991. *Monitoring Guidelines to Evaluate Effects of Forestry Activities on Streams in the Pacific Northwest and Alaska. Environmental Protection Agency EPA/910-91-001; University of Washington Center for Streamside Studies, AR-10, University of Washington, College of Ocean and Fisheries Sciences, Seattle, WA 98195.*
- MacDonald, L.H. and Stednick, J.D., 2003. *Forests and water: A state-of-the-art review for Colorado. Colorado Water Resources Research Institute Completion Report No. 196. Colorado State Univ., Ft. Collins, CO*
- Magilligan, F.J., and McDowell, P.F., 1997. Stream channel adjustments following elimination of cattle grazing. *J. Amer. Water Resour. Assoc.*, 33: 471-478.

Marsh, D.M. and N. G. Beckman. 2004. Effects of forest roads on the abundance and activity of terrestrial salamanders. *Ecological Applications* 14:1882–1891. <http://dx.doi.org/10.1890/03-5179>

May, C.L., 2002. Debris flows through different forest age classes in the central Oregon Coast Range. *J. Amer. Water Resour. Assoc.*, 38: 1097-1113.

May, C.L. and Gresswell, R.E., 2003. Large wood recruitment and redistribution in headwater streams in the southern Oregon Coast Range, U.S.A. *Can. J. For. Res.*, 33: 1352–1362.

McCullough, D.A., 1999. *A Review and Synthesis of Effects of Alterations to the Water Temperature Regime on Freshwater Life Stages of Salmonids, with Special Reference to Chinook Salmon*. USEPA Technical Report EPA 910-R-99-010, USEPA, Seattle, Wa.

McIntosh, B.A, Sedell, J.R., Thurow, R.F., Clarke, S.E. and Chandler, G.L., 2000. Historical changes in pool habitats in the Columbia River Basin. *Ecological Applications*, 10: 1478-1496.

Megahan, W.F. and Bohn, C.C., 1989. Progressive, long-term slope failure following road construction and logging on noncohesive, granitic soils in the Idaho batholith. *Proceedings: Headwaters Hydrology*, pp. 501-510, AWRA Tech. Pub. Series TPS-89-1, Am. Water Resour. Assoc., Bethesda, Md.

Megahan, W.F. Seyedbagheri, K.A., and Potyondy, J.P., 1992. Best management practices and cumulative effects in the South Fork Salmon River—A case study. *Watershed Management: Balancing Sustainability and Environmental Change*, pp. 401-414, Springer Verlag Inc., New York.

Meigs, G.W., Campbell, J.L., Zald, H.S., Bailey, J.D., et al., 2015. Does wildfire likelihood increase following insect outbreaks in conifer forests?. *Ecosphere*, 6, art118.

Menning, K.M., Erman, D.C., Johnson, K.N., and Sessions, J., 1996. Modeling aquatic and riparian systems, assessing cumulative watershed effects, and limiting watershed disturbance. *Sierra Nevada Ecosystem Project Report, Summary and Final Report to Congress, Addendum* pp. 33-52. *Wildland Resources Center Report No. 38*, University of California, Davis.

Mirus, B. B., B. A. Ebel, K. Loague, and B.C. Wemple. 2007. Simulated effect of a forest road on near-surface hydrologic response: redux. *Earth Surf. Process. Landforms*, 32:126–142. doi:10.1002/esp.1387

Minshall, G.W., Brock, J.T., and Varley, J.D., 1989. Wildfires and Yellowstone's stream ecosystems: A temporal perspective shows that aquatic recovery parallels forest succession. *BioScience* 39:707-722.

Minshall, G.W., Robinson, C.T., and Lawrence, D.E., 1997. Postfire response of lotic ecosystems in Yellowstone National Park U.S.A. *Can. J. of Fish. Aquat. Sci.*, 54:2509-2525.

Montgomery, D. R., 1994. Road surface drainage, channel initiation and slope instability. *Water Resour. Res.*, 30: 1925-1932.

Montgomery, D.R. and J.M. Buffington, 1998. Channel processes, classification, and response. *In* R. Naiman and R. Bilby (eds.), *River ecology and management: lessons from the Pacific Coastal Region*, p. 13-42. Springer-Verlag, New York.

Moyle, P. B., Zomer, R., Kattelman, R., and Randall, P., 1996b. Management of riparian areas in the Sierra Nevada. Sierra Nevada Ecosystem Project: Final Report to Congress, vol. III, report 1. Wildland Resources Center Report No. 39, University of California, Davis.

Moritz, M A., Batllori, E., Bradstock, R.A., Gill, A.M., et al., 2014. Learning to coexist with wildfire. *Nature*, 515: 58-66.

Moore, G.W., Bond, B.J., Jones, J.A., Phillips, N., et al., 2004. Structural and compositional controls on transpiration in 40- and 450-year-old riparian forests in western Oregon, USA. *Tree Physiology*, 24: 481-491.

Murphy, M.L., 1995. Forestry Impacts on Freshwater Habitat of Anadromous Salmonids In the Pacific Northwest and Alaska--Requirements for Protection and Restoration. NOAA Coastal Ocean Program Decision Analysis Series No. 7. NOAA Coastal Ocean Office, Silver Spring, MD.

National Research Council (NRC), 2008. Hydrologic Effects of a Changing Forest Landscape. National Academies Press, Washington, DC.

Nieber, J., Arika, C., Lenhart, C., Titov, M., et al. 2011. Evaluation of Buffer Width on Hydrologic Function, Water Quality, and Ecological Integrity of Wetlands. Final Report 2011-06, Minnesota Department of Transportation, Office of Policy, Analysis, and Innovation. St. Paul, MN. 182 pp.

North, M., Collins, B.M., and Stephens, S., 2012. Using fire to increase the scale, benefits, and future maintenance of fuels treatments. *J. Forestry*, 110: 392-401.

Noss, R.F., Beier, P., Covington, W.W., Grumbine, R.E., et al, 2006a. Recommendations for integrating restoration ecology and conservation biology in ponderosa pine forests of the southwestern United States. *Restoration Ecol.*, 14: 4-10

Noss, R.F., Franklin, J.F., Baker, W.L., Schoennagel, T., et al., 2006b. Managing fire-prone forests in the western United States. *Front. Ecol Environ.*, 4: 481-487.

(NRC) National Research Council, 2008. Urban Stormwater Management in the United States, National Academies Press, Washington, D.C.

Odion, D.C., Hanson, C.T., Arsenault, A., Baker, W.L., et al., 2014. Examining historical and current mixed-severity fire regimes in ponderosa pine and mixed-conifer forests of western North America. *PLoS One* 9, e87852.

Pannkuk, C.D. and Robichaud, P.R., 2003. Effectiveness of needle cast at reducing erosion after forest fires. *Water Resour. Res.*, 39: 1333-1343.

Perry, T.D., 2007. Do vigorous young forests reduce streamflow? Results from up to 54 years of streamflow records in eight paired-watershed experiments in the HJ Andrews and South Umpqua Experimental Forests. MS thesis, Oregon State Univ., Corvallis, OR

Platts, W.S., 1991. Livestock grazing. Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats, *Am. Fish. Soc. Special Publ.* 19: 389-424.

Pollock, M.M. and Beechie, T.J., 2014. Does Riparian Forest Restoration Thinning Enhance Biodiversity? The Ecological Importance of Large Wood. *J. Amer. Water Resour. Assoc.*, 50: 543-559. DOI: 10.1111/jawr.12206

Pollock, M.M., G. Lewallen, K., Woodruff, C.E. Jordan et al., 2015. *The Beaver Restoration Guidebook: Working with Beaver to Restore Streams, Wetlands, and Floodplains. Version 1.02.* United States Fish and Wildlife Service, Portland, Oregon. 189 pp.  
<http://www.fws.gov/oregonfwo/ToolsForLandowners/RiverScience/Beaver.asp>

Potyondy, J.P., Cole, G.F., Megahan, W.F., 1991. A procedure for estimating sediment yields from forested watersheds. *Proceedings: Fifth Federal Interagency Sedimentation Conf.*, pp. 12-46 to 12-54, Federal Energy Regulatory Comm., Washington, D.C.

Reeves, G.H., Hall, J.D., Roelofs, T.D., Hickman, T.L., et al., 1991. Rehabilitating and modifying stream habitats. *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*, *Am. Fish. Soc. Special Publ.* 19: 519-557.

Regonda, S.K., B. Rajagopalan, M. Clark, and J. Pitlick. 2005. Seasonal cycle shifts in hydro-climatology over the Western United States. *Journal of Climate*. Vol. 18: 372-389.

Reid, L.M., 1993. Research and cumulative effects. *USFS PSW Res. Station Gen. Tech Rept. PSW-GTR-141.* USDA Forest Service, Pacific Southwest Research Station. Albany, CA

Reid, Leslie M., 2010. Cumulative effects of fuel treatments on channel erosion and mass wasting. *Gen. Tech. Rep. RMRS-GTR-231.* Fort Collins, CO: US Department of Agriculture, Forest Service, Rocky Mountain Research Station, 101-125.

Reid, L.M., 2012. Comparing hydrologic responses to tractor-yarded selection and cable-yarded clearcut logging in a coast redwood forest. *General Technical Report PSW-GTR-238.* USDA Forest Service, Pacific Southwest Research Station. Albany, CA (pp. 141-151).

Reid, L.M., Dunne, T., and C.J. Cederholm, 1981. Application of sediment budget studies to the evaluation of logging road impact. *J. Hydrol (NZ)*, 29: 49-62.

Reid, L.M. and Dunne, T., 1984. Sediment production from forest road surfaces. *Water Resour. Res.*, 20: 1753-1761.

Restaino, J.C., and Peterson, D.L., 2013. Wildfire and fuel treatment effects on forest carbon dynamics in the western United States. *For. Ecol. and Manage.*, 303: 46-60.

Rittger, K. E. (2012). *Spatial estimates of snow water equivalent in the Sierra Nevada (Doctoral dissertation, University Of California Santa Barbara).*

Rhodes, J.J. and Huntington, C., 2000. Watershed and Aquatic Habitat Response to the 95-96 Storm and Flood in the Tucannon Basin, Washington and the Lochsa Basin, Idaho. *Annual Report to Bonneville Power Administration, Portland, OR.*

Rhodes, J.J., McCullough, D.A., and Espinosa Jr., F.A., 1994. A Coarse Screening Process for

Evaluation of the Effects of Land Management Activities on Salmon Spawning and Rearing Habitat in ESA Consultations. CRITFC Tech. Rept. 94-4, Portland, Or.

Rhodes, J.J., 2007. The watershed impacts of forest treatments to reduce fuels and modify fire behavior. Pacific Rivers Council, Eugene, OR  
[http://www.pacrivers.org/article\\_view.cfm?ArticleID=1261&RandSeed=99982](http://www.pacrivers.org/article_view.cfm?ArticleID=1261&RandSeed=99982)

Rhodes, J.J. and Baker, W.L., 2008. Fire probability, fuel treatment effectiveness and ecological tradeoffs in western U.S. public forests. *Open For. Sci. J.*, 1: 1-7.

Richards, K., 1982. *Rivers: Form and Process in Alluvial Channels*. Methuen & Co., New York.

Rieman, B.E., Lee, D., Burns, D., Gresswell, R., Young, M., Stowell, R., Rinne, J. and Howell, P., 2003. Status of native fishes in the western United States and issues for fire and fuels management. *Forest Ecol. and Manage.*, 178: 197–211.

Robichaud, P.R., 2000. Fire effects on infiltration rates after prescribed fire in Northern Rocky Mountain forests, USA. *J. Hydrol.*, 231: 220-229.

Robichaud, P.R., MacDonald, L. H., & Foltz, R. B., 2010. Fuel management and erosion. Cumulative watershed effects of fuel management in the western United States. Gen. Tech. Rep. RMRS-GTR-231. Fort Collins, CO: US Department of Agriculture, Forest Service, Rocky Mountain Research Station, 79-100.

Robles, M. D., Marshall, R. M., O'Donnell, F., Smith, E. B., et al., 2014. Climate Variability and Accelerated Forest Thinning on Watershed-Scale Runoff in Southwestern USA Ponderosa Pine Forests. *PLoS ONE* 9(10), DOI: 10.1371/journal.pone.0111092

Roni, P., Beechie, T.J., Bilby, R.E., Leonetti, F.E., et al., 2002. A review of stream restoration techniques and a hierarchical strategy for prioritizing restoration in Pacific Northwest watersheds. *N. Amer. J. Fish. Manage.*, 22:1-20.

Rotchacher, J. 1971. Regimes of streamflow and their modification by logging. Pages 40-45 in J. T. Krygier and J. D. Hall, editors. *A symposium-forest land uses and stream environment*. Continuing Education Publications, Oregon State University, Corvallis, Oregon.

Rothacher, J. 1973. Does harvest in west-slope douglas-fir increase peak flow in small forest streams? *USDA Forest Service Research Paper PNW-163*. PNW Res. Sta. Portland, OR.

Schwarzenbach, R. P., Escher, B. I., Fenner, K., Hofstetter, T. B., et al., 2006. The challenge of micropollutants in aquatic systems. *Science*, 313:1072-1077.

Schwilk, D. W., Keeley, J. E., Knapp, E. E., McIver, et al., 2009. The national Fire and Fire Surrogate study: effects of fuel reduction methods on forest vegetation structure and fuels. *Ecol. Applic.*, 19: 285-304.

Sedell, J., Sharpe, M., Apple, D.D., Copenhagen, M., et al., 2000. *Water and the forest service*, FS-660. USFS, Washington, DC

Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. *An Ecosystem Approach to Salmonid Conservation*. TR-4501-96-6057. ManTech Environmental Research Services Corp., Corvallis, OR (Available from the National Marine Fisheries Service, Portland, OR).

Stednick, J. D. 1996. Monitoring the effects of timber harvest on annual water yield. *J. Hydrol.*, 176: 79-95.

Steel, E. A., Fullerton, A., Caras, Y., Sheer, M.B., et al., 2008. A spatially explicit decision support system for watershed-scale management of salmon. *Ecol. and Soc.*, 13:50. [online] URL: <http://www.ecologyandsociety.org/vol13/iss2/art50/>

Stewart, I. T., D. R. Cayan, and M. D. Dettinger. 2004. Changes in snowmelt runoff timing in western North America under a 'Business As Usual' climate change scenario. *Climate Change* 62:217-232.

Suttle, K.B., Power, M.E., Levine, J.M, and McNeely, C., 2004. How fine sediment in riverbeds impairs growth and survival of juvenile salmonids. *Ecol. Applic.*, 14: 969–974.

Sweeney, B.W., and Newbold, J.D., 2014. Streamside forest buffer width needed to protect stream water quality, habitat, and organisms: a literature review. *J. Amer. Water Resour. Assoc.*, 50: 560-584.

Switalski, T. A., Bissonette, J. A., DeLuca, T. H., Luce, C. H., et al., 2004. Benefits and impacts of road removal. *Frontiers Ecol. Environ.* 2:21-28.

Thomas, R.B., and W.F. Megahan. 1998. Peak flow responses to clear-cutting and roads in small and large basins, western Cascades, Oregon: A second opinion. *Water Resources Research* 34(12):3393-3403.

Tague, C. and Band, L, 2001. Simulating the impact road construction and forest harvesting on hydrologic response. *Earth Surf. Process Landforms*, 26: 135-151.

Troendle, C.A., 1985. *The effect of timber harvest on the water balance of the subalpine forest*. Paper presented at Hydrology/Meteorology Technical Symposium, Society of American Foresters Annual Meeting, Ft. Collins, CO.

Troendle, C. A. and King. R.M., 1985. The effect of timber harvest on the Fool Creek Watershed, 30 years later. *Water Resources Research* 21:1915-1922.

Troendle, C. A. and King. R.M., 1987. The effect of partial and clearcutting on streamflow at Deadhorse Creek, Colorado. *J. Hydrol.* 90: 145-157.

Troendle, C.A. and Olsen, W.K., 1994. *Potential effects of timber harvest and water management on streamflow dynamics and sediment transport*. Sustainable Ecological Systems: Implementing an Ecological Approach to Land Management. pp. 34-41, USFS Gen. Tech. Rept. RM-247, Fort Collins, Co.

Troendle, C. A., and J. D. Stednick. 1999. "Effects of basin scale timber harvest on water yield and peak streamflow," by Timothy A. Burton - Discussion. *J. Amer. Water Resour. Assoc.*, 35:177-181.



- Trombulak, S.C., and Frissell, C.A., 2000. Review of ecological effects of roads on terrestrial and aquatic communities. *Cons. Bio.*, 14: 18-30.
- Van Mantgem, P. J., Stephenson, N. L., Knapp, E., Battles, J., et al., 2011. Long-term effects of prescribed fire on mixed conifer forest structure in the Sierra Nevada, California. *For. Ecol. Manage.*, 61: 989-994.
- Varhola, A., Coops, N.C., Weiler, M., and Moore, R.D., 2010. Forest canopy effects on snow accumulation and ablation: An integrative review of empirical results. *J. Hydrol.*, 392: 219-233.
- Wade, A.A., Beechie, T.J., Fleishman, E., Mantua, N.J., Wu, H., et al., 2013. Steelhead vulnerability to climate change in the Pacific Northwest. *J. Applied Ecol.*, 50: 1093-1104.
- Wemple, B.C., Jones, J.A., and Grant, G.E. 1996. Channel network extension by logging roads in two basins, Western Cascades, Oregon. *Water Resour. Bull.*, 32: 1195-1207.
- Wickham, J.D., T.G. Wade, and K.H. Ritters. 2008. Detecting temporal change in watershed nutrient yields. *Env. Manage.*, 42:3223-231.
- Wolman, M.G., and Miller, J.P. 1960. Magnitude and frequency of forces in geomorphic processes. *Journal of Geology*, 68(1): 54-74.
- Wondzell, S.M. and King, J., 2003. Postfire erosional processes in the Pacific Northwest and Rocky Mountain regions. *For. Ecol. Manage.* 178 (1–2), 75–87.
- Wright, K., K. H. Sendek, R. H. Rice, and R. B. Thomas. 1990. Logging effects on streamflow: Storm runoff at Caspar Creek in northwestern California. *Water Resources Research*. 20: 1657-1667.
- Ziemer, R.R. 1981. Storm flow response to road building and partial cutting in small streams of northern California. *Water Resources Research*, 17(4)907-919.
- Ziemer, R.R. and T.E. Lisle. 1998. Hydrology. In: Naimon, R.J., and R.E. Bilby, eds. *River ecology and management -- lessons from the Pacific Coastal ecoregion.* : Springer-Verlag (NY), : Chapter 3, pp. 43-68.
- Ziemer, R.R. 1998. Flooding and stormflows. In Ziemer, R.R., technical coordinator. *Proceedings of the conference on coastal watersheds: the Caspar Creek story.* May 6, 1998; Ukiah, CA. Technical Report PSW-GTR-168. Albany, CA: Pacific Southwest Research Station, USDA Forest Service; 15-24.
- Ziemer, R.R., Lewis, J., Lisle, T.E., and Rice, R.M., 1991. Long-term sedimentation effects of different patterns of timber harvesting. In: *Proceedings Symposium on Sediment and Stream Water Quality in a Changing Environment: Trends and Explanation*, pp. 143-150. Inter. Assoc. Hydrological Sciences Publication no. 203. Wallingford, UK.
- Ziemer, R.R., and Lisle, T.E., 1993. Evaluating sediment production by activities related to forest uses--A Northwest Perspective. *Proceedings: Technical Workshop on Sediments*, Feb., 1992, Corvallis, Oregon. pp. 71-74. Terrene Inst., Washington, D.C.

## 4. FISH, AMPHIBIANS AND CLIMATE CHANGE:

[includes Fish (e.g. coho salmon, chinook salmon, steelhead, pacific lamprey) and Climate Change Impacts related to fish and fisheries]

Ball, B. A., J. S. Kominoski, H. E. Adams, S. E. Jones, E. S. Kane, T. D. Loecke, W. M. Mahaney, J. P. Martina, C. M. Prather, T. M. P. Robinson, and C. T. Solomon. 2010. Direct and terrestrial vegetation-mediated effects of environmental change on aquatic ecosystem processes. *Bioscience* 60:590–601.

Barnett T, R. Malone, W. Pennell, D. Stammer, B. Semtner, and W. Washington. 2004. The effects of climate change on water resources in the West: introduction and overview. *Climatic Change* 62: 1-11.

Battin, J., M. W. Wiley, M. H. Ruckelshaus, R. N. Palmer, E. Korb, K. K. Bartz, and H. Imaki. 2007. Projected impacts of climate change on salmon habitat restoration. *Proceedings of the National Academy of Sciences of the United States of America* 104:6720–6725.

Beamish, R. J. 1993. Climate and exceptional fish production off the west coast of North America. *Can. J. Fish. Aquat. Sci* 50:2270-2291.

Beamish, R. J. 1995. Climate Change and Northern Fish Populations. *Can. Spec. Publ. Fish. Aquat. Sci.* 121. 739 pp.

Beamish, R.J. and D.R. Bouillon. 1993. Pacific salmon production trends in relation to climate. *Can. J. Fish. Aquatic. Sci.* 50:1002-1016.

Beamish, R. J., and C. Mahnken. 2001. A critical size and period hypothesis to explain natural regulation of salmon abundance and the linkage to climate and climate change. *Progress in Oceanography* 49:423–437.

Beechie, T., H. Imaki, J. Greene, A. Wade, H. Wu, G. Press, P. Roni, J. Kimball, J. Stanford, P. Kiffney, and N. Mantua. 2012. Restoring salmon habitat for a changing climate. *River Res. Applic.* (2012). Published online in Wiley Online Library(wileyonlinelibrary.com) DOI: 10.1002/rra.2590

Casola, J. H., L. Cuo, B. Livneh, D. P. Lettenmaier, M. T. Stoelinga, P. W. Mote, and J. M. Wallace. 2009. Assessing the impacts of global warming on snowpack in the Washington Cascades. *Journal of Climate* 22:2758–2772.

Bradford, M.J., and J.R. Irvine. 2000. Land use, climate change, and the decline of Thompson River, British Columbia, coho salmon. *Canadian Journal of Fisheries and Aquatic Sciences* 57(1) 13-16.

Brodeur, R. D., E. A. Daly, R. A. Schabetsberger, and K. L. Mier. 2007. Interannual and interdecadal variability in juvenile coho salmon (*Oncorhynchus kisutch*) diets in relation to environmental changes in the northern California Current. *Fisheries Oceanography* 16:395–408.

Buhl, K.J. and S.J. Hamilton. 1998. Acute toxicity of fire-retardant and foam-suppressant chemicals to early life stages of Chinook salmon (*Oncorhynchus tshawytscha*). *Environmental Toxicology and*

Chemistry 17(8):1589-1599.

Carroll, C., J.R. Dunk, and A. Moilanen. 2010. Optimizing resiliency of reserve networks to climate change: multispecies conservation planning in the Pacific Northwest, USA. *Global Change Biology* 16, 891-904.

Cederholm, C. J., and L. M. Reid. 1987. Impact of forest management on coho salmon (*Oncorhynchus kisutch*) populations of the Clearwater River, Washington: a project summary. In E. O. Salo and T. W. Cundy (editors). *Streamside Management: Forestry and Fishery Interactions, Proceedings of a Symposium held at University of Washington, 12–14 February 1986. IFR Contribution no. 57. Institute of Forest Resources, Seattle. Pp. 373–398.*

Chang, H., and I. Jung. 2010. Spatial and temporal changes in runoff caused by climate change in a complex large river basin in Oregon. *Journal of Hydrology* 388:186–207.

Cole, J. 2000. Coastal sea surface temperature and coho salmon production off the north-west United States. *Fisheries Oceanography* 9:1–16.

Cornwell, T. J., D. L. Bottom, and K. K. Jones. 2001. Rearing of juvenile salmon in recovering wetlands of the Salmon River estuary. *Information Reports 2001–05. Oregon Department of Fish and Wildlife, Salem.*

Coronado, C., and R. Hilborn. 1998. Spatial and temporal factors affecting survival in coho salmon (*Oncorhynchus kisutch*) in the Pacific Northwest. *Canadian Journal of Fisheries and Aquatic Sciences* 55:2067–2077.

Cristea, N. C., and S. J. Burges. 2009. An assessment of the current and future thermal regimes of three streams located in the Wenatchee River basin, Washington State: some implications for regional river basin systems. *Climatic Change* 102:493–520.

Crozier, L. G., A. P. Hendry, P. W. Lawson, T. P. Quinn, N. J. Mantua, J. Battin, R. G. Shaw, and R. B. Huey. 2008a. Potential responses to climate change in organisms with complex life histories: evolution and plasticity in Pacific salmon. *Evolutionary Applications* 1:252–270.

Crozier, L. G., R. W. Zabel, and A. F. Hamlet. 2008b. Predicting differential effects of climate change at the population level with life-cycle models of spring Chinook salmon. *Global Change Biology* 14:236–249.

Dale, V.H., L.A. Joyce, and others. 2001. Climate change and forest disturbances: Climate change can affect forests by altering the frequency, intensity, duration, and timing of fire, drought, introduced species, insect and pathogen outbreaks, hurricanes, windstorms, ice storms, or landslides. *BioScience* 51(9):723-734.

Eaton, J.G. and R.M. Scheller. 1996. Effects of climate warming on fish thermal habitat in streams of the United States. *Limnol. Oceanogr.* 41(5): 1109-1115.

Elsner, M.M., L. Cuo, N. Voisin, J. S. Deems, A.F., Hamlet, J. A. Vano, K. E. B. Mickelson, S. Y. Lee, and D. P. Lettenmaier. 2010. Implications of 21st century climate change for the hydrology of Washington State. *Climatic Change* (2010) 102:225–260.

- Farrell, A. P., S. G. Hinch, S. J. Cooke, D. A. Patterson, G. T. Crossin, M. Lapointe, and M. T. Mathes. 2008. Pacific salmon in hot water: Applying aerobic scope models and biotelemetry to predict the success of spawning migrations. *Physiological and Biochemical Zoology* 81:697–708.
- Goode, J.R., J.M. Buffington, D. Tonina, D.J. Isaac, R.F. Thurow, S. Wenger, D. Nagel, C. Luce, D. Tetzlaff, and C. Soulsby. 2013. Potential effects of climate change on streambed scour and risks to salmonid survival in snow-dominated mountain basins. *Hydrological Processes* 27, 750-765 (2013), Published online by Wiley Online Library.
- Gustafson, R. G., R. S. Waples, J. M. Myers, L. A. Weitkamp, G. J. Bryant, O. W. Johnson, and J. J. Hard. 2007. Pacific salmon extinctions: quantifying lost and remaining diversity. *Conservation Biology* 21:1009–1020.
- Hamlet, A. F., and D. P. Lettenmaier. 2003. Long-range climate forecasting and its use for water management in the Pacific Northwest region of North America. *Journal of Hydroinformatics*: 02.3 .
- Hamlet, A. F., P. W. Mote, M. P. Clark, and D. P. Lettenmaier. 2005. Effects of temperature and precipitation variability on snowpack trends in the western United States. *Journal of Climate* 18:4545–4561.
- Hamlet, A. F., and D. P. Lettenmaier. 2007. Effects of 20th century warming and climate variability on flood risk in the western US. *Water Resources Research* 43:doi: 10.1029/2006WR005099.
- Harley, C. D. G., A. R. Hughes, K. M. Hultgren, B. G. Miner, C. J. B. Sorte, C. S. Thornber, L. F. Rodriguez, L. Tomanek, and S. L. Williams. 2006. The impacts of climate change in coastal marine systems. *Ecology Letters* 9:228–241.
- Heller, N.E., and E.S. Zavaleta. 2009. Biodiversity management in the face of climate change: A review of 22 years of recommendations. *Biological Conservation* 142(2009) 12-32.
- Hidalgo, H. G., T. Das, M. D. Dettinger, D. R. Cayan, D. W. Pierce, T. P. Barnett, G. Bala, A. Mirin, A. W. Wood, C. Bonfils, B. D. Santer, and T. Nozawa. 2009. Detection and attribution of streamflow timing changes to climate change in the western United States. *Journal of Climate* 22:3838–3855.
- Hixon, M. A., S. V. Gregory, and W. D. Robinson. 2010. Oregon's fish and wildlife in a changing climate. In K. D. Dello and P. W. Mote (editors), *Oregon Climate Assessment Report*. Oregon Climate Change Research Institute, Oregon State University, Corvallis. Pp. 268–360.
- Isaak, D. J., C. H. Luce, B. E. Rieman, D. E. Nagel, E. E. Peterson, D. L. Horan, S. Parkes, and G. L. Chandler. 2010. Effects of climate change and wildfire on stream temperatures and salmonid thermal habitat in a mountain river network. *Ecological Applications* 20(5)1350-1371.
- Johnson, S. L. 1988. The effects of the 1983 El Niño on Oregon's coho (*Oncorhynchus kisutch*) and Chinook (*O. tshawytscha*) salmon. *Fisheries Research* 6:105–123.
- Jones, J.A., G.L. Achterman, L.A. Augustine, I.F. Creed, P.F. Ffolliot, L. MacDonald, and B.C. Wemple. 2009. Hydrologic effects of a changing forested landscape – challenges for the hydrological sciences. *Hydrol. Process.* 23, 2699-2704.

- Kaufmann, P.R., and R.M. Hughes. 2006. Geomorphic and anthropogenic influences on fish and amphibians in Pacific Northwest coastal streams. *American Fisheries Society Symposium* 48:429-465.
- Kaushal, S.S., G. E Likens, N.A. Jaworski, M. L Pace , A.M. Sides, D. Seekell, K.T. Belt, D.H. Secor , and R.L Wingate. Rising stream and river temperatures in the United States. *Front Ecol Environ* 2010; 8(9): 461–466, doi:10.1890/090037 (published online 23 Mar 2010)
- Koski, K. V. 2009. The fate of coho salmon nomads: The story of an estuarine-rearing strategy promoting resilience. *Ecology and Society* 14:art. 4.
- Koslow, J. A., A. J. Hobday, and G. W. Boehlert. 2002. Climate variability and marine survival of coho salmon (*Oncorhynchus kisutch*) in the Oregon production area. *Fisheries Oceanography* 11:65–77.
- Lawson, P. W., E. A. Logerwell, N. J. Mantua, R. C. Francis, and V. N. Agostini. 2004. Environmental factors influencing freshwater survival and smolt production in Pacific Northwest coho salmon (*Oncorhynchus kisutch*). *Canadian Journal of Fisheries and Aquatic Sciences* 61:360–373.
- Lettenmaier, D. P., D. Major, L. Poff, and S. Running. 2008. Water resources. In P. Backlund, A. Janetos, D. Schimel, J. Hatfield, K. Boote, P. Fay, L. Hahn, C. Izaurralde, B. A. Kimball, T. Mader, J. Morgan, D. Ort, W. Polley, A. Thomson, D. Wolfe, M. A. Ryan, S. R. Archer, R. Birdsey, C. Dahm, L. Heath, J. Hicke, D. Hollinger, T. Huxman, G. Okin, R. Oren, R. Randerson, W. Schlesinger, D. Lettenmaier, D. Major, L. Poff, S. Running, L. Hansen, D. Inouye, B. P. Kelly, L. Meyerson, B. Peterson and R. Shaw (editors). *The Effects of Climate Change on Agriculture, Land Resources, Water Resources, and Biodiversity in the United States. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. U.S. Department of Agriculture, Washington, DC. Pp. 121–150.*
- Lichatowich, J. A. 1989. Habitat alteration and changes in abundance of coho (*Oncorhynchus kisutch*) and Chinook salmon (*O. tshawytscha*) in Oregon's coastal streams. In C. D. Levings, L. B. Holtby and M. A. Henderson (editors), *Proceedings of the National Workshop on Effects of Habitat Alteration on Salmonid Stocks. Canadian Special Publications in Fisheries and Aquatic Sciences 105. Department of Fisheries and Oceans, Ottawa. Pp. 92–99.*
- Lins, H. F., and J. R. Slack. 1999. Streamflow trends in the United States. *Geophysical Research Letters* 26:227–230.
- Littell, J.S., M. McGuire Elsner, L.C. Whitely Binder, and A.K. Snover (eds). 2009b. *The Washington climate change impacts assessment: Evaluating Washington's future in a changing climate. Climate Impacts Group, University of Washington.*
- Logerwell, E. A., N. Mantua, P. W. Lawson, R. C. Francis, and V. N. Agostini. 2003. Tracking environmental processes in the coastal zone for understanding and predicting Oregon coho (*Oncorhynchus kisutch*) marine survival. *Fisheries Oceanography* 12:554–568.
- Luce, C. H., and Z. A. Holden. 2009. Declining annual streamflow distributions in the Pacific Northwest United States, 1948-2006. *Geophysical Research Letters*, Vol. 36. L16401, 6 pp.

- Mantua, N., I. Tolver, and A. Hamlet. 2010. Climate change impacts on streamflow extremes and summertime stream temperature and their possible consequences for freshwater salmon habitat in Washington State. *Climatic Change* 102:187–223.
- Marks, D., G.A. King, and J. Dolph 1993. Implications of climate change for the water balance of the Columbia River Basin, USA. *Climate Research* 2:203-213.
- McCullough, D. A., and 14 co-authors. 2009. Research in thermal biology: burning questions for coldwater stream fishes. *Reviews in Fisheries Science* 17(1)90-115.
- Millar, C. I., N.L. Stephenson, and S.L. Stephens. 2007. Climate change and the forests of the future: managing in the face of uncertainty. *Ecological Applications*, 17(8), 2007, pp. 2145–2151.
- Mohseni, O., H. G. Stefan, and J. G. Eaton. 2003. Global warming and potential changes in fish habitat in U.S. streams. *Climatic Change* 59:389–409.
- Mote, P. W. 2003a. Trends in snow water equivalent in the Pacific Northwest and their climatic causes. *Geophysical Research Letters* 30:doi:10.1029/2003GL017258.
- Mote, P. W. 2003b. Trends in temperature and precipitation in the Pacific Northwest during the twentieth century. *Northwest Science* 77:271–282.
- Mote, P. W. 2006. Climate-driven variability and trends in mountain snowpack in western North America. *Journal of Climate* 19:6209–6220
- Mote, P. W., E. Parson, A. F. Hamlet, W.S. Keeton, O. Lettenmaier, N. Mantua, E.L. Miles, O.W. Peterson, D. L. Peterson, R. Slaughter, and A.K. Snover. 2003. Preparing for climatic change: The water, salmon, and forests of the Pacific Northwest. *Climatic Change* 61: 45 -88.
- Mote, P. W., A. F. Hamlet, M. P. Clark, and D. P. Lettenmaier. 2005. Declining mountain snowpack in western North America. *Bulletin of the American Meteorological Society* 86:39-49.
- Mote, P. W., and E. P. Salathé. 2010. Future climate in the Pacific Northwest. *Climatic Change* 102:29–50.
- Nickelson, T. E., J. D. Rodgers, S. L. Johnson, and M. F. Solazzi. 1992. Seasonal changes in habitat use by juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences* 49:783–789.
- Noss, R.F. 2001. Beyond Kyoto: Forest Management in a Time of Rapid Climate Change. *Conservation Biology* 15(3):578-590.
- Nunez, T.A., J.J. Lawler, B.H. McRae, D.J. Pierce, M.B. Krosby, D.M. Kavanagh, P.H. Singleton, and J. J. Tewksbury. 2013. Connectivity planning to address climate change. *Conservation Biology* 27(2): 407-416.
- Peterson, W. T., and F. B. Schwing. 2003. A new climate regime in Northeast Pacific ecosystems. *Geophysical Research Letters* 30:doi:10.1029/2003GL017528.
- Regier, H. A., J. J. Magnuson, and C. C. Coutant. 1990. Introduction to proceedings: Symposium on Effects of Climate Change on Fish.

Transactions of the American Fisheries Society 119:173–175.

Pittock, J. L.J. Hansen, and R. Abell. Running dry: freshwater biodiversity, protected areas, and climate change. *Biodiversity*, 9:3-4, 30-38.

Pollock, M.M., T. Beechie, M. Liermann, and R.E. Bigley, 2009. Stream temperature relationships to forest harvest in Western Washington. *Journal of the American Water Resources Association* 45(1):141-156. DOI: 10.1111/j.1752-1688.2008.00266.x

Rahel, F.J., B. Bierwagen, and Y. Taniguchi. 2008. Managing aquatic species of conservation concern in the face of climate change and invasive species. *Conservation Biology* 22 (3) 551-561.

Regonda, S.K., B. Rajagopalan, M. Clark, and J. Pitlick. 2005. Seasonal cycle shifts in hydro-climatology over the Western United States. *Journal of Climate*. Vol. 18: 372-389.

Richter, A., and S. A. Kolmes. 2005. Maximum temperature limits for Chinook, coho, and chum salmon, and steelhead trout in the Pacific Northwest. *Reviews in Fisheries Science* 13:23–49.

Salathé, E. P. 2005. Downscaling simulations of future global climate change with application to hydrologic modelling. *International Journal of Climatology* 25:419–436.

Salathe, E. P., Jr., P.W.. Mote, and M.W. Wiley. 2008. Review of scenario selection and downscaling methods for the assessment of climate change impacts on hydrology in the United States Pacific Northwest. *International Journal of Climatology* 2008.

Sandercock, F. K. 1991. Life history of coho salmon (*Oncorhynchus kisutch*). 395–445 in C. Groot and L. Margolis (editors). *Pacific Salmon Life Histories*. UBC Press, Vancouver.

Scarnecchia, D. L. 1981. Effects of streamflow and upwelling on yields of wild coho salmon (*Oncorhynchus kisutch*) in Oregon. *Canadian Journal of Fisheries and Aquatic Sciences* 38:471–475

Schindler, D. E., R. Hilborn, B. Chasco, C. P. Boatright, T. P. Quinn, L. A. Rogers, and M. S. Webster. 2010. Population diversity and the portfolio effect in an exploited species. *Nature* 465:609–613.

Schindler, D. E., X. Augerot, E. Fleishman, N. J. Mantua, B. Riddell, M. Ruckelshaus, J. Seeb, and M. Webster. 2008. Climate change, ecosystem impacts, and management for Pacific salmon. *Fisheries* 33:502–506.

Shuter, B. J., and J. R. Post. 1990. Climate, population viability, and the zoogeography of temperate fishes. *Transactions of the American Fisheries Society* 119:314–336.

Stewart, I. T., D. R. Cayan, and M. D. Dettinger. 2004. Changes in snowmelt runoff timing in western North America under a ‘Business As Usual’ climate change scenario. *Climate Change* 62:217-232.

Stewart, I. T., D. R. Cayan, and M. D. Dettinger. 2005. Changes toward earlier streamflow timing across Western North America. *Journal of Climate* 18:1136-1155.

Stoelinga, M. T., M. D. Albright, and C. F. Mass. 2010. A new look at snowpack trends in the Cascade Mountains. *Journal of Climate* 23:2473–2491.

- Swanson, F. J., S. L. Johnson, S. V. Gregory, and S. A. Acker. 1998. Flood disturbance in a forested mountain landscape. *Bioscience* 48:681–689.
- Tonina, D., C. H. Luce, B. Rieman, J. M. Buffington, P. Goodwin, S. R. Clayton, S. M. Al`1, J. J. Barry, and C. Berenbrock. 2008. Hydrological response to timber harvest in northern Idaho: implications for channel scour and persistence of salmonids. *Hydrological Processes*: 62: 2431-2442.
- Wade, A.A., Beechie, T.J., Fleishman, E., Mantua, N.J., Wu, H., et al., 2013. Steelhead vulnerability to climate change in the Pacific Northwest. *J. Applied Ecol.*, 50: 1093-1104.
- Wainwright T.C. and L.A. Weitcamp. 2013. Effects of climate change on Oregon coast coho salmon: habitat and life cycle interactions. *Northwest Science* 87:(3) 218-242.
- Wang, M., J. E. Overland, and N. A. Bond. 2009. Climate projections for selected large marine ecosystems. *Journal of Marine Systems* 79:258–266.
- Waples, R. S., T. Beechie, and G. R. Pess. 2009. Evolutionary history, habitat disturbance regimes, and anthropogenic changes: What do these mean for resilience of Pacific salmon populations? *Ecology and Society* 14:art. 3.
- Waring, R. H., N. C. Coops, and S. W. Running. 2011. Predicting satellite-derived patterns of large-scale disturbances in forests of the Pacific Northwest Region in response to recent climatic variation. *Remote Sensing of the Environment* 115:3554–3566.
- Welsh, H. H., G. R. Hodgson, and B. C. Harvey. 2001. Distribution of juvenile coho salmon in relation to water temperatures in tributaries of the Mattole River, California. *North American Journal of Fisheries Management* 21:464–470.
- Wenger, S.J., N.A. Som, D.C. Dautwalter, D.J. Isaak, H.M. Neville, C.H. Luce, J. B. Dunham, M.K. Young, K.D. Fausch, and B. Rieman. Probabilistic accounting of uncertainty in forecasts of species distributions under climate change. *Global Change Biology* (2013), doi: 10.1111/gcb.12294.
- Williams, J. E., A. L. Haak, H. M. Neville, and W. T. Coyler. 2009. Potential consequences of climate change to persistence of cutthroat trout populations. *North American Journal of Fisheries Management* 29:533–548.
- Wilson , M.F., and K.C. Halupka. 1995. Anadromous fish as keystone species in vertebrate communities. *Conservation Biology*, 9:489-497.



## 4.a Amphibians:

- Araujo et al. 2006. Climate warming and the decline of amphibians and reptiles in Europe. *J. Biogeogr.* 33:1712-1728.
- Beebee, T. J. C. 1995. Amphibian Breeding and Climate. *Nature* 374:219-220.
- Blaustein, A.R.; Wake, D.B. 1990. Declining amphibian populations: A global phenomenon? *Trends in Ecology and Evolution.* 5:203-204.
- Blaustein, A.R.; Olson, D.H. 1991. Amphibian population declines. *Science* 253:1467.
- Blaustein, A.R., L.K. Belden, D.H. Olson, D.M. Green, T.L. Root, and J.M. Kiesecker. 2001. [Amphibian breeding and climate change](#). *Conservation Biology.* 15:1804-1809.
- Blaustein, A. R., L. K. Belden, D. H. Olson, D. M. Green, T. L. Root, and J. M. Kiesecker. 2001. Amphibian breeding and climate change. *Conservation Biology* 15:1804-1809.
- Blaustein, A. R., A. C. Hatch, L. K. Belden, E. Scheessele, and J. M. Kiesecker. 2003. Global Change: challenges facing amphibians. Pages 199-213 in R. D. Semlitsch, editor. *Amphibian Conservation*. Smithsonian Institution, Washington.
- Blaustein, A. R., S.C Walls, B.A. Bancroft, J.J. Lawler., C. L. Searle, and S.S. Gervasi. 2010. Direct and indirect effects of climate change on amphibian populations. *Diversity*, 2(2), 281-313.
- Carey, C., and M. A. Alexander. 2003. Climate change and amphibian declines: is there a link? *Diversity and Distributions* 9:111-121.
- Corn, P. S., and J. C. Fogleman. 1984. Extinction of Montane Populations of the Northern Leopard Frog (*Rana pipiens*) in Colorado. *Journal of Herpetology* 18:147-152.
- Corn, P.S. 2005. [Climate change and amphibians](#). *Animal Biodiversity and Conservation.* 28:59-67.
- Daszak, P.; Scott, D.E.; Kilpatrick, A.M.; Faggioni, C.; Gibbons, J.W.; Porter, D. 2005. [Amphibian population declines at Savannah River site are linked to climate, not chytridiomycosis](#). *Ecology.* 86:3232-3237.
- DeMaynadier PG, and M.L. Hunter Jr. 1995. The relationship between forest management and amphibian ecology: a review of the North American literature. *Environ. Rev.* 3:230-61
- Donnelly, M. A., and M. L. Crump. 1998. Potential effects of climate change on two neotropical amphibian assemblages. *Climate Change* 39:541-561.
- Gervasi SS, and J. Foufopoulos. 2008. Costs of plasticity: responses to desiccation decrease post-metamorphic immune function in a pond-breeding amphibian. *Functional Ecology* 22, 100-108.
- Gibbs, J. P., and A. R. Breisch. 2001. Climate warming and calling phenology of frogs near Ithaca, New York, 1900-1999. *Conservation Biology* 15:1175-1178.
- Hoffmann, M.; Hilton-Taylor, C. *et al.* 2010. [The impact of conservation on the status of the world's vertebrates](#). *Science.* 330:1503-1509.

- Kiesecker, J. M., A. R. Blaustein, and L. K. Belden. 2001. Complex causes of amphibian population declines. *Nature* 410:681-684.
- Blaustein, A.R.; Walls, S.C.; Bancroft, B.A.; Lawler, J.J.; Searle, C.L. ; Gervasi, S. S. 2010. [Direct and indirect effects of climate change on amphibian populations](#). *Diversity*. 2:281-313.
- Lawler, J.J.; Shafer, S.L.; Bancroft, B.A.; Blaustein, A.R. 2009. [Projected climate impacts for the amphibians of the Western Hemisphere](#). *Conservation Biology*. 24:38-50.
- Lips et al. 2008 Riding the Wave: Reconciling the Roles of Disease and Climate Change in Amphibian Declines. *PLoS Biology* 6:441-454.
- Marsh, D.M. and N. G. Beckman. 2004. Effects of forest roads on the abundance and activity of terrestrial salamanders. *Ecological Applications* 14:1882–1891. <http://dx.doi.org/10.1890/03-5179>
- Olson, D.H., P.D. Anderson, C.A. Frissell, H.H. Welsh Jr., and D.F. Bradford. 2007. Biodiversity management approaches for stream riparian areas: Perspectives for Pacific Northwest headwater forests, microclimate and amphibians. *Forest Ecology and Management*. 246(1):81-107.
- Olson, D.H.; Burnett, K.M. 2009. Design and management of linkage areas across headwater drainages to conserve biodiversity in forest ecosystems. *Forest Ecology and Management*. 258S: S117-S126.
- Olson, D.H. 2011. Showcase of herpetofaunal climate change adaptation management tools. Available at: <http://parcplace.org/images/stories/ClimateChangeShowcase.pdf>
- Olson, D.H. 2011. Compilation of Relocation, Reintroduction, Translocation, and Headstarting (RRTH) projects for herpetofauna. Available at: <http://parcplace.org/news-a-events/242-rrth.htm>
- Olson, D.H.; Burnett, K.M. 2013. [Geometry of forest landscape connectivity: pathways for persistence](#). In: Anderson, P.D.; Ronnenberg, K.L., eds. *Density management in the 21st century: west side story*. Gen. Tech. Rep. PNW-GTR-880. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 220–238.
- Parmesan & Yohe (2003) A globally coherent fingerprint of climate change impacts across natural systems. *Nature* 421:37-42.
- Pounds, J. A., and M. L. Crump. 1994. Amphibian declines and climate disturbance: The case of the golden toad and the harlequin frog. *Conservation Biology* 8:72-85.
- Reading, C. J. 1998. The effect of winter temperatures on the timing of breeding activity in the common toad *Bufo bufo*. *Oecologia* 117:469-475.
- Shoo, L. P.; Olson, D.H. *et al.* 2011. [Engineering a future for amphibians under climate change](#). *Journal of Applied Ecology*. 48: 487-492.
- Stuart, S.N.; Chanson, J.S.; Cox, N.A.; Young, B.E.; Rodrigues, A.S.L.; Fischman, D.L.; Waller, R.W. 2004. [Status and trends of amphibian declines and extinctions worldwide](#). *Science*. 306:1783-1786.

- Suzuki, N.; Olson, D.H.; Reilly, E.C. 2008. [Developing landscape habitat models for rare amphibians with small geographic ranges: a case study of Siskiyou Mountains salamander in the western USA.](#) Biodiversity and Conservation. 17:2197-2218.
- Wake, D.B. 2007. [Climate change implicated in amphibian and lizard declines.](#) PNAS. 104:8201-8202.
- Welsh, H.H., Jr. 1990. Relictual amphibians and old-growth forests. Conservation Biology. 4(3): 309-319.

## Pacific Lamprey:

Beamish, F. W. H., and J. A. Jebbink. 1994. Abundance of lamprey larvae and physical habitat. *Environmental Biology of Fishes* 39:209–214.

Beamish, R. J. 1980. Adult biology of the river lamprey (*Lampetra ayresi*) and the Pacific lamprey (*Lampetra tridentata*) from the Pacific Coast of Canada. *Canadian Journal of Fisheries and Aquatic Sciences* 37:1906–1923.

Beamish, R. J., and C. D. Levings. 1991. Abundance and fresh-water migrations of the anadromous parasitic lamprey, *Lampetra tridentata*, in a tributary of the Fraser-River, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 48:1250–1263.

Close, D. A., M. S. Fitzpatrick, and H. W. Li. 2002. The ecological and cultural importance of a species at risk of extinction, Pacific lamprey. *Fisheries* 27:19–25.

Goodman, D.H., S.B. Reid, N. A. Som, W.R. Poytress, and M. Bradford. (2015) The punctuated seaward migration of Pacific lamprey (*Entosphenus tridentatus*): environmental cues and implications for streamflow management. *Canadian Journal of Fisheries and Aquatic Sciences* 72, 1817-1828. Online publication date: 1-Dec-2015.

Goodman, D. H., A. P. Kinziger, S. B. Reid, and M. F. Docker. 2009. Morphological diagnosis of *Entosphenus* and *Lampetra ammocoetes* (Petromyzontidae) in Washington, Oregon, and California. In L. R. Brown, S. D. Chase, M. G. Mesa, R. J. Beamish and P. B. Moyle (editors), *Biology, Management, and Conservation of Lampreys in North America*, American Fisheries Society, Bethesda, MD. Pp. 223–232.

Hayes, M.C., R. Hays, S.P. Rubin, D.M. Chase, M. Hallock, C. Cook-Tabor, C.W. Luzier, and M.L. Moser. 2013. Distribution of Pacific Lamprey *Entosphenus tridentatus* in Watersheds of Puget Sound Based on Smolt Monitoring Data. *Northwest Science* 87(2):95-105. 2013  
doi: <http://dx.doi.org/10.3955/046.087.0202>

Hess, J. E., N. R. Campbell, D. A. Close, M. F. Docker, and S. R. Narum. *In Press*. Population genomics of Pacific lamprey: adaptive variation in a highly dispersive species. *Molecular Ecology*.  
Jackson, A., and M. Moser. 2012. Low-elevation dams are impediments to adult Pacific lamprey spawning migration in the Umatilla River, Oregon. *North American Journal of Fisheries Management* 32:548–556.

Kan, T. T. 1975. Systematics, variation, distribution and biology of lampreys of the genus *Lampetra* in Oregon. M.S. Thesis, Oregon State University, Corvallis.

Lucas, M. C., D. H. Bubb, M. Jang, K. Ha, and J. E. G. Masters. 2009. Availability of and access to critical habitats in regulated rivers: effects of low-head barriers on threatened lampreys. *Freshwater Biology* 54:621–634.

Luzier, C. W., H. A. Schaller, J. K. Brostrom, C. Cook-Tabor, D. H. Goodman, R. D. Nelle, K. Ostrand, and B. Strief. 2011. Pacific Lamprey (*Entosphenus tridentatus*) assessment and template for conservation measures. U.S. Fish and Wildlife Service, Portland, OR. 282 pp. Available online at

<http://www.fws.gov/arcata/fisheries/reports/technical/USFWS>

Luzier, C. W., G. Silver, and T. A. Whitesel. 2005. Evaluate habitat use and population dynamics of lamprey in Cedar Creek. BPA Project #2000-014-00 Annual Report for 2004 Sampling Season.: U. S. Fish and Wildlife Service, Columbia River Fisheries Program Office, Vancouver, WA. Available online at [http://www.fws.gov/Columbiariver/publications/lampery\\_ar\\_2005.pdf](http://www.fws.gov/Columbiariver/publications/lampery_ar_2005.pdf)

McGree, M., T. A. Whitesel, and J. Stone. 2008. Larval metamorphosis of individual Pacific lampreys reared in captivity. *Transactions of the American Fisheries Society* 137:1866–1878.

Mongillo, P. E., and M. Hallock. 1997. Distribution and habitat of native nongame stream fishes of the Olympic Peninsula, Washington. Washington Department of Fish and Wildlife, Olympia.

Morris, R. 1972. Osmoregulation. *In* M. W. Hardisty and I. C. Potter (editors), *The biology of lampreys*. Vol. 2., Academic Press, London. Pp. 193–239.

Moser, M.L, A. D. Jackson, M. C. Lucas, and R. P. Mueller. (2015) Behavior and potential threats to survival of migrating lamprey ammocoetes and macrophthalmia. *Reviews in Fish Biology and Fisheries* **25**, 103-116.

Myllynen, K., E. Ojutkangas, and M. Nikinmaa. 1997. River water with high iron concentration and low pH causes mortality of lamprey roe and newly hatched larvae. *Ecotoxicology and Environmental Safety* 36:43–48.

Potter, I. C. 1980. Ecology of larval and metamorphosing lampreys. *Canadian Journal of Fisheries and Aquatic Sciences* 37:1641–1657.

Stone, J., and S. Barndt. 2005. Spatial distribution and habitat use of Pacific lamprey (*Lampetra tridentata*) ammocoetes in a western Washington stream. *Journal of Freshwater Ecology* 20:171–185.

Torgersen, C. E., and D. A. Close. 2004. Influence of habitat heterogeneity on the distribution of larval Pacific lamprey (*Lampetra tridentata*) at two spatial scales. *Freshwater Biology* 49:614–630.

Wang, C., and H. Schaller. (2015) Conserving Pacific Lamprey through Collaborative Efforts. *Fisheries* **40**, 72-79.

## Pacific Salmon and Steelhead

Beechie, T.; Beamer, E.; Wasserman, L. 1994. Estimating coho salmon rearing habitat and smolt production losses in a large river basin, and implications for habitat restoration. *North American Journal of Fisheries Management*. 14(4): 797-811.

Boughton, D.A. and A.S. Pike. 2013. Floodplain rehabilitation as a hedge against hydroclimatic uncertainty in a migration corridor of Threatened steelhead. *Conservation Biology* 27(6):1158-1168.

[Brown, L.R., P.B. Moyle, and R.M. Yoshiyama. 1994. Historical Decline and Current Status of Coho Salmon in California. \*North American Journal of Fisheries Management\*. 14\(2\):237-261.](#)

, K.J. and S.J. Hamilton. 1998. Acute toxicity of fire-retardant and foam-suppressant chemicals to early life stages of Chinook salmon (*Oncorhynchus tshawytscha*). *Environmental Toxicology and Chemistry* 17(8):1589-1599.

Chapman, D.W. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. *Trans. Am. Fish. Soc.* 117: 1-21.

Folmar, L. 1976. Overt avoidance reaction of nine herbicides by rainbow trout. *Environmental Contamination and Toxicology Journal*. 15: 509-514.

Kondolf, G. M. 2000. Assessing salmonid spawning gravel quality. *Trans. Am. Fish. Soc.* 129:262-281.

[Knopp, C. 1993. Testing Indices of Cold Water Fish Habitat. Final Report for Development of Techniques for Measuring Beneficial Use Protection and Inclusion into the North Coast Region's Basin Plan by Amendment of the.....Activities, September 18, 1990. North Coast Regional Water Quality Control Board in cooperation with California Department of Forestry. 57 pp.](#)

[McCullough, D.A., 1999. A Review and Synthesis of Effects of Alterations to the Water Temperature Regime on Freshwater Life Stages of Salmonids, with Special Reference to Chinook Salmon. USEPA Technical Report EPA 910-R-99-010, USEPA, Seattle, WA.](#)

Meehan, W.R. (ed.), 1991. Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats. *Am. Fish. Soc. Special Publication* 19.

[Reeves, G.H., F.H. Everest and J.R. Sedell. 1993 . Diversity of Juvenile Anadromous Salmonid Assemblages in Coastal Oregon Basins with Different Levels of Timber Harvest. \*Transactions of the American Fisheries Society\*. Vol 122, No. 3. May 1993.](#)

Wade, A.A., T.J. Beechie, E. Fleishman, N.J. Mantua, H. Wu, et al., 2013. Steelhead vulnerability to climate change in the Pacific Northwest. *J. Applied Ecol.*, 50: 1093-1104.

Wilson , M.F., and K.C. Halupka. 1995. Anadromous fish as keystone species in vertebrate communities. *Conservation Biology*, 9:489-497.

## Bulltrout

Al-Chockhachy, R., and P. Budy. 2007. Summer microhabitat use of fluvial bull trout in Eastern Oregon streams. *North American Journal of Fisheries Management* 27:1068-1081.

Al-Chockhachy, R., B. B. Roper, T. Bowerman, and P. Budy. 2010. A review of bull trout habitat associations and exploratory analyses of patterns across the Interior Columbia River Basin. *North American Journal of Fisheries Management* 30: 464-480.

Baxter, C.V., C.A. Frissell, and F.R. Hauer. 1999. Geomorphology, logging roads and the distribution of bull trout spawning in a forested river basin: implications for management and conservation. *Transactions of the American Fisheries Society* 128:854-867.

Baxter, C.V. and F.R. Hauer. 2000. Geomorphology, hyporheic exchange, and selection of spawning habitat by bull trout. (*Salvelinus confluentus*). *Canadian Journal of Fisheries and Aquatic Sciences*; Jul 2000; 57, 7; Research Library, p. 1470-1481.

Dunham, J. B., and B. E. Rieman. 1999. Metapopulation structure of bull trout: influences of physical, biotic, and geometrical landscape applications. *Ecological applications* 9(2):642-655.

Dunham, J.[B.] ,B. Rieman, and G. Chandler. 2003. Influences of temperature and environmental variables on the distribution of bull trout within streams at the southern margin of its range. *North American Journal of Fisheries Management* 23: 894-904.

Goode, J. R., J.M. Buffington, D. Tonina, D.J. Isaak, R. F. Thurow, S. Wenger, D. Nagel, C. Luce, D. Tetzla, and C. Soulsby. 2013. Potential effects of climate change on streambed scour and risks to salmonid survival in snow-dominated mountain basins. *Hydrol. Process.* 27, 750–765 (2013)

Fausch, K. D., B. E. Rieman, J. B. Dunham, M. K. Young, and D. P. Peterson. 2009. Invasion versus isolation: trade-offs in managing native salmonids with barriers to stream movement. 2009. *Conservation Biology (Essay)* 23: 859-870.

Fausch, K. D., B. E. Rieman, M.K. Young, and J. B. Dunham. 2006. **Strategies for conserving native salmonid populations at risk from nonnative fish invasions: tradeoffs in using barriers to upstream movement. USDA Forest Service Rocky Mountain Research Station General Technical Report RMRS-GTR-174, September 2006. 44 pp.**

Howell, P. J., J. B. Dunham, and P. M. Sankovich. 2010. Relationships between water temperatures and upstream migration, cold water refuge use, and spawning of adult bull trout from the Lostine River, Oregon, USA. *Ecology of Freshwater Fish* 19: 96-106.

McMahon, T. E. , A.V. Zale, F.T. Barrow, J.H. Selong, and R.J. Danehy. 2007. Temperature and competition between bull trout and brook trout: a test of the elevation refuge hypothesis. *Transactions of the American Fisheries Society.* 136: 1313-1326.

Muhlfeld, C. C., and B. Marotz. 2005. Seasonal movement and habitat use by subadult bull trout in the Upper Flathead River system, Montana. *North American Journal of Fisheries Management* 25:

797-810.

Muhlfeld, C. C., S. Glutting, R. Hunt, D. Daniels, and B. Marotz. 2003. Winter diel habitat use and movement by subadult bull trout in the Upper Flathead River, Montana. *North American Journal of Fisheries Management* 23: 163-171.

Porter, M., and M. Nelitz. 2009. A future outlook on the effects of climate change on bull trout (*Salvelinus confluentus*) habitats in the Cariboo-Chilcotin. Prepared by ESSA Technologies LTD. For Fraser Salmon and Watersheds Program, B.C. Ministry of the Environment, and Pacific Fisheries Resource Conservation Council. p. 1-10.

Reist, J. D., G. Law, J. D. Johnson, and D. McDowell. 2002. Range extension of bull trout, *Salvelinus confluentus*, to the Central Northwest Territories, with notes on identification and distribution of Dolly Varden, *Salvelinus malma*, in the Western Canadian Arctic. *Arctic* Vol 55(1): 70-76

Rieman, B.E., J.T. Peterson, and D.L. Meyers. 2006. Have brook trout (*Salvelinus fontinalis*) displaced bull trout (*Salvelinus confluentus*) along longitudinal gradients in central Idaho streams? *Canadian Journal of Fisheries and Aquatic Sciences* 63:63-78.

Rieman, B. E., and D. J. Isaak. 2010. Climate change, aquatic ecosystems, and fishes in the Rocky Mountain West: implications and alternatives for management. USDA Forest Service, Rocky Mountain Research Station, General Technical Report RMRS-GTR-250, November 2010. 46p.

Rieman, B. E., D. Isaak, S. Adams, D. Horan, D. Nagel, C. Luce, and D. Meyers. 2007. Anticipated climate warming effects on bull trout habitats and populations across the Interior Columbia River Basin. *Transactions of the American Fisheries Society*. 136:1552-1565.

Ripley, T. , G. Scrimgeour, and M.S. Boyce. 2005. Bull trout (*Salvelinus confluentus*) occurrence and abundance influenced by cumulative industrial developments in a Canadian boreal forest watershed. *Canadian Journal of Fisheries and Aquatic Sciences*: 62: 2431-2442.

Rodka, M.C. , and J.P. Volpe. 2007. Effects of water temperature on interspecific competition between juvenile bull trout and brook trout in an artificial stream. *Transactions of the American Fisheries Society* 136: 1714-1727.

Selong, J. H., T. F. McMahon, A. V. Zale, and F. T. Barrows. 2001. Effect of temperature on growth and survival of bull trout, with application of an improved method for determining thermal tolerance in fishes. *Transactions of the American Fisheries Society*. 130: 1026-1037.

Shellberg, J.G., S.M. Bolton, and D.R. Montgomery. 2010. Hydrogeomorphic effects on bedload scour in bullchar (*Salvelinus confluentus*) spawning habitat, western Washington, USA. *Can. J. Fish. Aquat. Sci.* 67: 626–640.

Tague, C., G. Grant, M. Farrell, J. Choate, and A. Jefferson. 2008. Deep groundwater mediates streamflow response to climate warming in the Oregon Cascades. *Climatic Change* (2008) 86:189–210.

Theurer, F.D., Voos, K.A., and Miller, W.J., 1984. Instream Water Temperature Model. Instream Flow Information Paper No. 16, FS/OBS-84-15, USFWS, Washington, D.C.



## 5. ROADS, LOGGING AND CUMULATIVE IMPACTS

Adams, P. W., and J. O. Ringer. 1994. The effects of timber harvesting & forest roads on water quantity & quality in the Pacific Northwest: Summary & annotated bibliography. Oregon State University, Forest Engineering Department, Corvallis, OR. 147 pp.

Amaranthus, M.P., R.M. Rice, N.R. Barr, and R.R. Ziemer. 1985. Logging and forest roads related to increased debris slides in Southwestern Oregon. *Journal of Forestry* Vol. 83(4).

Anderson, H. W. 1974. Sediment deposition in reservoirs associated with rural roads, forest fires, and catchment attributes. Proc. Int. Symp. on Man's Effect on Erosion and Sedimentation, UNESCO-IAHS, Paris, Sept. 1974. p. 87-95.

Amaranthus, MP, Page-Dumroese D, Harvey A, Cazares E, Bednar LF. 1996. Soil Compaction and Organic Matter Affect Conifer Seedling Nonmycorrhizal and Ectomycorrhizal Root Tip Abundance and Diversity. US Department of Agriculture Forest Service. Pacific Northwest Research Station, Portland, Oregon. Research Paper PNW-RP-494.

Armour, C.L. 1986. Method for Modelling Causes and Effects of Environmental Actions. Cumulative Impact Series. Prepared for Western Energy and Land Use Team. U.S. Department of the Interior. Washington, D.C.

Bain, M.B., J.S. Irving and G.W. Witmer. 1989. Approach to Assessing Cumulative Impacts on Fish and Wildlife. Freshwater Wetlands and Wildlife Conference. R.R. Sharitz and J.W. Gibbons (eds.). Environment Canada Symposium Series No.61, Environment Canada. Hull, Quebec.

Bain, M.B., J.S. Irving, R.D. Olsen, E.A. Stull and G.W. Witmer. 1985. Cumulative Impact Assessment: A Practical Methodology. Environmental Research Division. Argonne National Laboratory. Argonne, Illinois.

Bain, M.B., J.S. Irving, R.D. Olsen, E.A. Stull and G.W. Witmer. 1986. Cumulative Impact Assessments: Evaluating the Environmental Effects of Multiple Human Developments. University of Chicago for U.S. Department of Energy. Chicago, Illinois.

Bardecki, M.J. 1990. Coping with Cumulative Impacts: An Assessment of Legislative and Administrative Mechanisms. *Impact Assessment Bulletin* 8(1 and 2): 319-344.

Bartholow, J.M., 2000, Estimating cumulative effects of clearcutting on stream temperatures, *Rivers*, 7: 284-297.

Baxter, C.V., C.A. Frissell, and F.R. Hauer. 1999. Geomorphology, logging roads and the distribution of bull trout spawning in a forested river basin: implications for management and conservation. *Transactions of the American Fisheries Society* 128:854-867.

Beanlands, G.E. and P.N. Duinker. 1984. An Ecological Framework for Environmental Impact. *Journal of Environmental Management* 18: 267-277.

Bedford, B. and E. Preston. 1988. Developing the Scientific Basis for Assessing Cumulative Effects of Wetland Loss and Degradation on Landscape Functions: Status, Perspectives, and Prospects. *Environmental Management* 12(5): 751-771.

Beechie, T.; Beamer, E.; Wasserman, L. 1994. Estimating coho salmon rearing habitat and smolt production losses in a large river basin, and implications for habitat restoration. *North American Journal of Fisheries Management*. 14(4): 797-811.

Beschta, R.L. 1978. Long-term patterns of sediment production following road construction and logging in the Oregon coast range. *Water Resources Research*. 14:1011-1016.

Bergeron, K.D. 2003. The effects of an organic soil amendment on native plant establishment and physical soil properties on an obliterated forest road. M.S. thesis. Seattle, WA: University of Washington. 103p.

Bilby, R. E. 1985. Contributions of road surface sediment to a western Washington stream. *Forest Science* 31: 827-838.

Bilby, R.E., K.Sullivan and S.H. Duncan. 1989. The generation and fate of road-surface sediment in forested watersheds in southwestern Washington. *Forest Science*, 35(2):453-468.

Bilby, R.E. and J.W. Ward. 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. *Transactions of the American Fisheries Society* 118:1234-1243.

Binkley, D. and T.C. Brown. 1993. Forest practices as nonpoint sources of pollution in North America. *Water Resources Bulletin* 29(5): 729-740.

Bisson, P. A. and R. E. Bilby. 1982. Avoidance of suspended sediment by juvenile coho salmon. *North American Journal of Fisheries Management* 4: 371-374.

Bisson, P. A., and J. R. Sedell. 1984. Salmonid populations in streams in clearcut versus old-growth forests of western Washington. Pages 121-129 *in* W. R. Meehan, T. R. Merrill, Jr., and T. A. Hanley, editors. *Fish and wildlife relationships in old-growth forests*. Institute of Fisheries Research Biologists. Bloom, A.L. 1998. An assessment of road removal and erosion control treatment effectiveness: a comparison of 1997 storm erosion response between treated and untreated roads in Redwood Creek Basin, northwestern California. M.S. thesis. Arcata, CA: Humboldt State University. 150p.

Bradley, K. 1997. An evaluation of two techniques for the utilization of logging residues: organic mulch for abandoned road revegetation and accelerated decomposition in small chipped piles. M.S. thesis. Missoula, MT: University of Montana. 58p.

Bisson, P. A., R. E. Bilby, M. D. Bryant, C. A. Dolloff, G. B. Grette, R. A. House, M. L. Murphy, K. V. Koski, and J. R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. *in* E. O. a. T. W. C. Salo, Eds, editor. *Streamside Management: Forestry and Fisheries Interactions*. UW Forestry Publication No. 59, Seattle, WA.

Bisson, P.A., T.P. Quinn, G.H. Reeves, and S.V. Gregory. 1992. Best Management Practices, cumulative effects, and long-term trends in fish abundance in Pacific Northwest river systems. *In* Naiman, R.J. [ed.]. *Watershed Management: Balancing sustainability and environmental change*. New York: Springer-Verlag.

Bjornn, T.C.; Brusven, M.A.; Molnau, M.P. 1977. Transport of granitic sediment in streams and its

effects on insects and fish. Bull. 17. Moscow: University of Idaho, Forest, Wildlife and Range Experiment Station. 43 p.

Brinson, M. 1988. Strategies for Assessing the Cumulative Effects of Wetland Alteration on Water Quality. *Environmental Management* 12(5): 655-662.

Brown, M.T. 1985. Cumulative Impacts in Landscapes Dominated By Humanity. In E.D. Estavez, J. Miller, J. Morris and R. Hannan (eds.), *Managing Cumulative Effects in Florida Wetlands*. Environmental Studies Program Publication No. 37. Omnipress. Madison, Wisconsin.

Burdick, D.M., G.P. Shaffer, J.G. Gosselink and L.C. Lee. 1988. Planning for Cumulative Impact Management using Landscape Pattern and Principles of Conservation Biology. Third Annual Landscape Ecology Symposium. Observations Across Scales: Functions of Management of Landscapes. University of New Mexico.

Burnham, K.P. and D.R. Anderson. 1998. Model Selection and Multimodal Inference: A Practical Information Theoretic Approach. Springer, New York. Conservation Biology. 2000. Special Section: Ecological Effects of Roads. February issue.

Cafferata, P. H., D. B. R. Coe, and R. R. Harris. 2007. Water resource issues and solutions for forest roads in California. *Hydrological Science and Technology*. Vol. 23 No. 1-4, p. 39-56.

Cedarholm, C.J., L.M. Reid and E.O. Salo. 1981. Cumulative watershed effects of logging road sediment on salmonid populations in the Clearwater River, Jefferson, Co., Washington. In: *Proceedings from Salmon Spawning Gravel: A Renewable Resource in the Pacific Northwest?* P. 38-74. State of Washington Research Center, Pullman, WA.

Chen, G. K. 1992. Use of basin survey data in habitat modeling and cumulative watershed effects analyses. As FHR Currents # 8. US Forest Service, Region 5. Eureka, CA. 11 pp.

Childers, D.L and J.G. Gosselink. 1990. Assessment of Cumulative Impacts to Water-Quality in a Forested Wetland Landscape. *Journal of Environmental Quality* 19(3): 455-464.

Clancy, C.G.; Reichmuth, D.R. 1990. A detachable fishway for steep culverts. *North American Journal of Fisheries Management*. 10(2): 244-246.

Cloyd, C., and K. Musser. 1997. Effectiveness of road stabilization. In: Plumley, H. (Ed.). *Assessment of the effects of the 1996 flood on the Siuslaw National Forest*. Corvallis, OR: U.S. Department of Agriculture, Siuslaw National Forest. Pp 19-23.

Coats, R.N. and T.O. Miller. 1981. Cumulative Silvicultural Impacts on Watersheds: A Hydrologic and Regulatory Dilemma. *Environmental Management*. Volume 5, No. 2, pp. 147-160.

Coburn, J. 1988. Land Use in Watersheds of Mixed Ownership: A Test for Cumulative Watershed Effects Analysis. U.S. Environmental Protection Agency. Office of Cooperative Environmental Management, Washington, D.C. 147p.

Coe, D. 2004. The Hydrologic Impacts of Roads at Varying Spatial and Temporal Scales: A Review of Published Literature as of April 2004. Washington State Department of Natural Resources. CMER #04-410. 30 p.

Cohrssen, J.J. (ed.) 1988. Inventory of Federal Agency Activities on Cumulative Impact Assessment

and Summary of Interagency Meeting on Cumulative Impact Assessment. Council on Environmental Quality. Washington, D.C.

Conover, S., A.M. Strong, K.W. Hickey, T. Earle and S. Finn. 1985. An Evolving Framework for Environmental Impact Analysis I. Methods. *Journal of Environmental Management* 21: 343- 358.

Contant, C.K. and L. Ortalano. 1985. Evaluating a Cumulative Impact Assessment Approach. *Water Resources Research* 21: 1313-13-18.

Corner, R.A.; Bassman, J.H.; Moore, B.C. 1996. Monitoring timber harvest impacts on stream sedimentation; instream vs. upslope methods. *Western Journal of Applied Forestry* 11(1): 25-32.

Cotts, N.R., E.F. Redente, and R. Schiller. 1991. Restoration methods for abandoned roads at lower elevations in Grand Teton National Park, Wyoming. *Arid Soils Research and Rehabilitation* 5: 235-249.

Council on Environmental Quality. 1997. Considering cumulative effects under the National Environmental Policy Act. Council on Environmental Quality.

Decker, L.M., C.P. Hawkins and J.N. Hogue. 1990. Implications of Inter-Basin Variation in Determining Cumulative Effects of Land Management on Stream Ecosystems. 75th Annual Meeting of the Ecological Society of America on Perspectives in Ecology: Past, Present, and Future. July 29-August 2. *Bulletin of Ecological Society of America* 71 (2 Suppl.): 136p.

Dickert, T.G. and A.E. Tuttle. 1985. Cumulative Impact Assessment in Environmental Planning: A Coastal Wetland Watershed Example. *Environmental Impact Assessment Review* 5(1): 37-64.

Dunne, T., J. Agee, S. Beissinger, W. Dietrich, D. Gray, M. Power, V. Resh, and K. Rodrigues. 2001. A scientific basis for the prediction of cumulative watershed effects. The University of California Committee on Cumulative Watershed Effects. University of California Wildland Resource Center Report No. 46. June 2001. 107 pp.

Eaglin, G. S. and W. A. Hubert. 1993. Effects of logging and roads on substrate and trout in streams of the Medicine Bow National Forest, Wyoming. *North American Journal of Fisheries Management* 13: 844-846.

Endicott, D. 2008. National Level Assessment of Water Quality Impairments Related to Forest Roads and Their Prevention by Best Management Practices. Final report to U.S. Environmental Protection Agency, Contract No. EP-C-05-066, Task Order 002. Great Lakes Environmental Ctr.: Traverse City, MI. December. 259 pp.

Forman, R.T.T., and L.E. Alexander. 1998. Roads and Their Major Ecological Effects. *Annual Review of Ecology and Systematics*, Vol. 29 (1998), pp. 207-231

Forman, R.T.T., D. Sperling, J.A. Bissonette, A.P. Clevenger, C.D. Cutshall, V.H. Dale, L. Fahrig, R. France, C.R. Goldman, K. Heanue, J.A. Jones, F.J. Swanson, T. Turrentine, T.C. Winter. 2003. *Road Ecology – Science and Solutions*. Washington D.C.: Island Press.

Gelbard, J.L., and S. Harrison. 2003. Roadless habitats as refuges for native grasslands: interactions with soil, aspect, and grazing. *Ecological Applications* 13(2): 404-415.

- Frissell, C.A. 1992. Cumulative effects of land use on salmonid habitat on southwest Oregon streams. Ph.D. thesis, Oregon State University, Corvallis, OR.
- Furniss, M. J., T. D Roelofs., and C.S. Yee. 1991. Road construction and maintenance. American Fisheries Society Special Publication. 19: 297-324.
- Gamble, D.J. 1979. Arctic Offshore Developments: The Circumpolar Challenge: Destruction by Insignificant Increments. *Northern Perspectives*. Vol. 7. No. 6. Canadian Arctic Resources Committee. Ottawa, Ontario.
- Geppert, R.R., C.W. Lorenz and A.G. Larson. 1984. Cumulative Effects of Forest Practices on the Environment: State of Knowledge. Ecosystems Inc. Olympia, Washington.
- Gosselink, J.G., C.L. Lyndon, T.A. Muir. 1990. Ecological Processes and Cumulative Impacts: Illustrated by Bottomland Hardwood Wetland Ecosystems. Chelsea, Michigan. 708p.
- Gosselink, J.G., G.P. Shaffer and L.C. Lee. 1987. Cumulative Impact Assessment in Bottomland Hardwood Forests. U.S. Environmental Protection Agency. Washington, D.C. and Coastal Ecology Institute, Center for Wetland Resources, Louisiana State University. Baton Rouge, Louisiana.
- Gosselink, J.G., G.P. Shaffer and L.C. Lee. 1990. Landscape Conservation in a Forested Wetland Watershed - Can We Manage Cumulative Impacts? *Bioscience* 40(8): 588-600.
- Gucinski, H., M.J. Furniss, R.R. Ziemer, and M.H. Brookes. 2001. Forest roads: a synthesis of scientific information. General Technical Report PNW-GTR-509. Portland, OR: U.S.Department of Agriculture, Forest Service, Pacific Northwest Research Station. 103p. Available online at: [http://www.fs.fed.us/eng/road\\_mgt/science.pdf](http://www.fs.fed.us/eng/road_mgt/science.pdf)
- Harr, R.D., and R.A. Nichols. 1993. Stabilizing forest roads to help restore fish habitats: a northwest Washington example. *Fisheries* 18(4): 18-22.
- Harris, L.D. 1988. The Nature of Cumulative Impacts on Biotic Diversity of Wetland Vertebrates. *Environmental Management* 12(5): 675-693.
- Havlick, D.G. 2002. No Place Distant – Roads and Motorized Recreation on America’s Public Lands. Washington, D.C.: Island Press.
- Hektner, M.M., and L.J. Reed. 1989. Revegetation and Watershed Rehabilitation in Redwood National Park. Oakland, CA: Proceedings of the Society for Ecological Restoration and Management Annual Meeting Revised 1991. 9p.
- Hemond, H.F. and J. Benoit. 1988. Cumulative Impacts on Water Quality Functions of Wetlands. *Environmental Management* 12(5):639-653.
- Hickenbottom, J.A. 2000. A comparative analysis of surface erosion and water runoff from existing and recontoured Forest Service roads: O’Brien Creek Watershed Lolo National Forest, Montana. M.S. thesis. Missoula, MT: University of Montana. 178p.
- Hirsch, A. 1988. Regulatory Context for Cumulative Impact Research. *Environmental Management* 12(5): 715-723.
- Horn, E. 1995. Soil compaction on Little Cottonwood Creek road closure. Hines, OR: U.S. Department of the Interior, Bureau of Land Management. 3p.

- Horak, G.C., E.C. Vlachos and E.W. Cline. 1983. *Methodological Guidance for Assessing Cumulative Impacts on Fish and Wildlife*. U.S. Department of the Interior, Fish and Wildlife Service. Washington, D.C.
- Hunsaker, C.T. 1989. *Regional Ecological Risk Assessment: Theory and Demonstration*. Prepared by the Environmental Sciences Division, Oakridge National Laboratory. ORN/TM-11128. National Technical Information Services. Springfield, Virginia.
- Inkley, D.B. and S.H. Anderson. 1985. *A Handbook for Assessing Cumulative Impacts on Fish and Wildlife*. Prepared for U.S. Fish and Wildlife Service, Division of Biological Services. Washington, D.C.
- Irwin, F.H. and B. Rodes. 1990. *Choosing Appropriate Scales for Making Decisions on Cumulative Impacts: A Guide for Managers*. World Wildlife Fund and the Conservation Foundation. Washington, D.C.
- Irving, J.S., and M.B. Bain. 1989. *Assessing Cumulative Impacts On Fish and Wildlife in the Salmon River Basin, Idaho*. Ninth Oak Ridge National Laboratory Life Sciences Symposium. October 24-27. Knoxville, Tennessee.
- Johnston, C.A., N.E. Detenbeck, J.P. Bonde and G.J. Niemi. 1988. Geographic Information Systems for Cumulative Impact Assessment. *American Society of Photogrammetry and Remote Sensing* 54(11): 1609-1615.
- Jones, J.A., F.J. Swanson, B.C. Wemple, and K.U. Snyder. 2000. Effects of roads on hydrology, geomorphology, and disturbance patches in stream networks. *Conservation Biology*. Vol. 14:1:76-85. DOI:10.1046/j.1523-1739.2000.99083.x
- Kennedy, A.J. (editor) 1995. *Proceedings from the conference: Cumulative Effects Assessment In Canada: From Concept To Practice*, Published by the Alberta Society of Professional Biologists, 333p.
- Kennedy, A.J. and W. Ross, 1994 An Approach to Integrate Impact Scoping with Environmental Impact Assessment , *Environmental Management* 16, #4, pp475-484.
- Klein, R.D. 1987. *Stream channel adjustments following logging road removal in Redwood National Park*. Arcata, CA: Redwood National Park Watershed Rehabilitation Technical Report Number 23. 38p.
- Klein, R. D., J. Lewis, and M.S. Buffleben. 2012. Logging and turbidity in the coastal watersheds of northern California. *Geomorphology* Vol. 139-140: 136-144.
- Klock, G. O. 1985. Modelling the Cumulative Effects of Forest Practices on Downstream Aquatic Ecosystems. *Journal of Soil and Water Conservation* 40: 237-41.
- Lane, P. and Associates Ltd. Wallace. 1988. *A Reference Guide to Cumulative Effects Assessment in Canada. Three Volumes. Manuscript Series. Canadian Environmental Assessment Research Council. Hull, Quebec.*
- Lee, L.C. and J.G. Gosselink. 1988. Cumulative Impacts on Wetlands: Linking Scientific Assessments and Regulatory Alternatives. *Environmental Management* 12(5): 591-602.
- Lisle, T.E. 1982. Effects of Aggradation and Degradation on Riffle-Pool Morphology in Natural Gravel Channels, Northwestern California. *Water Resources Research*, Vol. 18(6) pp. 1643-1651.

- Luce, C.H. 1997. Effectiveness of road ripping in restoring infiltration capacity of forest roads. *Restoration Ecology* 5(3): 265-275
- Luce, C.H., B.E. Rieman, J.B. Dunham, J.L. Clayton, J.G. King, and T.A. Black. 2001. Incorporating aquatic ecology decisions on prioritization of road decommissioning. *Water Resources Impact* 3(3): 8-14.
- Luce, C.H. 2002. Hydrological processes and pathways affected by forest roads: what do we still need to learn? *Hydrological Processes* 16: 2901-2904.
- May, C., C. Cooper, R. Horner, J. Karr, B. Mar, E. Welch, and A. Wydzga. 1996. Assessment of Cumulative Effects of Urbanization of Small Streams in the Puget Sound Lowland Ecoregion. A paper presented at the Urban Streams Conference held at Arcata, CA on November 15-17, 1996.
- MacDonald, L.H. 2000. Evaluating and Managing Cumulative Effects: Process and Constraints. *Environmental Management* Vol. 26 (3): 299-315.
- MacDonald L.H., and D. Coe. 2007. Influence of headwater streams on downstream reaches in forested areas. *Forest Science* 53: 148-168.
- Madej, M.A. 2001. Erosion and sediment delivery following removal of forest roads. *Earth Surface Processes and Landforms* 26: 175-190. Available online at: <http://www.werc.usgs.gov/redwood/esproads.pdf>
- McClelland, D.E., R.B. Foltz, C.M. Falter, W.D. Wilson, T. Cundy, R.L. Schuster, J. Saubier, C. Rabe, and R. Heinemann. 1997. Relative effects on a low-volume road system of landslides resulting from episodic storms in northern Idaho. *Transportation Research Record* 2(1652): 235-243. Available online at: <http://forest.moscowfs.wsu.edu/4702/reports/slides%5trb1652.pdf>
- McNabb, D.H. 1994. Tillage of compacted haul roads and landings in the boreal forests of Alberta, Canada. *Forest Ecology Management* 66: 179-194.
- Menning, K.M., D.C. Erman, K.N. Johnson, and J. Sessions. 1997. Modeling aquatic and riparian systems, assessing cumulative watershed effects, and limiting watershed disturbance. *Sierra Nevada Ecosystem Project Report, Summary and Final Report to Congress, Addendum pp. 33-52. Wildland Resources Center Report No. 38, University of California, Davis.*
- Merrill, F. Jr. 1981. Areawide Environmental Impact Assessment Guidebook. *Environmental Impact Assessment Review* 6(2): 135-144.
- Miller, D., C. Luce and L. Benda. 2003. Time, space, and episodicity of physical disturbance in streams. *Forest Ecology and Management*. Vol. 178, No. 1, pp. 121-140.
- Merrill, F. Jr. 1981. Areawide Environmental Impact Assessment Guidebook. *Environmental Impact Assessment Review* 6(2): 135-144.
- Mirus, B. B., B. A. Ebel, K. Loague, and B.C. Wemple. 2007. Simulated effect of a forest road on near-surface hydrologic response: redux. *Earth Surf. Process. Landforms*, 32:126–142. doi:10.1002/esp.1387

Montgomery, D.R. 1994. Road surface drainage, channel initiation, and slope instability. *Water Resources Research* 30(6): 1925-1932.

Montgomery, D.R. and J.M. Buffington. 1997. Channel-reach morphology in mountain drainage basins. *Geological Society of America Bulletin* 109:596-611.

Montgomery, D.R., K.M. Schmidt, H.M. Greenberg, and W.E. Dietrich. 2000. Forest clearing and regional landsliding: *Geology*, Volume 28, Number 4, pp. 311-314.

Nawa, R.K. and C.A. Frissell. 1993. Measuring scour and fill of gravel stream beds with scour chains and sliding bead monitors. *No. American J. of Fisheries Management*. 13: 634-639.

NCASI. 1994. *Forests as Nonpoint Sources of Pollution and Effectiveness of Best Management Practices*. Technical Bulletin No. 0672. Research Triangle Park, NC: National Council for Air and Stream Improvement, Inc.

NCASI. 2001. *Forest roads and aquatic ecosystems: A review of causes, effects and management practices*. Pages 70. National Committee for Air and Stream Improvement, Corvallis, Oregon.

NCASI, 2001b. *Appendix B: Management Systems and Effectiveness*. Appendix to *Forest roads and aquatic ecosystems: A review of causes, effects and management practices*. National Committee for Air and Stream Improvement, Corvallis, Oregon.

NCASI, 2001c. *Appendix C: Examples of Specific Management Practices*. Appendix to *Forest roads and aquatic ecosystems: A review of causes, effects and management practices*. National Committee for Air and Stream Improvement, Corvallis, Oregon.

Nelitz, M.A, E.A. MacIsaac, and R.M. Peterman. 2007. A science-based approach for identifying temperature-sensitive streams for rainbow trout. *N. Amer. J. of Fish. Manage.*, 27: 405–424.

Newcombe, C.P. and D.D. MacDonald. 1991. Effects of suspended sediments on aquatic ecosystems. *North American Journal of Fisheries Management*. 11: 72-82..

Newcombe, C. P., and J. O. T. Jensen. 1996. Channel suspended sediment and fisheries: a synthesis for quantitative assessment of risk and impact. *N. Amer. J. Fisheries Man.* 16 (4):693- 719)

Norris, L.A.; H.W. Lorz, and S.V. Gregory. 1991. *Forest chemicals*. In: Meehan, W.R., ed. *Influences of forest and rangeland management on salmonid fishes and their habitats*. Spec. Publ. 19. Bethesda, MD: American Fisheries Society: 207-296.

O'Brien, A.L. 1988. Evaluating the cumulative effects of alteration on New England wetlands. *Environmental Management* 12(5): 627-636.

Odum, W.E. 1982. Environmental degradation and the tyranny of small decisions. *Bioscience* 33(9): 728-729.

Orians, G.H. 1986. *Ecological Knowledge and Environmental Problem Solving*. Committee on the



Application of Ecological Theory to Environmental Problems, National Research Council. National Academy Press. Washington, D.C.

Panek, F.M. 1979. Cumulative Effects of Small Modifications to Habitat. *Fisheries* 4(2): 54- 57.

Pearce, A. J., and A. Watson. 1983. Medium-term effects of two landsliding episodes on channel storage of sediment. *Earth Surface Processes and Landforms* 8:29-39.

Peterson, E.B, Y.H. Chan, N.M. Peterson, G.A. Constable, R.B. Caton, C.S. Davis, R.R. Wallace and G.A. Yarranton. 1987. Cumulative Effects Assessment in Canada: An Agenda for Action and Research. Canadian Environmental Assessment Research Council. Hull, Quebec.

Pielke, R. A. and R.G. Drickson. 1989. Cumulative Effects of Risk Associated with Environmental Hazards, Including Air Pollution. *Bulletin of the American Meteorological Society* 70(7): 788- 788.

Poole, G.C. and C.H. Berman. 2001. An ecological perspective on in-stream temperature: natural heat dynamics and mechanisms of human-caused thermal degradation. *Environmental Management*. Vol. 27, No. 6, pp. 787-802.

Potyondy, J.P., G.F. Cole, and W.F. Megahan. 1991. A procedure for estimating sediment yields from forested watersheds. *Proceedings: Fifth Federal Interagency Sedimentation Conf.*, pp. 12-46 to 12-54, Federal Energy Regulatory Comm., Washington, D.C.

Preston, E.M., and B.L. Bedford. 1988. Evaluating Cumulative Effects on Wetland Functions: A Conceptual Overview and Generic Framework. *Environmental Management* 12(5): 565-583.

Rashin, E., C. Clishe, A. Loch, and J. Bell. 1999. Effectiveness of Forest Road and Timber Harvest Best Management Practices with Respect to Sediment-Related Water Quality Impacts. Publication No 05-1010, May, 1999, Submitted to: Timber/Fish/Wildlife Cooperative Management, Evaluation, and Research Committee, Washington State Department of Ecology Environmental Assessment Program Watershed Ecology Section, Olympia, WA.

Reid, L. M. and T. Dunne. 1984. Sediment production from forest road surfaces. *Water Resources Research* 20: 1753-1761.

Reid, L.M., Dunne, T., and C.J. Cederholm, 1981. Application of sediment budget studies to the evaluation of logging road impact. *J. Hydrol (NZ)*, 29: 49-62.

Reid, L.M. 1993. Research and cumulative watershed effects. Gen. Tech. Rep. PSW-GTR-141. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. 118 p.

Rees, W. E. 1988. A Role for Environmental Impact Assessment in Achieving Sustainable Development. *Environmental Impact Assessment Review* 8: 273-291.

Reeves, G.H., F.H. Everest and J.R. Sedell. 1993 . Diversity of Juvenile Anadromous Salmonid Assemblages in Coastal Oregon Basins with Different Levels of Timber Harvest. *Transactions of the American Fisheries Society*. Vol 122, No. 3. May 1993.

Rice, R.M.; Lewis, J. 1986. Identifying unstable sites on logging roads. In: 18th IUFRO World Congress, division 1, vol. 1; Forest environment and silviculture; Vienna, Austria: IUFRO Secretariat:

239-247.

Risser, P.G. 1987. General Concepts for Measuring Cumulative Impacts on Wetland Ecosystems. Workshop on Cumulative Effects on Landscape Systems of Wetlands: Scientific Status, Prospects and Regulatory Perspectives, Jan.13-15. Corvallis, Oregon.

Risser, P.G. 1988. General Concepts for Measuring Cumulative Impacts on Wetland Ecosystems. *Environmental Management* 12(5): 585-589.

Salwasser, H. and F.B. Samson. 1985. Cumulative Effects Analysis: An Advance in Wildlife Planning and Management. Transactions of the North American Wildlife and Natural Resources Conference: Resource Management in the 50th Year; March 15-20. Washington, D.C. XVI+686p.

Schaeffer D.J., E.E. Herricks, and H.W. Kerster, 1988. Ecosystem Health: 1. Measuring Ecosystem Health. *Environmental Management* 12.

Shopley, J.B. and R.F. Fuggle. 1984. A Comprehensive Review of Current Environmental Assessment Methods and Techniques. *Environmental Management* 18: 25-47.

Sondheim, 1978. A Comprehensive Methodology for Assessing Environmental Impact, *Journal of Environmental Management* 6

Sonntag, N. 1986. Cumulative Impact Assessments: A Review of State-of-the-Art Research Recommendations. Environmental and Sound Systems Analysts Ltd. Vancouver, British Columbia. 275p.

Sonntag, N., R.R. Everitt, L.P. Rattie, D.L. Colnett, C.P. Wolf, J.C. Truett, A.H. Dorsey and C.S. Holling 1987. Cumulative Effects Assessment: A Context for Further Research. Canadian Environmental Assessment Research Council.

Spaling, H. and B. Smit, 1993 Cumulative Environmental Change: Conceptual Frameworks, Evaluation Approaches, and Institutional Perspectives, *Environmental Management* 17.

Stakhiv, E.Z. 1988. An Evaluation Paradigm for Cumulative Impact Analysis. *Environmental Management* 12(5): 725-748.

Stonesifer, A. and F. McGowan. 1999. 1999 Clearwater National Forest watershed restoration monitoring results (road obliteration). Orofino, ID: U.S. Department of Agriculture, Forest Service, Clearwater National Forest. 26p.

Switalski, T.A., J.A. Bissonette, T.H. DeLuca, C.H. Luce, and M.A. Madej. 2004. Benefits and impacts of road removal. *Frontiers in Ecology and the Environment*. 2(1): 21-28.  
<http://www.wildlandscpr.org/resourcelibrary/rremresources/Switalski%20et%20al.%202004.pdf>

Sullivan, K. 1985. Long-term patterns of water quality in a managed watershed in Oregon: 1. Suspended sediment. *Water Resources Bulletin*. 21(6): 977-987.

Switalski, T. A., J. A. Bissonette, T. H. DeLuca, C.H. and M.A. Madej. 2003. Wildland Road Removal – Research Needs, in : Making Connections, International Conference on Ecology and Transportation, Symposium proceedings, August 24-29, 2003. Lake Placid, New York.

Tague, C. and L. Band. 2001. Simulating the impact of road construction and forest harvesting on hydrologic response. *Earth Surf. Process. Landforms* 26, 135–151 (2001)

Trombulak, S.C., and C.A. Frissell. 2000. Review of ecological effects of roads on terrestrial and aquatic communities. *Conservation Biology* 14: 18-30.

Vlachos, E. 1982. Cumulative Impact Analysis. *Impact Assessment Bulletin* 1:60-70.

Vlachos, E.C. 1985. *Assessing Long-Range Cumulative Impacts*. In V.T. Covello (ed.), *Environmental Impact Assessment, Technology Assessment and Risk Analysis*. Springer Verlag. New York, New York.

Walker, D.A., P.J. Webber, M.D. Walker, N.D. Lederer, R.S. Meehan and E.A. Nordstrand. 1986. Use of geobotanical maps and automated mapping techniques to examine cumulative impacts in the Prudhoe Bay Oilfield, Alaska. *Environmental Conservation*. Vol. 13. No. 2. Institute of Arctic and Alpine Research.

Walker, D.A., P.J. Webber, E.F. Binnian, K.E. Everett and N.D. Lederer. 1987. Cumulative Impacts of Oil Fields on Northern Alaskan Landscapes. *Science* 238: 757-761.

Waters, T.F. 1995. *Sediment in streams: sources, biological effects and control*. American Fisheries Society Monograph 7, Bethesda, Maryland.

Wathern P., S.N. Young, I.W. Brown and D.A. Roberts. 1986. Use of Cumulative Sum Analysis to Assess Policy Impacts on the River Ebbw, Wales. *Journal of Environmental Management* 23(2): 139-148.

Weller, M.W. 1988. Issues and Approaches in Assessing Cumulative Impacts on Waterbird Habitat in Wetlands. *Environmental Management* 12(5): 695-701.

Wemple, B.C., J.A. Jones, and G.E. Grant. 1996. Channel network extension by logging roads in two basins, western Cascades, Oregon. *Water Resources Bulletin* 32:1195-1207.

Wemple B.C, F.J. Swanson , and J.A. Jones. 2001. Forest roads and geomorphic process interactions, Cascade Range, Oregon. *Earth Surface Processes and Landforms* 26: 191-204.

Wienscyz , A.M., S. Gamiel, D.M. Durall, M.D. Jones, and S.W. Simard. 2002. Ectomycorrhizae and Forestry in British Columbia: A Summary of Current Research and Conservation Strategies. *B.C. Journal of Ecosystems and Management* 2:1.

Williamson, S. and K. Hamilton. 1989. *Annotated Bibliography of Ecological Cumulative Impacts Assessment*. U.S. Department of the Interior, Fish and Wildlife Service. Washington, D.C.

Williamson, S., C. Armour and R. Johnson. 1985. *Preparing a Fish and Wildlife Service Cumulative Impacts Program: Workshop Proceedings*. January. Western Energy and Land Use Team, Division of Biological Sciences, Research and Development, Fish and Wildlife Service, U.S. Department of the Interior. Washington, D.C.

Williamson, S., C.L. Armour, G.W. Kinser, S.L. Funderburk and T.N. Hall, 1987. *Cumulative Impacts Assessment: An Application to Chesapeake Bay*. Transactions of the North American Wildlife and Natural Resources Conference, 52. Sharing Resource Challenges, Opportunities and Responsibilities. Quebec City, March 20-25. XIV 748p. Wildlife Management Institute. Washington, D.C.

Witmer, G. W., M.B. Bain and J.S. Irving. 1985. *A Review and Evaluation of Cumulative Impact Assessment Techniques and Methodologies*. Prepared by Argonne National Laboratory for Bonneville

Power Administration.

Young, D.L. 1986. Cumulative Effects Analysis of Grizzly Bear Habitat on the Lewis and Clark National Forest. In Contreras and K.E.Evans (eds.), Proceeding -- Grizzly Bear Habitat Symposium. U.S. Forest Service Intermountain Research Station General Technical Report INT-207.

Ziemer, R.R., and T.E. Lisle., 1993. Evaluating sediment production by activities related to forest uses--A Northwest Perspective. Proceedings: Technical Workshop on Sediments, Feb., 1992, Corvallis, Oregon. pp. 71-74. Terrene Inst., Washington, D.C.

## 6. RESERVES, SCALE, ECOSYSTEM PLANNING/BMPS (vs. STANDARDS), AND POST-FIRE MANAGEMENT

Bêche, L. A., S.L. Stephens, and V.H. Resh. 2005. Effects of prescribed fire on a Sierra Nevada (California, USA) stream and its riparian zone. *Forest Ecology and Management* 218(1):37-59.

Beechie, T., G. Pess, P. Roni, and G. Giannico. 2008. Setting river restoration priorities: a review of approaches and a general protocol for identifying and prioritizing actions. *N. Am. J. Fish. Mgmt* 28:891-905.

Beechie, T.J., D.A. Sear, J.D. Olden, G.R. Press, J.M. Buffington, H. Moir, P. Roni, and M.M. Pollock. 2010. Process-based principles for restoring river ecosystems. *BioScience* 60(3):209-222.

Bencala, K. E. 1993. A perspective on stream-catchment connections. *Journal of the North American Benthological Society* 12: 44-47.

Benda, L., D. Miller, P. Bigelow, and K. Andras. 2003. Effects of post-wildfire erosion on channel environments, Boise River, Idaho. *Forest Ecology and Management* 178(1):105- 119.

Beschta, R.L., J.J. Rhodes, J.B. Kauffman, R.E. Gresswell, G.W. Minshall, J.R. Karr, D.A. Perry, F.R. Hauer, and C.A. Frissell. 2004. Postfire management on forested public lands of the western United States. *Conservation Biology* 18:957-967.

Carroll, C., D. Odion., C. Frissell, D. Dellasala, B. Noon, and R. Noss, 2009. *Conservation Implications of Coarse Scale versus Fine Scale Management of Forest Ecosystems: Are Reserves Still Relevant?* Klamath Center for Conservation Research, Orleans, CA.

Davis, L. 2008. *Restoration of young forests with an emphasis on pre-commercial thinning.* Pacific Northwest Forest Restoration Cooperative – Technical Paper No. 1, August, 2008.

Espinosa, F.A., J.J. Rhodes, and D.A. McCullough. 1997. The failure of existing plans to protect salmon habitat on the Clearwater National Forest in Idaho. *J. Env. Management* 49(2):205-230.

Feist, B.E., E.A. Steel, G.R. Pess, and R.E. Bilby. 2003. The influence of scale on salmon habitat restoration priorities. *Animal Conservation* 6: 271-282.

Firman, J.C., E.A. Steel, D.W. Jensen, K.M. Burnett, K. Christiansen, B.E. Feist, E. Blake, D.P. Larsen, and K. Anlauf. 2011. Landscape models of adult coho salmon density examined at four spatial extents. *Transactions of the American Fisheries Society* 140:440-455.

Freeman, M.C., C.M. Pringle, and C.R. Jackson. 2007. Hydrologic connectivity and the contribution of stream headwaters to ecological integrity at regional scales. *Journal of the American Water Resources Association* 43(1):5-14. DOI: 10.1111/j.1752-1688.2007.00002.x. <http://www.energy.vt.edu/ncepstudy/pub/nature/regionalscaleinfluence.pdf>

Gotelli, N.J. and G.G. Graves. 1996. *Null models in Ecology.* Smithsonian Institution Press,

Karr, J.R., J.J. Rhodes, G.W. Minshall, F.R. Hauer, R.L. Beschta, C.A. Frissell, and D.A. Perry. 2004.

Postfire salvage logging's effects on aquatic ecosystems in the American West. *BioScience*, 54: 1029-1033.

Labbe, T.R., and K.D. Fausch. 2000. Dynamics of intermittent stream habitat regulate persistence of a threatened fish at multiple scales. *Ecological Applications*, Vol. 10, No. 6 (Dec., 2000), pp. 1774-1791.S.

Linke, S., R. H. Norris, and R.L. Pressey. 2008. Irreplaceability of river networks: towards catchment-based conservation planning. *Journal of Applied Ecology*. 45: 1486–1495.

Marzin, A., F.M. Piet, P. F. M. Verdonschot, and D. Pont. 2012. The relative influence of catchment, riparian corridor, and reach-scale anthropogenic pressures on fish and macroinvertebrate assemblages in French rivers. *Hydrobiologia* 7 July 2012.

McClure, M.M., M. Alexander, D. Borggaard, D. Boughton, L. Crozier, R. Griffis, J.C. Jorgensen, S.T. Lindley, J. Nye, M. J. Rowland, E.E. Seney, A. Snover, C. Toole and K. VanHoutan. 2013. Incorporating Climate Science in Applications of the U.S. Endangered Species Act for Aquatic Species. *Conservation Biology* 27(6):1223-1233.

Meehan, W.R. (ed.), 1991. Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats. Am. Fish. Soc. Special Publication 19.

Noss, R.F. 2001. Beyond Kyoto: Forest Management in a Time of Rapid Climate Change. *Conservation Biology* 15(3):578-590.

(NMFS) National Marine Fisheries Service, 1996. Making ESA determinations of the effect of individual or grouped actions at the watershed scale. NOAA Fisheries ETS Division, Portland, OR.

Rhodes, J.J. and W.L. Baker, 2008. Fire probability, fuel treatment effectiveness and ecological tradeoffs in western U.S. public forests. *Open Forest Science Journal*, 1: 1-7. Blackwell Publishing Ltd. <http://www.bentham.org/open/tofscij/openaccess2.htm>

Rhodes, J.J., D.A. McCullough, and Espinosa, F.A. Jr., 1994. A Coarse Screening Process for Evaluation of the Effects of Land Management Activities on Salmon Spawning and Rearing Habitat in ESA Consultations. CRITFC Tech. Rept. 94-4, Portland, OR.

Saly, P., P. Takacs, I. Kiss, P. Biro, and T. Eros. 2011. The relative influence of spatial context and catchment- and site-scale environmental factors on stream fish assemblages in a human-modified landscape. *Ecology of Freshwater Fish*. John Wiley and Sons. p. 1-13.

Wahl, C. M., A. Neils, and D. Hooper. 2013. Impacts of land use at the catchment scale constrain the habitat benefits of stream riparian buffers. *Freshwater Biology* (2013) doi:10.1111/fwb.12211

Wisdom, M.J., R.S. Holthausen, B.C. Wales, C.D. Hargis, V.A. Saab, D.C. Lee, W.J. Hann, T.D. Rich, M.M. Rowland, W.J. Murphy, and M.R. Eames. 2000. Source habitats for terrestrial vertebrates of focus in the interior Columbia basin: broad-scale trends and management implications. Volume 1 .Overview. Gen. Tech. Rep. PNW-GTR-485. Portland, OR: U.S. Department of Agriculture, ForestService, Pacific Northwest Research Station.

## 7. NUTRIENT DYNAMICS/EUTROPHICATION/MARINE-DERIVED NUTRIENTS

Anderson, D.M., J.M. Burkholder, W.P. Cochlan, P.M. Glibert, et al., 2008. Harmful algal blooms and eutrophication: examining linkages from selected coastal regions of the United States. *Harmful Algae* 8: 39-53.

Blair, M.S. 1994. Oregon coastal lake study: Phosphorus loading and water quality implications. M.S. Thesis, Oregon State University, Corvallis, OR. 114 p.

Bilby, R.E., B.R. Fransen, and P.A. Bisson. 1996. Incorporation of nitrogen and carbon from spawning coho salmon into the trophic system of small streams: evidence from stable isotopes. *Can. J. Fish. Aquat. Sci.* 53:164-173.

Bisson, P.A. and R.E. Bilby. 1998. Organic matter and trophic dynamics. Pages 373-398, in: *River ecology and management: lessons from the Pacific coastal ecoregion*. Springer-Verlag, New York.

Carpenter, S.R., N.F. Caraco, D.L. Correll, R.W. Howarth, A.N. Sharpley, and V.H. Smith. 1998. Nonpoint pollution of surface waters with phosphorus and nitrogen. *Ecological Applications* 8:559–568. [http://dx.doi.org/10.1890/1051-0761\(1998\)008\[0559:NPOSWW\]2.0.CO;2](http://dx.doi.org/10.1890/1051-0761(1998)008[0559:NPOSWW]2.0.CO;2)

Cederholm, C.J., M.D. Kunze, T. Murota, and A. Sabatani. 1999. Pacific salmon carcasses: essential contributions of nutrients and energy for aquatic and terrestrial ecosystems. *Fisheries* 24(10):6-15.

Cole, D.W. 1986. Nutrient cycling in world forests. p.103–115 in *Forest Site and Productivity*, S.P. Gessel (ed.). Dordrecht, The Netherlands: Martinus Nijoff.

Cooper, A. B. 1990. Nitrate depletion in the riparian zone and stream channel of a small headwater catchment. *Hydrobiologia* 202: 13-26.

Daggett, S.G., A.H. Vogel, and R.R. Petersen. 1996. Eutrophication of Mercer, Munsel, and Woahink Lakes, Oregon. *Northwest Science* 70 (Special Issue 2):28-38.

Devine, W.D., P.A. Footen, B.D. Strahm, R.B. Harrison, T.A. Terry and T.B. Harrington. 2012. Nitrogen leaching following whole-tree and bole-only harvests on two contrasting Pacific Northwest sites. *For. Ecol. Mgt.* 267:7-17. Available at: <http://soilslab.cfr.washington.edu/publications/Devine-et-al-2012.pdf>

Edmonds, R.L., D. Binkley, M.C. Feller, P. Sollins, A. Abee, and D.D. Myrold. 1989. Nutrient cycling: Effects on productivity of northwest forest. p.17–35 in *Maintaining the Long-Term Productivity of Pacific Northwest Forest Ecosystems*, D.A. Perry, R. Meurisse, B. Thomas, R. Miller, J. Boyle, J. Means, C.R. Perry, and R.F. Powers (eds.). Portland, OR: Timber Press.

Evans, J. 1999. Sustainability of Forest Plantations—The Evidence. A Review of Evidence Concerning the Narrow-Sense Sustainability of Planted Forests. Report commissioned by the Department for

International Development, London, UK.

[http://www.riverpath.com/library/pdf/sustainability\\_of\\_plantation\\_forestry.pdf](http://www.riverpath.com/library/pdf/sustainability_of_plantation_forestry.pdf)

Gravelle, J.A., G. Ice, T.E. Link, and D.L. Cook. 2009. Nutrient concentration dynamics in an inland Pacific Northwest watershed before and after timber harvest. *Forest Ecol. Manage.*, 257:1663-1675.

Hancock, P.J. 2002. Human Impacts on the Stream–Groundwater Exchange Zone. *Environmental Management* Vol. 29, No. 6, pp. 763–781

Harrison, R.B., D.A. Maguire, and D. Page-Dumroese. 2011. Maintaining Adequate Nutrient Supply -- Principles, Decision Support Tools, and Best Management Practices. Page 33-42 in S.D. Angima and T.A. Terry Best Management Practices for Maintaining Soil productivity in the Douglas-fir Region. Oregon State University EM 9023.

Himes, A.J., E.C. Turnblom, R.B. Harrison, K. Littke, W.D. Devine, D. Zabowski, and D.G. Briggs. 2013. Predicting risk of long-term Nitrogen depletion under whole-tree harvesting in the Coastal Pacific Northwest. *Forest Science* 60:382-390. <http://soilslab.cfr.washington.edu/publications/Himes-etal-2013.pdf>

Holub, SM, TA Terry, CA Harrington, RB Harrison and R Meade. 2013. Tree growth ten years after residual biomass removal, soil compaction, tillage, and competing vegetation control in a highly-productive Douglas-fir plantation. *Forest Ecology and Management* 305:60-66. <http://soilslab.cfr.washington.edu/publications/Holub-etal-2013.pdf>

Littke, K.M., R.B. Harrison, D. Zabowski, and D.G. Briggs. 2014. Effects of geoclimatic factors on soil water, nitrogen, and foliar properties of Douglas-Fir plantations in the Pacific Northwest. *Forest Science* 60(6):13-141.

Knight, E., P. Footen, R.B. Harrison, T. Terry, and S. Holub. 2014. Competing vegetation effects on soil carbon and nitrogen 12 years post-harvest in a Douglas-fir plantation on a highly productive site. *Soil Sci. Soc. Am. J.* doi:10.2136/sssaj2013.07.0320nafsc.

Kubin, E. 2006. Leaching of nitrogen from upland forest-regeneration sites into wetland areas. P. 87-94 in Krecek, J. and M. Haigh (eds.) *Environmental role of wetlands in headwaters*. Springer, The Netherlands.

Page-Dumroese, D. 2010. Is woody residue part of your plan for sustainable forestry? *Northwest Woodlands* Summer:20–22.

Reimchen, T. 2001. Salmon nutrients, nitrogen isotopes and coastal forests. *Ecoforestry*, Fall 2001 p. 13-16. [http://web.uvic.ca/~reimlab/reimchen\\_ecoforestry.pdf](http://web.uvic.ca/~reimlab/reimchen_ecoforestry.pdf)



# Key aquatic science questions for the Forest Service Science Synthesis

## **STREAM TEMPERATURE:**

What factors determine the temperature of forest streams?

What is the biological importance of conserving or restoring natural temperature regimes in streams and rivers?

What are the likely effects of climate change on future stream temperatures?

How does the width and downstream continuity of riparian forest buffer zones affect the temperature of surface waters?

How does thinning or other logging within Riparian Reserves and riparian areas affect the temperature of surface waters?

How does thinning interact with natural disturbance processes to affect stream temperature?

What riparian management practices are needed to minimize the adverse impacts of forestry on stream temperature?

## **EROSION, SEDIMENT DELIVERY, AND SUSPENDED SEDIMENT IN SURFACE WATERS**

How does increased erosion caused by logging harm streams and other waters?

What is the role of Riparian Reserves in minimizing erosion from logging roads?

What is the role of Riparian Reserves in minimizing erosion from landslides?

What is the role of Riparian Reserves in minimizing ground disturbance from logging?

What is the role of Riparian Reserves in minimizing gullying and channel expansion as a result of logging?

What are the consequences for erosion and sediment delivery of Riparian Reserve widths on headwater streams?

What are the consequences for erosion and sediment delivery of thinning or other logging within Riparian Reserves?

## **NUTRIENT DELIVERY AND EUTROPHICATION**

Where do nutrients originate on managed forest landscapes?

What is the consequence of increased nutrient delivery to streams, wetlands, rivers and lakes from forestry operations?

Didn't salmon runs in the past contribute large amounts of nutrients to streams and what are the implications for today's streams?

How do riparian forests mediate nutrient delivery to surface waters?

How do the width and downstream continuity of riparian forest buffer zones affect nutrient delivery to surface waters?

How does forest harvesting within riparian areas affect nutrient delivery to surface waters?

What configuration of riparian area management is needed to minimize delivery of nutrients from forest disturbances?

What other management practices can help reduce or minimize nutrient delivery associated with forest management?

## **STREAM HABITAT & LARGE WOODY DEBRIS**

How is woody debris important to stream and other freshwater ecosystems?

What is the role of riparian forests in determining the availability of wood to freshwater ecosystems?

What are the effects of narrowing Riparian Reserves from ACS Standards on

woody debris supply for streams?

How does tree tipping thinning affect the supply of woody debris in riparian areas and streams?

What riparian management practices are needed to minimize the adverse impacts of forestry on woody debris?

## **STREAM FLOWS AND STREAM FLOW TIMING**

How do timber harvest and roads affect the amount, timing and spatial distribution of stream flows?

How do timber harvest and forest roads affect wetlands, surface water, shallow sub-surface water and groundwater?

How do timber harvest and forest roads affect stream hydrologic conditions that in turn may affect stream physical habitats, for example floodplain extent, dynamics, and connectivity; channel dynamics, conditions and complexity; and streambank stability and integrity?

How does climate change interact with timber harvest and roads to affect or influence a) late winter/early spring peak flows? b) base flows or late summer flows (particularly over time, i.e., after timber harvest entry and road construction or re-construction)?

## **ROAD IMPACTS**

How do roads, culverts and stream crossings affect fish movements and migratory pathways, particularly over time and given limited budgets for road maintenance or repairs?

How do roads affect fishing pressure for rare and threatened/endangered fish species?

How do roads affect the spread of invasive species (both terrestrial and aquatic)?

What are appropriate minimum standards for roads to protect aquatic and riparian ecosystems and watersheds and to conserve listed fish and other aquatic species (especially given reasonably foreseeable climate impacts – see

climate Qs below)?

What are some of the other secondary or indirect ways that roads and road crossings can affect streams and fish habitats (e.g., sediment impacts, stream thermal impacts, nutrient flow impacts, etc...?).

## **IMPORTANCE OF SMALLER STREAMS**

What is the importance of smaller non-fish bearing, fishbearing and intermittent headwater streams protection, particularly in light of watershed cumulative (hydrologic) effects (CWEs) and climate change?

Can smaller streams, particularly those associated with springs, seeps, wetlands and extensive surface-to-groundwater connections in headwater areas be managed as refugia from timber harvest and road related impacts and thus provide future survival opportunities for climate sensitive species, particularly bull trout and amphibians?

Can impacts to smaller streams caused by current plan and project level protections, or planned reductions in minimum riparian reserve widths adversely affect amphibians, bull trout and other resident and anadromous salmonids, particularly in light of climate change?

Note: see scientific papers regarding cumulative watershed effects (CWEs) and current and projected climate impacts

## **CLIMATE CHANGE AND CLIMATE IMPACTS**

What are some of the current trends in regional air and associated stream temperatures in the Pacific Northwest and Northern California?

What do peer reviewed climate science journals and down-scaled climate models predict to occur in the next 50-100 years to regional stream thermal conditions?

How will forest ecosystems and stream ecosystems generally respond if these climate predictions are reasonably accurate? For example:

- a) How will stream hydrographs respond in currently snow dominated, rain-on-snow transitional, and rain dominated watersheds?
- b) What will occur to peak flows and late winter/early spring channel scour

events, particularly in warm/wet years? What impacts are likely to threatened and endangered species such as bull trout?

c) What will occur to late season (summer flows), particularly in warm/dry i.e., drought years? What impacts are likely to listed fish and listed/at risk amphibian species?

What species of fish and amphibians are likely to be adversely affected or need additional aquatic and riparian protections, given the above changes and trends? How will these species be protected?

## **CUMULATIVE IMPACTS**

What analytical or management criteria/measures does the scientific literature suggest for land management agencies to determine allowable level(s) of cumulative impacts to *watersheds, streams, fish, amphibians, riparian reserves, stream temperatures, stream flows, pattern of flows and flow timing, water quality, nutrient flows, large woody debris, floodplain complexity and connectivity, stream channel conditions, riparian and instream physical habitats, endangered/threatened or sensitive (at risk) fish, amphibian and invertebrate species, and other critical aquatic ecosystem functions or components?*

What explicit standards or analytical or management criteria/measures does the scientific literature suggest for timely adaptive management responses at appropriate unit level (i.e. National Forest or watershed scale) to avoid cumulative impacts to the above aquatic ecosystem components and conditions?

What does the scientific literature suggest for monitoring frequency/timing of analytical or management criteria/measures for a timely response to changing conditions?

At what point in a program of monitoring will information and analysis be less than adequate to assess cumulative impacts? In other words, at what thresholds will failure be likely given various assumptions of environmental stress. In practice how should the U.S.D.A. Forest Service monitor and qualitatively respond to ensure ecosystem integrity and sustainability using the above (highlighted in italics) components and conditions?